

Carlos Alberto Mandarim-De-Lacerda

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11441792/publications.pdf>

Version: 2024-02-01

32
papers

1,209
citations

331670

21
h-index

434195

31
g-index

32
all docs

32
docs citations

32
times ranked

1841
citing authors

#	ARTICLE	IF	CITATIONS
1	Obese mice weight loss role on nonalcoholic fatty liver disease and endoplasmic reticulum stress treated by a GLP-1 receptor agonist. <i>International Journal of Obesity</i> , 2022, 46, 21-29.	3.4	26
2	Intermittent fasting, high-intensity interval training, or a combination of both have beneficial effects in obese mice with nonalcoholic fatty liver disease. <i>Journal of Nutritional Biochemistry</i> , 2022, 104, 108997.	4.2	8
3	Maternal swimming mitigates liver damage caused by paternal obesity. <i>Nutrition</i> , 2021, 86, 111168.	2.4	2
4	The acute schistosomiasis mansoni ameliorates metabolic syndrome in the C57BL/6 mouse model. <i>Experimental Parasitology</i> , 2020, 212, 107889.	1.2	9
5	Vitamin D Deficiency Increases Lipogenesis and Reduces Beta-Oxidation in the Liver of Diet-Induced Obese Mice. <i>Journal of Nutritional Science and Vitaminology</i> , 2018, 64, 106-115.	0.6	28
6	A rich medium-chain triacylglycerol diet benefits adiposity but has adverse effects on the markers of hepatic lipogenesis and beta-oxidation. <i>Food and Function</i> , 2017, 8, 778-787.	4.6	20
7	Anti-obesogenic effects of WY14643 (PPAR-alpha agonist): Hepatic mitochondrial enhancement and suppressed lipogenic pathway in diet-induced obese mice. <i>Biochimie</i> , 2017, 140, 106-116.	2.6	48
8	Tips for Studies with Quantitative Morphology (Morphometry and Stereology). <i>International Journal of Morphology</i> , 2017, 35, 1482-1494.	0.2	34
9	NAFLD e Ingesta de Fructosa en Altas concentraciones: Una Revisi3n de la Literatura. <i>International Journal of Morphology</i> , 2017, 35, 676-683.	0.2	1
10	Mice fed fish oil diet and upregulation of brown adipose tissue thermogenic markers. <i>European Journal of Nutrition</i> , 2016, 55, 159-169.	3.9	88
11	Oral isotretinoin in photoaging: objective histological evidence of efficacy and durability. <i>Anais Brasileiros De Dermatologia</i> , 2015, 90, 479-486.	1.1	19
12	A high-fish-oil diet prevents adiposity and modulates white adipose tissue inflammation pathways in mice. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 960-969.	4.2	42
13	Singular effects of PPAR agonists on nonalcoholic fatty liver disease of diet-induced obese mice. <i>Life Sciences</i> , 2015, 127, 73-81.	4.3	36
14	PPAR4 agonist elicits metabolically active brown adipocytes and weight loss in diet-induced obese mice. <i>Cell Biochemistry and Function</i> , 2015, 33, 249-256.	2.9	44
15	Early hepatic insult in the offspring of obese maternal mice. <i>Nutrition Research</i> , 2015, 35, 136-145.	2.9	23
16	Pregestational maternal obesity impairs endocrine pancreas in male F1 and F2 progeny. <i>Nutrition</i> , 2015, 31, 380-387.	2.4	43
17	Programming of Obesity and Comorbidities in the Progeny: Lessons from a Model of Diet-Induced Obese Parents. <i>PLoS ONE</i> , 2015, 10, e0124737.	2.5	56
18	Pleiotropic effects of rosuvastatin on the glucose metabolism and the subcutaneous and visceral adipose tissue behavior in C57Bl/6 mice. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 32.	2.7	23

#	ARTICLE	IF	CITATIONS
19	Maternal high-fat diet is associated with altered pancreatic remodelling in mice offspring. <i>European Journal of Nutrition</i> , 2013, 52, 759-769.	3.9	30
20	Adverse association between obesity and menopause in mice treated with bezafibrate, a pan peroxisome proliferator-activated receptor agonist. <i>Menopause</i> , 2013, 20, 1264-1274.	2.0	7
21	Peroxisome Proliferator-Activated Receptors-Alpha and Gamma Are Targets to Treat Offspring from Maternal Diet-Induced Obesity in Mice. <i>PLoS ONE</i> , 2013, 8, e64258.	2.5	66
22	Quantitative Morphology Update: Image Analysis. <i>International Journal of Morphology</i> , 2013, 31, 23-30.	0.2	9
23	Maternal High-Fat Diet Programs for Metabolic Disturbances in Offspring despite Leptin Sensitivity. <i>Neuroendocrinology</i> , 2012, 96, 272-284.	2.5	50
24	Modulation of cytokines, resistin, and distribution of adipose tissue in C57BL/6 mice by different high-fat diets. <i>Nutrition</i> , 2012, 28, 212-219.	2.4	65
25	A critical analysis of three quantitative methods of assessment of hepatic steatosis in liver biopsies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 477-485.	2.8	112
26	Maternal protein restriction in mice causes adverse metabolic and hypothalamic effects in the F1 and F2 generations. <i>British Journal of Nutrition</i> , 2011, 106, 1364-1373.	2.3	41
27	Image Analysis and Quantitative Morphology. <i>Methods in Molecular Biology</i> , 2010, 611, 211-225.	0.9	77
28	Pan-PPAR agonist beneficial effects in overweight mice fed a high-fat high-sucrose diet. <i>Nutrition</i> , 2009, 25, 818-827.	2.4	61
29	Rosiglitazone Aggravates Nonalcoholic Fatty Pancreatic Disease in C57BL/6 Mice Fed High-Fat and High-Sucrose Diet. <i>Pancreas</i> , 2009, 38, e80-e86.	1.1	48
30	Long-term feeding a high-fat diet causes histological and parasitological effects on murine schistosomiasis mansoni outcome. <i>Experimental Parasitology</i> , 2007, 115, 324-332.	1.2	21
31	Dietary effect of different high-fat diet on rat liver stereology. <i>Liver International</i> , 2003, 23, 363-370.	3.9	50
32	Vitamina C. <i>Anais Brasileiros De Dermatologia</i> , 2003, 78, 265-272.	1.1	22