

Jesus Puerta Pelayo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1144238/publications.pdf>

Version: 2024-02-01

536
papers

27,869
citations

6254
80
h-index

10732
138
g-index

549
all docs

549
docs citations

549
times ranked

10606
citing authors

#	ARTICLE	IF	CITATIONS
1	Measurement of the Higgs Boson Mass in $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV with the ATLAS and CMS Experiments. <i>Physical Review Letters</i> , 2015, 114, 191803.	7.8	1,062
2	CMS Physics Technical Design Report, Volume II: Physics Performance. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2007, 34, 995-1579.	3.6	683
3	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV . <i>European Physical Journal C</i> , 2015, 75, 212.	3.9	541
4	Determination of jet energy calibration and transverse momentum resolution in CMS. <i>Journal of Instrumentation</i> , 2011, 6, P11002-P11002.	1.2	508
5	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016, 76, 155.	3.9	499
6	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	497
7	Performance of CMS muon reconstruction in pp collision events at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2012, 7, P10002-P10002.	1.2	467
8	Identification of b-quark jets with the CMS experiment. <i>Journal of Instrumentation</i> , 2013, 8, P04013-P04013.	1.2	418
9	Description and performance of track and primary-vertex reconstruction with the CMS tracker. <i>Journal of Instrumentation</i> , 2014, 9, P10009-P10009.	1.2	380
10	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	369
11	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014, 74, 3076.	3.9	342
12	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s}=7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	320
13	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 235.	3.9	320
14	Measurement of the branching fraction and search for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W , Z , and Higgs bosons in pp collisions at 8 TeV . <i>European Physical Journal C</i> , 2014, 74, 3036.	7.8	282
15	Transverse-momentum and pseudorapidity distributions of charged hadrons in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 2.36 TeV . <i>Journal of High Energy Physics</i> , 2010, 2010, 1.	4.7	230
16	Observation of Sequential Suppression in PbPb Collisions. <i>Physical Review Letters</i> , 2012, 109, 222301.	7.8	220
17	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018, 121, 121801.	7.8	219

#	ARTICLE	IF	CITATIONS
19	Observation of $\langle \text{mmi:math} \text{ xmlns:mmi="http://www.w3.org/1998/Math/MathML"} \rangle \text{ display="inline"} \langle \text{mmi:mrow} \langle \text{mmi:mrow} \langle \text{mmi:mi} \rangle \text{t} \rangle \langle \text{mmi:mi} \rangle \langle \text{mmi:mover} \text{ accent="true"} \rangle \langle \text{mmi:mrow} \langle \text{mmi:mi} \rangle \text{t} \rangle \langle \text{mmi:mi} \rangle \langle \text{mmi:mrow} \rangle \langle \text{mmi:mrow} \langle \text{mmi:mo} \text{ stretchy="false"} \rangle \text{A}^- \langle \text{mmi:mo} \rangle \langle \text{mmi:mrow} \rangle \langle \text{mmi:mover} \rangle \langle \text{mmi:mrow} \rangle \langle \text{mmi:mi} \rangle \text{H} \langle \text{mmi:mi} \rangle \langle \text{mmi:mrow} \rangle \langle \text{mmi:math} \rangle \text{ Production. Physical Review Letters, 2018, 120, 231801.}$	7.8	209
20	Search for Supersymmetry at the LHC in Events with Jets and Missing Transverse Energy. <i>Physical Review Letters</i> , 2011, 107, 221804.	7.8	208
21	Suppression of non-prompt J/ψ , prompt J/ψ , and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	200
22	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020, 80, 4.	3.9	198
23	Measurement of the differential cross section for top quark pair production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 542.	3.9	191
24	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	181
25	Search for heavy neutrinos and W bosons with right-handed couplings in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 3149.	3.9	179

#	ARTICLE	IF	CITATIONS
37	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2016, 116, 172302.	7.8	139
38	CMS Physics Technical Design Report: Addendum on High Density QCD with Heavy Ions. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2007, 34, 2307-2455.	3.6	136
39	Prompt and non-prompt J/ψ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	135
40	A search for a doubly-charged Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	129
41	Search for Dijet Resonances in 7 TeV pp Collisions at CMS. <i>Physical Review Letters</i> , 2010, 105, 211801.	7.8	126
42	Search for Dark Matter and Large Extra Dimensions in pp Collisions Yielding a Photon and Missing Transverse Energy. <i>Physical Review Letters</i> , 2012, 108, 261803.	7.8	126
43	Measurement of differential top-quark-pair production cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	125
44	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	123
45	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021, 81, 800.	3.9	123
46	Measurements of inclusive W and Z cross sections in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	122
47	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010, 70, 1165-1192.	3.9	120
48	The performance of the CMS muon detector in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ at the LHC. <i>Journal of Instrumentation</i> , 2013, 8, P11002-P11002.	1.2	119
49	Searches for long-lived charged particles in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	118
50	Search for a light charged Higgs boson in top quark decays in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	117
51	Observation of the Associated Production of a Single Top Quark and a τ Lepton in pp Collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Physical Review Letters</i> , 2012, 108, 121801.	7.8	108
52	Observation of Charge-Dependent Azimuthal Correlations in pp Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017, 118, 122301.	4.7	107
53	Charged particle multiplicities in pp interactions at $\sqrt{s} = 0.9, 2.36, \text{ and } 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	106
54	Charged-particle nuclear modification factors in PbPb and pPb collisions at $s_NN = 5.02 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	103

#	ARTICLE	IF	CITATIONS
55	Missing transverse energy performance of the CMS detector. <i>Journal of Instrumentation</i> , 2011, 6, P09001-P09001.	1.2	102
56	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	101
57	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	100
58	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	99
59	Search for new phenomena with the M_{T2} variable in the all-hadronic final state produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 710.	3.9	98
60	Measurement of the underlying event activity at the LHC with $\sqrt{s} = 7$ TeV and comparison with $\sqrt{s} = 0.9$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	97
61	Search for supersymmetry in hadronic final states using M_{T2} in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	95
62	Performance of the CMS missing transverse momentum reconstruction in pp data at $\sqrt{s} = 8$ TeV. <i>Journal of Instrumentation</i> , 2015, 10, P02006-P02006.	1.2	93
63	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	92
64	Performance of ℓ, q -lepton reconstruction and identification in CMS. <i>Journal of Instrumentation</i> , 2012, 7, P01001-P01001.	1.2	91
65	Searches for new physics using the invariant mass distribution in pp collisions at $\sqrt{s}=8$ TeV. <i>Physical Review Letters</i> , 2013, 111, 211804.	7.8	90
66	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2015, 75, 147.	3.9	88
67	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	86
68	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	85
69	A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider. <i>Science</i> , 2012, 338, 1569-1575.	12.6	85
70	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	85
71	Study of the production of charged pions, kaons, and protons in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. <i>European Physical Journal C</i> , 2014, 74, 2847.	3.9	85
72	Reconstruction and identification of ℓ lepton decays to hadrons and $\ell^{\pm}\ell^{\mp}$ at CMS. <i>Journal of Instrumentation</i> , 2016, 11, P01019-P01019.	1.2	85

#	ARTICLE	IF	CITATIONS
73	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of Instrumentation</i> , 2020, 15, P10017-P10017.	1.2	84
74	Measurement of the single-top-quark t-channel cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	83
75	Measurement of the differential cross section and charge asymmetry for inclusive $p \rightarrow W^{\pm} + X$ production at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 469.	3.9	83
76	Measurement of prompt and nonprompt charmonium suppression in PbPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 509.	3.9	83
77	Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>European Physical Journal C</i> , 2017, 77, 252.	3.9	82
78	Search for narrow and broad dijet resonances in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ and constraints on dark matter mediators and other new particles. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	82
79	J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	81
80	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	81
81	Search for a charged Higgs boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	81
82	Study of Z boson Production in PbPb Collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Physical Review Letters</i> , 2011, 106, 212301.	7.8	80
83	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	78
84	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 75.	3.9	78
85	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	77
86	Search for Top-Quark Partners with Charge λ_5 in the Same-Sign Dilepton Final State. <i>Physical Review Letters</i> , 2014, 112, 171801.	7.8	76
87	Study of exclusive two-photon production of $W + W^*$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	75
88	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 1.	3.9	75
89	Measurement of the $W + W^*$ cross section in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016, 76, 401.	3.9	74
90	Measurement of the $X(3872)$ production cross section via decays to $J/\psi + \psi'$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	73

#	ARTICLE	IF	CITATIONS
91	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	3.9	73
92	Search for additional neutral MSSM Higgs bosons in the \tilde{t}, \tilde{t} , final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
93	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1. Measurement of the Splitting Function in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle$ and Pb-Pb Collisions at $\sqrt{s} = 2.76$ TeV. $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:math \rangle$ Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s} = 2.76$ TeV. $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:math \rangle$ Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 3.	4.7	70
94	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle$ and Pb-Pb Collisions at $\sqrt{s} = 2.76$ TeV. $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:math \rangle$ Meson Azimuthal Anisotropy in Pb-Pb Collisions at $\sqrt{s} = 2.76$ TeV. $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mrow} \rangle \langle \text{mml:msort} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:math \rangle$ Searches for physics beyond the standard model with the M_{T2} variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 80, 3.	7.8	70
95	Measurement of the $t\bar{t}$ overline{t} production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	70
96	Search for anomalous production of multilepton events in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	68
97	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	3.9	68
98	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	68
99	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at $\sqrt{s} = 7$ TeV and determination of the strong coupling constant in the TeV range. European Physical Journal C, 2015, 75, 186.	3.9	68
100	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 368.	3.9	68
101	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2020, 2020, 1.	4.7	66
102	Long-range and short-range dihadron angular correlations in central PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV. Journal of High Energy Physics, 2011, 2011, 1. Search for a Light Pseudoscalar Higgs Boson in the Dimuon Decay Channel in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle$ Collisions at $\sqrt{s_{NN}} = 2.76$ TeV. $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:msort} \rangle \langle \text{mml:mi} \rangle s \langle /mml:mi \rangle \langle /mml:msort \rangle \langle \text{mml:mo} \rangle$ Observation of a New $b\bar{b}$ Production Channel in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block">\langle \text{mml:mi} \rangle b \langle /mml:mi \rangle \langle \text{mml:mi} \rangle b \langle /mml:mi \rangle \langle /mml:math \rangle$ Baryon. Physical Review Letters, 2012, 108, 252002.	4.7	65
103	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2014, 74, 3129.	3.9	65
104	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2013, 73, 2283.	3.9	64

#	ARTICLE or Flavor-Changing Neutral Currents in Top-Quark Decays<math>\mathrm{in} \langle \mathrm{mml:math}	IF	CITATIONS
109	xmns:mml= http://www.w3.org/1998/Math/MathML display="inline"><mml:mrow><mml:mi>t</mml:mi><mml:mo>*</mml:mo><mml:mi>Z</mml:mi><mml:mi>q</mml:mi></mml:mrow></mml:math>in<math>\mathrm{in} \langle \mathrm{mml:math} 64 xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline "><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math>Collisions at<math>\mathrm{in} \langle \mathrm{mml:math}	4.7	64
110	Search for new physics in same-sign dilepton events in protonâ€“proton collisions at $\sqrt{s} = 13\text{ TeV}$. European Physical Journal C, 2016, 76, 439.	3.9	64
111	Search for Signatures of Extra Dimensions in the Diphoton Mass Spectrum at the Large Hadron Collider. Physical Review Letters, 2012, 108, 111801.	7.8	63
112	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63
113	Measurement of the Pseudorapidity and Centrality Dependence of the Transverse Energy Density in Pb-Pb Collisions at<math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msqrt><mml:msub><mml:mi>s</mml:mi><mml:mi>NN</mml:mi></mml:msub></mml:msqrt><mml:mo>*</mml:mo><mml:math>=</mml:math> Physical Review Letters, 2012, 109, 152303.	7.8	62
114	Measurement of the $W+W^{\prime}$ cross section in pp collisions at $\sqrt{s} = 7\text{ TeV}$ and limits on anomalous $WW^{\prime}3$ and WWZ couplings. European Physical Journal C, 2013, 73, 1.	3.9	62
115	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\sqrt{s}=8\text{ TeV}$ $s = 8\text{ TeV}$. European Physical Journal C, 2016, 76, 13.	3.9	62
116	Measurement of the <math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msup><mml:mi>B</mml:mi><mml:mo>±</mml:mo></mml:msup></mml:math> Meson Nuclear Modification Factor in Pb-Pb Collisions at <math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msqrt><mml:mrow><mml:msub><mml:mi>s</mml:mi></mml:msub></mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:math> Physical Review Letters, 2017, 119, 152301.	7.8	62
117	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at $s = 13\text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
118	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13\text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
119	Observation of Two Excited <math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:msubsup><mml:mi>B</mml:mi><mml:mi>c</mml:mi><mml:mi>c</mml:mi><mml:mo>*</mml:mo></mml:msubsup></mml:math> States and Measurement of the <math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msubsup><mml:mi>B</mml:mi><mml:mi>c</mml:mi><mml:mi>c</mml:mi><mml:mo>*</mml:mo></mml:msubsup></mml:mrow></mml:math> Measurement of the <math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" Ti ETQq1 1 0.784314 reBT /Overlock 10 Tf 50 322 display="inline"><mml:msup><mml:mi>B</mml:mi><mml:mi>c</mml:mi><mml:mn>0</mml:mn></mml:msup></mml:math> Production Cross Section in <math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> Collisions at<math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML"	7.8	61
120	Search for a Narrow Resonance lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at <math>\mathrm{in} \langle \mathrm{mml:math} xmns:mml="http://www.w3.org/1998/Math/MathML" display="inline"><mml:mrow><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mml:mo>*</mml:mo></mml:mrow></mml:math> Physical Review Letters, 2020, 124, 131802.	7.8	61
122	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s} = 7\text{ TeV}$ and first determination of the strong coupling constant in the TeV range. European Physical Journal C, 2013, 73, 1.	3.9	60
123	Performance and operation of the CMS electromagnetic calorimeter. Journal of Instrumentation, 2010, 5, T03010-T03010.	1.2	59
124	Alignment of the CMS silicon tracker during commissioning with cosmic rays. Journal of Instrumentation, 2010, 5, T03009-T03009.	1.2	59
125	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at $\sqrt{s} = 7\text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	59
126	Search for anomalous $t\bar{t}$ production in the highly-boosted all-hadronic final state. Journal of High Energy Physics, 2012, 2012, 1.	4.7	58

#	ARTICLE	IF	CITATIONS
127	Jet production rates in association with W and Z bosons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	58
128	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	58
129	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 237.	3.9	58
130	Identification and filtering of uncharacteristic noise in the CMS hadron calorimeter. <i>Journal of Instrumentation</i> , 2010, 5, T03014-T03014.	1.2	57
131			

#	ARTICLE	IF	CITATIONS
145	Measurement of the $\{m_t\} \bar{t} \{m_t\}$ production cross section and the top quark mass in the dilepton channel in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	53
146	Measurement of prompt and nonprompt $\psi J/\psi$ production in $p\bar{p}$ and $p\bar{p}$ collisions at $\sqrt{s_{NN}} = 5.02$ TeV. European Physical Journal C, 2017, 77, 269.	3.9	53
147	Performance of CMS muon reconstruction in cosmic-ray events. Journal of Instrumentation, 2010, 5, T03022-T03022.	1.2	52
148	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	52
149	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\sqrt{s} = 8$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
150	Measurements of the $p\bar{p} \rightarrow Z Z$ production cross section and the $Z \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
151	Search for exclusive or semi-exclusive $t\bar{t}$ production and observation of exclusive and semi-exclusive e^+e^- production in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	51
152	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	4.7	51
153	Search for $B_s \rightarrow \mu^+\mu^-$ and $B_d \rightarrow \mu^+\mu^-$ Decays in pp Collisions at $\sqrt{s}=7$ TeV. Physical Review Letters, 2018, 107, 151802.		
154	Study of the underlying event at forward rapidity in pp collisions at $\sqrt{s}=0.9, 2.76, 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	50
155	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at $\sqrt{s}=13$ TeV. Physical Review Letters, 2018, 121, 241802.		
156	Search for leptonic decays of W^{\pm} bosons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	4.7	49
157	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at $\sqrt{s} = 8$ TeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	3.9	49
158	Search for new physics in events with same-sign dileptons and jets in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	48
159	Observation of $Y(1S)$ pair production in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	48
160	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 364.	3.9	48
161	Search for Supersymmetry in pp Collisions at $\sqrt{s}=7$ TeV in Events with Two Photons and Missing Transverse Energy. Physical Review Letters, 2011, 106, 211802.	7.8	47
162	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	47

#	ARTICLE	IF	CITATIONS
163	Measurement of Prompt η' production at $\sqrt{s} = 7 \text{ TeV}$. <i>Nature Physics</i> , 2012, 8, 747. $\eta' \rightarrow \eta \pi^+ \pi^-$	7.8	47
164	Search for the η' particle at $\sqrt{s} = 7 \text{ TeV}$. <i>Nature Physics</i> , 2012, 8, 747. Yield Ratios In Pb-Pb and η' mass spectra	7.8	47
165	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	46
166	Search for disappearing tracks in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	46
167	Search for third-generation scalar leptoquarks decaying to a top quark and a τ lepton at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 707.	3.9	46
168	Search for heavy bottom-like quarks in 4.9 fb^{-1} of pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	45
169	Search for Top Squark and Higgsino Production Using Diphoton Higgs Boson Decays. <i>Physical Review Letters</i> , 2014, 112, 161802.	7.8	45
170	Search for microscopic black holes in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	44
171	Search for a light charged Higgs boson decaying to $c s \bar{A}'$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-37.	4.7	44
172	Search for decays of stopped long-lived particles produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 151.	3.9	44
173	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 140.	3.9	44
174	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 3060.	3.9	43
175	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	43
176	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 325.	3.9	43
177	Search for natural and split supersymmetry in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	43
178	Measurement of the top-quark mass in $t\bar{t}$ events with dilepton final states in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2012, 72, 1.	3.9	42
179	Evidence for exclusive $t\bar{t} \rightarrow W + W$ production and constraints on anomalous quartic gauge couplings in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	42
180	Search for vector-like T and B quark pairs in final states with leptons at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	42

#	ARTICLE	IF	CITATIONS
181	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
182	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section in the $e^{\pm}\nu_e$ channel in proton-proton collisions at $s = 7 \text{ TeV}$ and 8 TeV . Journal of High Energy Physics, 2016, 2016, 1.	4.7	41
183	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section in the all-jets final state in pp collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 128.	3.9	41
184	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
185	Measurement of properties of $B \rightarrow D^{*+} \ell^+ \nu_\ell$ decays and search for $B \rightarrow D^{*+} \ell^+ \nu_\ell$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
186	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
187	Search for same-sign top-quark pair production at $s = 7 \text{ TeV}$ and limits on flavour changing neutral currents in the top sector. Journal of High Energy Physics, 2011, 2011, 1.	4.7	40
188	Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross section using events in the $e\mu$ final state in pp collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2017, 77, 172.	3.9	40
189	Search for new physics in dijet angular distributions using proton-proton collisions at $s = 13 \text{ TeV}$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
190	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
191	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $s = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 378.	3.9	40
192	Search for resonances in the dilepton mass distribution in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	39
193	Measurement of the $Z \rightarrow e^+ e^-$ b-jet cross section in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	39
194	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
195	Measurement of the $Z Z$ production cross section and search for anomalous couplings in $Z Z$ final states in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	39
196	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	39
197	Measurement of differential cross sections for $Z Z$ boson production in association with jets in proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 965.	3.9	39
198	Search for heavy stable charged particles in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	38

#	ARTICLE	IF	CITATIONS
199	Measurement of the top-quark mass in $t\bar{t}$ events with lepton+jets final states in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	38
200	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2017, 77, 636.	3.9	38
201	Suppression of Excited States Relative to the Ground State in Pb-Pb Collisions at $\sqrt{s} = 2.76$ TeV. <i>Physical Review Letters</i> , 2016, 116, 142301.	7.8	38
202	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $t\bar{t}$, leptons at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	38
203	Commissioning of the CMS experiment and the cosmic run at four tesla. <i>Journal of Instrumentation</i> , 2010, 5, T03001-T03001.	1.2	37
204	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s}=7$ TeV using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011, 71, 1.	3.9	37
205	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	37
206	Measurement of the WZ production cross section in pp collisions at $\sqrt{s} = 7$ and 8 TeV and search for anomalous triple gauge couplings at $\sqrt{s} = 8$ TeV. <i>European Physical Journal C</i> , 2017, 77, 236.	3.9	37
207	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	37
208	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	37
209	Precise mapping of the magnetic field in the CMS barrel yoke using cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03021-T03021.	1.2	36
210	Measurement of the Drell-Yan cross section in pp collisions at $\sqrt{s} = 7$ TeV. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	36
211	Search for resonant and nonresonant Higgs boson pair production in the $b\bar{b}\rightarrow t\bar{t}$ final state in proton-proton collisions at $s = 13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	36
212	Search for Narrow Resonances in the -Tagged Dijet Mass Spectrum in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , 2018, 120, 201801.	7.8	36
213	Measurement of the top-quark mass in all-jets $t\bar{t}$ events in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2014, 74, 2758.	3.9	35
214	Search for heavy Majorana neutrinos in $e^{\pm}e^{\pm}$ jets and $e^{\pm}\mu^{\pm}$ jets events in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	35
215	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review Letters</i> , 2017, 119, 111802.	7.8	35
216	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	35

#	ARTICLE	IF	CITATIONS
217	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
218	Measurement of associated production of a W boson and a charm quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 269.	3.9	35
219	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 488.	3.9	35
220	Search for microscopic black holes in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	34
221	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable T . Journal of High Energy Physics, 2013, 2013, 1.	4.7	34
222	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	34
223	Measurement of $t\bar{t}$ production with additional jet activity, including b quark jets, in the dilepton decay channel using pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 379.	3.9	34
224	Measurements of the $t\bar{t}$ production cross section in lepton+jets final states in pp collisions at 8 TeV and ratio of 8 to 7 TeV cross sections. European Physical Journal C, 2017, 77, 15.	3.9	34
225	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two leptons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
226	Measurement of the top quark mass with lepton+jets final states using $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 891.	3.9	34
227	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
228	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	33
229	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	3.9	33
230	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two leptons and two jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
231	Measurement of exclusive $t\bar{t}$ photoproduction in ultraperipheral pPb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. European Physical Journal C, 2019, 79, 702.	3.9	33
232	Search for dark matter produced in association with a leptonically decaying Z boson in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 13.	3.9	33
233	Search for top squark pair production using dilepton final states in $p\bar{p}$ collision data collected at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 3.	3.9	33
234	Measurement of $t\bar{t}$ normalised multi-differential cross sections in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	3.9	33

#	ARTICLE	IF	CITATIONS
235	Measurement of $\overline{B}B$ angular correlations based on secondary vertex reconstruction at $\sqrt{s} = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	32
236	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	32
237	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$. <i>European Physical Journal C</i> , 2013, 73, 2674.	3.9	32
238	Alignment of the CMS tracker with LHC and cosmic ray data. <i>Journal of Instrumentation</i> , 2014, 9, P06009-P06009.	1.2	32
239	Measurements of the $Z Z$ production cross sections in the $2\mu \pm 2\bar{\ell}\ell$ channel in proton-proton collisions at $\sqrt{s} = 7\text{ TeV}$ and $\sqrt{s} = 8\text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 511.	3.9	32
240	Searches for pair production of third-generation squarks in $\sqrt{s} = 13\text{ TeV}$ pp collisions. <i>European Physical Journal C</i> , 2017, 77, 327.	3.9	32
241	Observation of Medium-Induced Modifications of Jet Fragmentation in Pb-Pb Collisions at $\sqrt{s_N} = 2.76\text{ TeV}$ using Isolated Photon-Tagged jets. <i>Physical Review Letters</i> , 2018, 121, 242301.	7.8	32
242	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	31
243	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at $\sqrt{s} = 8\text{ TeV}$. <i>European Physical Journal C</i> , 2015, 75, 66.	3.9	31
244	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at $\sqrt{s_N} = 2.76\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	31
245	Search for top squark pair production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ using single lepton events. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	31
246	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	31
247	A multi-dimensional search for new heavy resonances decaying to boosted $W W$, $W Z$, or $Z Z$ boson pairs in the dijet final state at 13 TeV . <i>European Physical Journal C</i> , 2020, 80, 237.	3.9	31
248	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	30
249	Search for a Higgs boson in the decay channel $H \rightarrow ZZ^(*) \rightarrow q\bar{q}$ in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	30
250	Measurement of the W -boson helicity in top-quark decays from $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	30
251	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	30
252	Search for massive WH resonances decaying into the $b\bar{b} u\bar{u}$ final state at $\sqrt{s} = 8\text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 237.	3.9	30

#	ARTICLE	IF	CITATIONS
253	Measurements of the associated production of a Z boson and b jets in pp collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2017, 77, 751.	3.9	30
254	Observation of Single Top Quark Production in Association with a Z boson in Proton-Proton Collisions at $\sqrt{s} = 8$ TeV. European Physical Review Letters, 2019, 122, 132003.	7.8	30
255	Performance of Glass Resistive Plate Chambers for a high-granularity semi-digital calorimeter. Journal of Instrumentation, 2011, 6, P02001-P02001.	1.2	29
256	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. Journal of High Energy Physics, 2011, 2011, 1.	4.7	29
257	Measurement of inclusive jet production and nuclear modifications in $p\text{Pb}$ collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV. European Physical Journal C, 2016, 76, 372.	3.9	29
258	Correlations between jets and charged particles in PbPb and pp collisions at $s = 2.76$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	29
259	A search for new phenomena in pp collisions at $\sqrt{s} = 13$ TeV in final states with missing transverse momentum and at least one jet using the α_T variable. European Physical Journal C, 2017, 77, 294.	3.9	29
260	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
261	Search for lepton flavour violating decays of the Higgs boson to $\ell^+\ell^-$, and $e^+\mu^-$, in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
262	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
263	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 280.	3.9	29
264	Measurements of differential cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
265	Search for $t\bar{t}$ production in the $t\bar{b}$ decay channel with leptonic $t\bar{t}$ decays in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
266	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
267	Study of Z production in PbPb and pp collisions at $s = 2.76$ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
268	Search for anomalous single top quark production in association with a photon in pp collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	27
269	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
270	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27

#	ARTICLE	IF	CITATIONS
271	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
272	Search for new neutral Higgs bosons through the $H \rightarrow ZA \rightarrow \ell^+ \ell^- b \bar{b}$ process in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	27
273	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
274	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	26
275	Search for resonant $t\bar{t}$ production in lepton+jets events in pp collisions at $\sqrt{s}=7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	26
276	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	26
277	Search for $W \rightarrow t\bar{t}$ decays in the lepton + jets final state in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2014, 2014, 1.	4.7	26
278	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	26
279	Measurement of the inclusive jet cross section in pp collisions at $\sqrt{s} = 2.76 \text{ TeV}$. European Physical Journal C, 2016, 76, 1.	3.9	26
280	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
281	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26
282	Performance study of the CMS barrel resistive plate chambers with cosmic rays. Journal of Instrumentation, 2010, 5, T03017-T03017.	1.2	25
283	Measurement of energy flow at large pseudorapidities in pp collisions at $\sqrt{s} = 0.9 \text{ TeV}$ and 7 TeV . Journal of High Energy Physics, 2011, 2011, 1.	4.7	25
284	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2016, 76, 325.	3.9	25
285	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
286	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
287	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
288	Performance of the CMS drift tube chambers with cosmic rays. Journal of Instrumentation, 2010, 5, T03015-T03015.	1.2	24

#	ARTICLE	IF	CITATIONS
289	Measurement of the $\mathrm{t}\bar{\mathrm{t}}$ production cross section in the $\mathrm{t}\bar{\mathrm{t}}+\mathrm{jets}$ channel in pp collisions at $\sqrt{s}=7 \text{ TeV}$. European Physical Journal C, 2013, 73, 1.	3.9	24
290	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
291	Search for third-generation scalar leptoquarks in the $\mathrm{t}\bar{\mathrm{t}}$, channel in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
292	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	4.7	24
293	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1. Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and $\mathrm{p}+\mathrm{p}$ Collisions at $\sqrt{s}=2.76 \text{ TeV}$ $\mathrm{p}_{\mathrm{T}}>20 \text{ GeV}$ Physical Review Letters, 2019, 122, 152001	4.7	24
294	Measurements of WZ and ZZ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 200.	7.8	24
295	Alignment of the CMS muon system with cosmic-ray and beam-halo muons. Journal of Instrumentation, 2010, 5, T03020-T03020.	1.2	23
296	Inclusive b-hadron production cross section with muons in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2011, 2011, 1.	4.7	23
297	Measurement of WZ and ZZ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	3.9	23
298	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	23
299	Measurement of the jet mass in highly boosted $\mathrm{t}\bar{\mathrm{t}}$ events from pp collisions at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2017, 77, 467.	3.9	23
300	Observation of Top Quark Production in Proton-Nucleus Collisions. Physical Review Letters, 2017, 119, 242001.	7.8	23
301	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
302	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
303	Measurement of the top quark mass using single top quark events in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2017, 77, 354.	4.7	23
304	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
305	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23

#	ARTICLE	IF	CITATIONS
307	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
308	Search for resonant $t\bar{t}$ production in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
309	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at $\sqrt{s}=13$ TeV. Physical Review Letters, 2019, 123, 231803.	7.8	23
310	Search for a light pseudoscalar Higgs boson in the boosted $t\bar{t}t\bar{t}$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	23
311	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 752.	3.9	23
312	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
313	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. Journal of High Energy Physics, 2011, 2011, 1.	4.7	22
314	Search for physics beyond the standard model in events with $t\bar{t}$, leptons, jets, and large transverse momentum imbalance in pp collisions at $\sqrt{s}=7$ TeV. European Physical Journal C, 2013, 73, 2493.	3.9	22
315	Search for $t\bar{t}\bar{t}\bar{t}$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at $s=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
316	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
317	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
318	Search for direct pair production of supersymmetric partners to the $\tilde{\tau}_1\tilde{\tau}_2$ lepton in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 189.	3.9	22
319	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 370.	3.9	22
320	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
321	Search for supersymmetry in events with a $t\bar{t}$ lepton pair and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
322	Search for beyond the standard model Higgs bosons decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1. <i>Boson Decaying to a</i> $b\bar{b}$	4.7	21
323	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	7.8	21
324	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21

#	ARTICLE	IF	CITATIONS
325	Performance of CMS hadron calorimeter timing and synchronization using test beam, cosmic ray, and LHC beam data. <i>Journal of Instrumentation</i> , 2010, 5, T03013-T03013.	1.2	20
326	Performance of the CMS cathode strip chambers with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03018-T03018.	1.2	20
327	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	20
328	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	20
329	Search for supersymmetry in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013, 73, 2404.	3.9	20
330	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	20
331	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	20
332	Search for $t\bar{t}$ production in the all-jet final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	20
333	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	20
334	Observation of the Production of Three Massive Gauge Bosons at $\sqrt{s}=13 \text{ TeV}$. <i>Physical Review Letters</i> , 2020, 125, 151802.	7.8	20
335	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	20
336	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ and constraints on anomalous quartic couplings. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	20
337	A search for the standard model Higgs boson decaying to charm quarks. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	20
338	Aligning the CMS muon chambers with the muon alignment system during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010, 5, T03019-T03019.	1.2	19
339	CMS data processing workflows during an extended cosmic ray run. <i>Journal of Instrumentation</i> , 2010, 5, T03006-T03006.	1.2	19
340	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s = 7 \text{ TeV}$ and 8 TeV . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
341	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into ℓ_\pm leptons in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	19
342	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	19

#	ARTICLE	IF	CITATIONS
343	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13ATeV. <i>Physical Review Letters</i> , 2018, 120, 241801.	7.8	19
344	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in protonâ€“proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 723.	3.9	19
345	Fine synchronization of the CMS muon drift-tube local trigger using cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03004-T03004.	1.2	18
346	Search for quark compositeness in dijet angular distributions from pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	18
347	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at $s/N = 2.76\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	18
348	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\sqrt{s} = 8\text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 460.	3.9	18
349	Measurement of normalized differential $\overline{t}\overline{t}$ cross sections in the dilepton channel from pp collisions at $\sqrt{s}=13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
350	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
351	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	18
352	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	18
353	MUSiC: a model-unspecific search for new physics in protonâ€“proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 629.	3.9	18
354	Combined searches for the production of supersymmetric top quark partners in protonâ€“proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 970.	3.9	18
355	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in protonâ€“proton collisions at $\sqrt{s}=13\text{ TeV}$. <i>European Physical Journal C</i> , 2022, 82, 290.	3.9	18
356	Calibration of the CMS drift tube chambers and measurement of the drift velocity with cosmic rays. <i>Journal of Instrumentation</i> , 2010, 5, T03016-T03016.	1.2	17
357	Search for stopped long-lived particles produced in pp collisions at $\sqrt{s} = 7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	17
358	Measurement of the Λ_b^0 lifetime in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	17
359	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s = 8\text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	17
360	Probing color coherence effects in pp collisions at $\sqrt{s}=7\text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 2901.	3.9	17

#	ARTICLE	IF	CITATIONS
361	Measurement of the ratio of the production cross sections times branching fractions of $B_c \bar{c} \rightarrow \psi(2S) \pi^+ \pi^-$ and $B_s \bar{b} \rightarrow K \bar{K}$ and $\bar{B}_s \bar{b} \rightarrow B_c \bar{c}$ / $\bar{B}_s \bar{b} \rightarrow \psi(2S)$ / $\bar{B}_s \bar{b} \rightarrow \psi(2S) \pi^+ \pi^-$ / $\bar{B}_s \bar{b} \rightarrow \psi(2S) \eta/\eta'$ and $\bar{B}_s \bar{b} \rightarrow \psi(2S) \eta/\eta' \pi^+ \pi^-$. <i>JHEP</i> , 2015, 11, 078.	4.7	14
362	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
363	Search for new physics with the MT2 variable in all-jets final states produced in pp collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	17
364	Search for new physics in the monophoton final state in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
365	Measurement of electroweak-induced production of W^3 with two jets in pp collisions at $s = 8 \text{ TeV}$ and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
366	Measurements of jet charge with dijet events in pp collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
367	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
368	Charged-particle nuclear modification factors in XeXe collisions at $s_{\text{NN}} = 5.44 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
369	Search for Z^3 resonances using leptonic and hadronic final states in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
370	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
371	Search for the decay of a Higgs boson in the $t\bar{t}$ channel in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
372	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	17
373	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	16
374	Measurement of the $t\bar{t}$ production cross section in the all-jet final state in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	16
375	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	16
376	Measurement of jet multiplicity distributions in $t\bar{t}$ production in pp collisions at $s = 7 \text{ TeV}$. <i>European Physical Journal C</i> , 2014, 74, 3014.	3.9	16
377	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an $e^+ e^-$ pair in proton-proton collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 317.	3.9	16
378	Measurement of dijet azimuthal decorrelation in pp collisions at $s = 8 \text{ TeV}$. <i>European Physical Journal C</i> , 2016, 76, 536.	3.9	16

#	ARTICLE	IF	CITATIONS
379	Search for excited leptons in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
380	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
381	Measurement of associated Z + charm production in proton-proton collisions at $s = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 287.	3.9	16
382	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
383	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $s = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 886.	3.9	16
384	Search for a fermiophobic Higgs boson in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
385	Measurement of the mass difference between top and antitop quarks. Journal of High Energy Physics, 2012, 2012, 1.	4.7	15
386	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	15
387	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
388	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
389	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
390	Measurement of the $t\bar{t}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
391	Search for new physics with dijet angular distributions in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
392	Search for a singly produced third-generation scalar leptoquark decaying to a \tilde{l}_i , lepton and a bottom quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
393	Measurement of b hadron lifetimes in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2018, 78, 457.	3.9	15
394	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
395	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $\tilde{l}_1 \tilde{l}_2$, and $e \tilde{l}_i$, in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1.	4.7	15
396	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15

#	ARTICLE	IF	CITATIONS
397	Search for s channel single top quark production in pp collisions at $s = 7 \text{ TeV}$. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
398	Search for supersymmetry in pp collisions at $s = 13 \text{ TeV}$ in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
399	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
400	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
401	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $s = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
402	Evidence for the Associated Production of a Single Top Quark and a Photon in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2018, 121, 221802.	4.7	14
403	Studies of $B^{\pm} \rightarrow D_s^{\pm} \tau^{\pm} \nu_{\tau}$ at the LHC. Physical Review Letters, 2018, 121, 221803.	4.7	14

#	ARTICLE	IF	CITATIONS
415	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at $\sqrt{s}=7$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	13
416	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
417	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	4.7	13
418	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s = 13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	13
419	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
420	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
421	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
422	Jet properties in PbPb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
423	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
424	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
425	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1. Measurement of the Jet Mass Distribution and Top Quark Mass in Hadronic Decays of Boosted Top Quarks in $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
426	Collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1. Physical Review Letters, 2020, 124, 202001.	7.8	13
427	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
428	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	13
429	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
430	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	12
431	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ TeV and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	12
432	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at $\sqrt{s_{NN}}=5.02$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
433	Measurement of the groomed jet mass in PbPb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
434	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
435	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{\chi}^0_3$ or $\tilde{\chi}^0_1 + \tilde{\chi}^\pm_1$ at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
436	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
437	Investigation into the event-activity dependence of $\langle n_S \rangle$ relative production in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2020, 2020, 1. Constraints on the $\langle n_S \rangle$ versus $\langle n_{\text{coll}} \rangle$ ratio from the $\sqrt{s} = 7 \text{ TeV}$ data. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
438	Polarizations in Proton-Proton Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review Letters, 2020, 124, 1.	4.7	12
439	Development and validation of HERWIG $\hat{\gamma}$ 7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
440	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
441	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
442	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	11
443	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow l^+l^-l^+l^-$ decay channel in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	11
444	Measurement of the $Z\tilde{\chi}^0_3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
445	Search for electroweak production of charginos in final states with two $\tilde{\chi}^\pm_1$ leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
446	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ using $H \rightarrow WW$ decays. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
447	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
448	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
449	Search for nonresonant Higgs boson pair production in the $b\bar{b} \rightarrow b\bar{b} \rightarrow b\bar{b}$ final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
450	Study of the underlying event in top quark pair production in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 123.	3.9	11

#	ARTICLE	IF	CITATIONS
451	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	11
452	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	11
453	Measurement of electroweak production of a W boson in association with two jets in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 43.	3.9	11
454	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.	4.7	10
455	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s = 2.76 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	10
456	Measurements of the $p\bar{p} \rightarrow W^{\pm} l^{\mp}$ and $p\bar{p} \rightarrow Z^{\pm} l^{\mp}$ cross sections and limits on anomalous quartic gauge couplings at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	10
457	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	10
458	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	10
459	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$. <i>European Physical Journal C</i> , 2018, 78, 242.	3.9	10
460	Measurement of the $Z/\gamma \rightarrow e^+ e^-$ cross section in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and validation of \mathcal{L} . <i>European Physical Journal C</i> , 2018, 78, 708.	3.9	10
461	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u\bar{u} \rightarrow q\bar{q}$ final state. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	10
462	Search for resonances decaying to a pair of Higgs bosons in the $b\bar{b} \rightarrow q\bar{q}$ final state in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	10
463	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
464	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$ and 13 TeV . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
465	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e^{\pm} \nu$ final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	9
466	Search for a low-mass $t\bar{t}$ resonance in association with a bottom quark in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	9
467	Studies of Chiral Gluon Diffusion inside Jets Using Pb-Pb and pp Collisions at $\sqrt{s}=5.02 \text{ TeV}$. <i>Physical Review Letters</i> , 2020, 125, 162001.	7.8	9
468	Search for a heavy vector resonance decaying to a Z boson and a Higgs boson in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 688.	3.9	9

#	ARTICLE	IF	CITATIONS
469	Searches for $W\bar{e}^2$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	8
470	Pseudorapidity distributions of charged hadrons in proton-lead collisions at $s_N N = 5.02 \sqrt{s_{NN}} = 5.02$ and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	8
471	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2q final states at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	8
472	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	8
473	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 \sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	8
474	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
475	Reconstruction of cosmic and beam-halo muons with the CMS detector. <i>European Physical Journal C</i> , 2008, 56, 449-460.	3.9	7
476	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s = 8 \sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	7
477	Search for high-mass $Z\tilde{l}^3$ resonances in $e+e^- \tilde{l}^3$ and $\tilde{l}^1/\tilde{l}^2 + \tilde{l}^1/\tilde{l}^2 \tilde{l}^3$ final states in proton-proton collisions at $s = 8 \sqrt{s}=8$ and 13 TeV. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	7
478	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\sqrt{s}=13$ TeV via Higgs boson decays to $\tilde{l},$ leptons. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	7
479	Study of central exclusive "Equation missing" <!-- No EquationSource Format="TEX", only image --> production in proton-proton collisions at $\sqrt{s}=5.02$ and 13 TeV. <i>European Physical Journal C</i> , 2020, 80, 718.	3.9	7
480	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
481	Measurement of the cross section for production of $b\bar{b}$ decaying to muons in pp collisions at $\sqrt{s}=7$ TeV. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.	4.7	6
482	Comparison of the $Z/\tilde{l}^3 \rightarrow \tilde{l}^3 + \text{jets}$ cross sections in pp collisions at $s = 8 \sqrt{s}=8$ TeV. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	4.7	6
483	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2015, 75, 302.	3.9	6
484	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	6
485	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s = 13 \sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	6
486	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6

#	ARTICLE	IF	CITATIONS
487	Search for decays of the 125 GeV Higgs boson into a Z boson and a $t\bar{t}$ or $b\bar{b}$ meson. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	6
488	Determination of the strong coupling constant $\hat{\alpha}_S(m_Z)$ from measurements of inclusive W^{\pm} and Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 7$ and 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	6
489	Search for the associated production of the Higgs boson with a top-quark pair. <i>JHEP</i> , 2014, 2014, 1.		6
490	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
491	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
492	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	5
493	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8$ TeV. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	5
494	Measurement of the inclusive $t\bar{t}$ cross section in pp collisions at $\sqrt{s}=5.02$ TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	5
495	Observation of the $Z \rightarrow l^+l^- + \nu\bar{\nu}$ Decay in pp Collisions at $s=13$ TeV. <i>Physical Review Letters</i> , 2018, 121, 1418015		
496	Search for a $W^{\pm 2}$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
497	Search for the pair production of light top squarks in the $e\bar{e} \rightarrow t\bar{t}$ final state in proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
498	Measurement of the cross section for $t\bar{t}$ production with additional jets and b jets in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	5
499	Measurement of energy flow at large pseudorapidities in pp collisions at $(\sqrt{s}) = 0.9$ TeV and 7 TeV. <i>JHEP</i> , 2011, 2011, 1.		5
500	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
501	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	5
502	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
503	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
504	Offline calibration procedure of the CMS Drift Tube detectors. <i>Journal of Instrumentation</i> , 2009, 4, P05002-P05002.	1.2	4

#	ARTICLE	IF	CITATIONS
505	Search for dark matter particles in proton-proton collisions at $s = 8 \text{ TeV}$ using the razor variables. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	4
506	Search for CP violation in $t\bar{t}$ production and decay in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	4
507	Measurement of differential cross sections in the kinematic angular variable $\tilde{\ell}^*$ for inclusive Z boson production in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
508	Search for ZZ resonances in the $2\tilde{\ell}\tilde{\ell}$ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
509	Event shape variables measured using multijet final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	4
510	Search for $W \rightarrow \ell\nu\pi^+\pi^-$ Boson Decays to Three Charged Pions. <i>Physical Review Letters</i> , 2019, 122, 151802.	7.8	4
511	The production of isolated photons in PbPb and pp collisions at $\sqrt{s_{\text{NN}}}=5.02 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	4
512	Search for supersymmetry in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ in events with high-momentum Z bosons and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	4
513	Search for supersymmetry using Higgs boson to diphoton decays at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	4
514	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	4
515	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	3
516	Search for $W\rightarrow\ell\nu tb$ in proton-proton collisions at $s = 8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	4.7	3
517	Search for top quark partners with charge 5/3 in proton-proton collisions at $s = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	3
518	Inclusive search for supersymmetry in pp collisions at $\sqrt{s}=13 \text{ TeV}$ using razor variables and boosted object identification in zero and one lepton final states. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	3
519	Search for excited leptons in $\tilde{\ell}\tilde{\ell}$ final states in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	3
520	Measurement of the $t\bar{t}$ production cross section in the dilepton channel in pp collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.	4.7	3
521	Study of the $B\rightarrow J/\psi\Lambda\bar{\Lambda}$ decay in proton-proton collisions at $\sqrt{s}=8 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	3
522	Measurements of the $(\Lambda\bar{\Lambda})\rightarrow Z\gamma$ production cross section and the $Z\rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s}=13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	3

#	ARTICLE	IF	CITATIONS
523	Search for new phenomena with multiple charged leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 1.	3.9	2
524	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
525	Measurement of the top quark pair production cross section in dilepton final states containing one \tilde{l} , lepton in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
526	Measurements of angular distance and momentum ratio distributions in three-jet and $+ \text{two-jet}$ final states in $\text{ext } \{p\} \text{ collisions}$. European Physical Journal C, 2021, 81, 852.	3.9	2
527	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
528	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
529	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
530	Construction of a technological semi-digital hadronic calorimeter prototype for future linear collider experiments. , 2011, , .		1
531	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	1
532	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	1
533	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
534	Observation of $B\rightarrow D^+ \pi^+$ decays. European Physical Journal C, 2022, 82, .	3.9	1
535	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0
536	CERTIFICATION, INSTALLATION AND COMMISSIONING OF MUON DRIFT TUBE CHAMBERS FOR THE CMS CENTRAL MUON DETECTOR. , 2006, , .		0