

Ona Illa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1144403/publications.pdf>

Version: 2024-02-01

53
papers

1,555
citations

430874

18
h-index

302126

39
g-index

58
all docs

58
docs citations

58
times ranked

1820
citing authors

#	ARTICLE	IF	CITATIONS
1	Stability, relaxometric and computational studies on Mn ²⁺ complexes with ligands containing a cyclobutane scaffold. Dalton Transactions, 2021, 50, 1076-1085.	3.3	4
2	Hybrid Cyclobutane/Proline-Containing Peptidomimetics: The Conformational Constraint Influences Their Cell-Penetration Ability. International Journal of Molecular Sciences, 2021, 22, 5092.	4.1	5
3	Efficient DNA Condensation Induced by Chiral Î²-Amino Acid-Based Cationic Surfactants. ACS Applied Bio Materials, 2021, 4, 7034-7043.	4.6	8
4	Synthesis of Chiral Scaffolds Based on Polyfunctional Cyclobutane Î²-Amino Acids. European Journal of Organic Chemistry, 2021, 2021, 6022-6027.	2.4	3
5	Chiral pH-sensitive cyclobutane Î²-amino acid-based cationic amphiphiles: Possible candidates for use in gene therapy. Journal of Molecular Liquids, 2020, 297, 111856.	4.9	7
6	Chiral Cyclobutane-Containing Cell-Penetrating Peptides as Selective Vectors for Anti-Leishmania Drug Delivery Systems. International Journal of Molecular Sciences, 2020, 21, 7502.	4.1	4
7	TiO ₂ -mediated visible-light-driven hydrogen evolution by ligand-capped Ru nanoparticles. Sustainable Energy and Fuels, 2020, 4, 4170-4178.	4.9	7
8	Cyclobutane-Containing Scaffolds as Useful Intermediates in the Stereoselective Synthesis of Suitable Candidates for Biomedical Purposes: Surfactants, Gelators and Metal Cation Ligands. International Journal of Molecular Sciences, 2019, 20, 4333.	4.1	2
9	Gadolinium Complexes of Highly Rigid, Open-Chain Ligands Containing a Cyclobutane Ring in the Backbone: Decreasing Ligand Denticity Might Enhance Kinetic Inertness. Inorganic Chemistry, 2019, 58, 13170-13183.	4.0	10
10	Synthesis and Gelling Abilities of Polyfunctional Cyclohexane-1,2-dicarboxylic Acid Bisamides: Influence of the Hydroxyl Groups. Molecules, 2019, 24, 352.	3.8	2
11	Stereoselectivity of Proline/Cyclobutane Amino Acid-Containing Peptide Organocatalysts for Asymmetric Aldol Additions: A Rationale. Journal of Organic Chemistry, 2018, 83, 350-363.	3.2	25
12	Cyclobutane-based peptides/terpyridine conjugates: Their use in metal catalysis and as functional organogelators. Tetrahedron, 2018, 74, 7252-7260.	1.9	7
13	Cyclobutane Scaffold in Bolaamphiphiles: Effect of Diastereoisomerism and Regiochemistry on Their Surface Activity Aggregate Structure. Langmuir, 2018, 34, 11424-11432.	3.5	8
14	Synthesis of Isothiocineole and Application in Multigram-Scale Sulfur Ylide Mediated Asymmetric Epoxidation and Aziridination. Synthesis, 2018, 50, 3337-3343.	2.3	9
15	Studies on Cycloalkane-Based Bisamide Organogelators: A New Example of Stochastic Chiral Symmetry-Breaking Induced by Sonication. Chemistry - A European Journal, 2017, 23, 3357-3365.	3.3	10
16	The relevance of the relative configuration in the folding of hybrid peptides containing Î²-cyclobutane amino acids and Î³-amino-l-proline residues. Tetrahedron, 2017, 73, 6286-6295.	1.9	6
17	Organobridged silsesquioxanes based on cyclobutane diamines: influence of the stereochemistry on the morphology of the materials. Tetrahedron, 2016, 72, 2913-2919.	1.9	2
18	Synthesis, Selectivity and Structural Study of New C ₃ -Symmetric Tripodal Amides as Anion Receptors. An Experimental and Theoretical Approach. ChemistrySelect, 2016, 1, 1887-1892.	1.5	1

#	ARTICLE	IF	CITATIONS
19	Chiral Cyclobutane $\hat{2}$ -Amino Acid-Based Amphiphiles: Influence of <i>Cis/Trans</i> Stereochemistry on Condensed Phase and Monolayer Structure. <i>Langmuir</i> , 2016, 32, 6977-6984.	3.5	13
20	Synthesis of Chiral Functionalised Cyclobutylpyrrolidines and Cyclobutylamino Alcohols from (â€ˆ [~])â€ˆ(<i>S</i>)â€ˆVerbenone â€ˆ Applications in the Stabilisation of Ruthenium Nanocatalysts. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 810-819.	2.4	10
21	Stereoselective synthesis of highly branched chiral cyclobutane-cored triamines and their conjugation to Gd-DOTA. <i>Tetrahedron</i> , 2015, 71, 8085-8095.	1.9	0
22	Chiral Cyclobutane $\hat{2}$ -Amino Acid-Based Amphiphiles: Influence of <i>Cis/Trans</i> Stereochemistry on Solution Self-Aggregation and Recognition. <i>Langmuir</i> , 2015, 31, 9608-9618.	3.5	20
23	Divergent synthetic routes to biologically relevant types of compounds: chiral polyfunctional $\hat{3}$ -lactams and amino acids. <i>Tetrahedron</i> , 2014, 70, 6546-6553.	1.9	5
24	Practical and Highly Selective Sulfur Ylide-Mediated Asymmetric Epoxidations and Aziridinations Using a Cheap and Readily Available Chiral Sulfide: Extensive Studies To Map Out Scope, Limitations, and Rationalization of Diastereo- and Enantioselectivities. <i>Journal of the American Chemical Society</i> , 2013, 135, 11951-11966.	13.7	102
25	Amphiphiles in aqueous solution: well beyond a soap bubble. <i>Chemical Society Reviews</i> , 2013, 42, 8200.	38.1	228
26	Replacement of Thr ³² and Gln ³⁴ in the <i>C</i> -Terminal Neuropeptide Y Fragment 25â€ˆ36 by <i>cis</i> -Cyclobutane and <i>cis</i> -Cyclopentane $\hat{2}$ -Amino Acids Shifts Selectivity toward the Y ₄ Receptor. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 8422-8431.	6.4	46
27	Diastereodivergent Synthesis of Chiral <i>vic</i> -Disubstituted Cyclobutane Scaffolds: 1,3-Amino Alcohol and 1,3-Diamine Derivatives â€ˆ Preliminary Use in Organocatalysis. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 1425-1433.	2.4	24
28	Low-molecular-weight gelators consisting of hybrid cyclobutane-based peptides. <i>Organic and Biomolecular Chemistry</i> , 2013, 11, 2839.	2.8	32
29	New chiral polyfunctional cyclobutane derivatives from (â€ˆ [~])-verbenone: possible surfactant behaviour. <i>Tetrahedron: Asymmetry</i> , 2013, 24, 713-718.	1.8	3
30	The Role of the Chiral <i>cis</i> -1,3-Disubstituted 2,2-Dimethylcyclobutane Motif in the Conformational Bias of Several Types of $\hat{3}$ -Peptides. <i>European Journal of Organic Chemistry</i> , 2013, 2013, 3494-3503.	2.4	16
31	Searching for new cell-penetrating agents: hybrid cyclobutaneâ€ˆproline $\hat{3}$, $\hat{3}$ -peptides. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 4050.	2.8	17
32	Stereoselective Synthesis of All Stereoisomers of Orthogonally Protected Cyclobutane-1,2-diamine and Some Chemoselective Transformations. <i>Organic Letters</i> , 2012, 14, 2431-2433.	4.6	20
33	Designing hybrid foldamers: the effect on the peptide conformational bias of $\hat{2}$ - versus $\hat{1}$ - and $\hat{3}$ -linear residues in alternation with (1 <i>R</i> ,2 <i>S</i>)-2-aminocyclobutane-1-carboxylic acid. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 861-868.	2.8	23
34	Synthesis and structural study of highly constrained hybrid cyclobutane-proline $\hat{3}$, $\hat{3}$ -peptides. <i>Amino Acids</i> , 2011, 41, 673-686.	2.7	17
35	Practical and Highly Selective Sulfur Ylide Mediated Asymmetric Epoxidations and Aziridinations Using an Inexpensive, Readily Available Chiral Sulfide. Applications to the Synthesis of Quinine and Quinidine. <i>Journal of the American Chemical Society</i> , 2010, 132, 1828-1830.	13.7	157
36	Synthesis of Chiral Cyclobutane Containing <i>C</i> -Symmetric Peptide Dendrimers. <i>Organic Letters</i> , 2010, 12, 3148-3151.	4.6	23

#	ARTICLE	IF	CITATIONS
37	A stereoselective synthetic entry to $\hat{\text{I}}^2$ -substituted $\hat{\text{I}}^\pm$ -[(trans)-vinyl] phosphonamides. <i>Tetrahedron</i> , 2009, 65, 2451-2454.	1.9	2
38	Understanding the $\hat{\text{I}}^\epsilon$ -facial diastereoselectivity in the addition of chiral diaminophosphino(silyl)carbenes to activated olefins. <i>Tetrahedron: Asymmetry</i> , 2008, 19, 2353-2358.	1.8	7
39	Thioxophosphoranyl aryl- and heteroaryloxiranes as the representants of a new class of metallocarboxypeptidase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 4823-4828.	3.0	8
40	Synthesis and Application of Easily Recyclable Thiomorpholines for Use in Sulfur Ylide Mediated Asymmetric Epoxidation of Aldehydes. <i>Chemistry - an Asian Journal</i> , 2008, 3, 1657-1663.	3.3	32
41	Chalcogenides as Organocatalysts. <i>Chemical Reviews</i> , 2007, 107, 5841-5883.	47.7	420
42	Cyclopropanation of Cyclohexenone by Diazomethane Catalyzed by Palladium Diacetate: Evidence for the Formation of Palladium(0) Nanoparticles. <i>Organometallics</i> , 2007, 26, 3306-3314.	2.3	38
43	Synthesis of a Mixed Phosphonium-Sulfonium Bisylide $\text{R}^3\text{P}^+\text{C}^-\text{SR}^2$. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 9078-9080.	13.8	42
44	Highly stereoselective and easy synthesis of enantiopure phosphoranyl oxiranes. <i>Tetrahedron: Asymmetry</i> , 2007, 18, 2617-2620.	1.8	9
45	Reaction of C-Silylated $\hat{\text{I}}^\pm$ -Diazophosphines as Nucleophiles toward Carbonyl Compounds: A Mechanistic Study and Application to the Synthesis of Alkynes and $\hat{\text{I}}^\pm$ -Hydroxyphosphonamides. <i>Journal of Organic Chemistry</i> , 2006, 71, 5320-5327.	3.2	9
46	Theoretical and Experimental Investigation of the Basicity of Phosphino(silyl)carbenes. <i>Journal of Organic Chemistry</i> , 2005, 70, 5671-5677.	3.2	18
47	Stereoselective Synthesis of Phosphoranyl Aryloxiranes Through the Addition of a Nucleophilic Stable Carbene to Aromatic Aldehydes. <i>ChemInform</i> , 2004, 35, no.	0.0	0
48	Reactions of a Stable (Phosphanyl)(silyl)carbene with Aliphatic Aldehydes: [2+1] versus [2+2] Addition to a Carbonyl Group. <i>European Journal of Organic Chemistry</i> , 2003, 2003, 3147-3152.	2.4	24
49	Reactions of a Stable (Phosphanyl)(silyl)carbene with Aliphatic Aldehydes: [2 + 1] versus [2 + 2] Addition to a Carbonyl Group. <i>ChemInform</i> , 2003, 34, no.	0.0	0
50	Stereoselective Synthesis of Phosphoranyl Aryloxiranes through the Addition of a Nucleophilic Stable Carbene to Aromatic Aldehydes. <i>Journal of Organic Chemistry</i> , 2003, 68, 7707-7710.	3.2	24
51	Photolysis of Chiral 1-Pyrazolines to Cyclopropanes: Mechanism and Stereospecificity. <i>Journal of Organic Chemistry</i> , 2003, 68, 4906-4911.	3.2	19
52	A comparative study on the 1,3-dipolar cycloadditions of diazomethane and bis(diisopropylamino)phosphinodiazomethane to chiral electron-deficient olefins: reactivity and diastereoselectivity. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 2593-2603.	1.8	10
53	On the stereoselective hydrogenation of chiral cyclobutyl dehydro-amino acid derivatives: influence of the catalyst in the $\hat{\text{I}}^\epsilon$ -facial diastereoselection. <i>Tetrahedron: Asymmetry</i> , 2001, 12, 25-28.	1.8	15