

Zainuddin Abdul Manan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11449835/zainuddin-abdul-manan-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

3,062
citations

29
h-index

53
g-index

98
ext. papers

3,422
ext. citations

6.4
avg, IF

5.55
L-index

#	Paper	IF	Citations
95	Industrial symbiosis tools – A review. <i>Journal of Cleaner Production</i> , 2021 , 280, 124327	10.3	19
94	A framework of resource conservation process integration for eco-industrial site planning. <i>Journal of Cleaner Production</i> , 2021 , 316, 128268	10.3	1
93	Malaysia scenario of biomass supply chain-cogeneration system and optimization modeling development: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2021 , 148, 111289	16.2	6
92	Batch process integration for resource conservation toward cleaner production – A state-of-the-art review. <i>Journal of Cleaner Production</i> , 2021 , 318, 128609	10.3	3
91	Graphical customisation of process and utility changes for heat exchanger network retrofit using individual stream temperature versus enthalpy plot. <i>Energy</i> , 2020 , 203, 117766	7.9	9
90	Probability-Power Pinch Analysis targeting approach for diesel/biodiesel plant integration into hybrid power systems. <i>Energy</i> , 2019 , 187, 115913	7.9	6
89	Customised retrofit of heat exchanger network combining area distribution and targeted investment. <i>Energy</i> , 2019 , 179, 1054-1066	7.9	19
88	A Process Integration Method for Total Site Cooling, Heating and Power Optimisation with Trigeneration Systems. <i>Energies</i> , 2019 , 12, 1030	3.1	17
87	Temperature Disturbance Management in a Heat Exchanger Network for Maximum Energy Recovery Considering Economic Analysis. <i>Energies</i> , 2019 , 12, 594	3.1	5
86	Maximizing Total Site Water Reuse via a Two-Way Centralized Water Header. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 2563-2573	8.3	7
85	Multi-period energy targeting for Total Site and Locally Integrated Energy Sectors with cascade Pinch Analysis. <i>Energy</i> , 2018 , 155, 370-380	7.9	23
84	Peak-off-peak load shifting for optimal storage sizing in hybrid power systems using Power Pinch Analysis considering energy losses. <i>Energy</i> , 2018 , 156, 299-310	7.9	18
83	4. Total Site Integration 2018 , 103-170		
82	5. An Integrated Pinch Analysis Framework for Low CO ₂ Industrial Site Planning 2018 , 171-190		
81	6. Introduction to Water Pinch Analysis 2018 , 191-204		
80	7. Setting the maximum water recovery targets 2018 , 205-230		
79	1. Process Integration and Intensification: An Introduction 2018 , 1-12		

78 10. Conclusions and sources of further information **2018**, 287-308

77	Hybrid power systems design considering safety and resilience. <i>Chemical Engineering Research and Design</i> , 2018 , 120, 256-267	5.5	10
76	Simultaneous diagnosis and retrofit of heat exchanger network via individual process stream mapping. <i>Energy</i> , 2018 , 155, 1113-1128	7.9	20
75	Total Site Heat Integration planning and design for industrial, urban and renewable systems. <i>Renewable and Sustainable Energy Reviews</i> , 2017 , 68, 964-985	16.2	69
74	A mathematical model for energy targeting of a batch process with flexible schedule. <i>Journal of Cleaner Production</i> , 2017 , 167, 1060-1067	10.3	12
73	Advances in Process Integration research for CO2 emission reduction—A review. <i>Journal of Cleaner Production</i> , 2017 , 167, 1-13	10.3	69
72	A new quantitative overall environmental performance indicator for a wastewater treatment plant. <i>Journal of Cleaner Production</i> , 2017 , 167, 815-823	10.3	20
71	A new framework for cost-effective design of Hybrid Power Systems. <i>Journal of Cleaner Production</i> , 2017 , 166, 806-815	10.3	6
70	A holistic approach for design of Cost-Optimal Water Networks. <i>Journal of Cleaner Production</i> , 2017 , 146, 194-207	10.3	10
69	An integrated Pinch Analysis framework for low CO2 emissions industrial site planning. <i>Journal of Cleaner Production</i> , 2017 , 146, 125-138	10.3	39
68	Selection of minimum temperature difference (ΔT_{min}) for heat exchanger network synthesis based on trade-off plot. <i>Applied Energy</i> , 2016 , 162, 1259-1271	10.7	7
67	Sensitivity analysis of hybrid power systems using Power Pinch Analysis considering Feed-in Tariff. <i>Energy</i> , 2016 , 116, 1260-1268	7.9	10
66	Pinch Analysis targeting for CO2 Total Site planning. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 2227-2240	4.3	18
65	A systematic technique for cost-effective CO2 emission reduction in process plants. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 1769-1777	4.3	5
64	Effect of multiple water resources in a flexible-schedule batch water network. <i>Journal of Cleaner Production</i> , 2016 , 125, 245-252	10.3	15
63	Herbal Processing and Extraction Technologies. <i>Separation and Purification Reviews</i> , 2016 , 45, 305-320	7.3	54
62	Maximising heat recovery in batch processes via product streams storage and shifting. <i>Journal of Cleaner Production</i> , 2016 , 112, 2802-2812	10.3	14
61	Integrating district cooling systems in Locally Integrated Energy Sectors through Total Site Heat Integration. <i>Applied Energy</i> , 2016 , 184, 1350-1363	10.7	37

60	Integration of diesel plant into a hybrid power system using power pinch analysis. <i>Applied Thermal Engineering</i> , 2016 , 105, 792-798	5.8	9
59	A new green index as an overall quantitative green performance indicator of a facility. <i>Clean Technologies and Environmental Policy</i> , 2016 , 18, 2161-2171	4.3	5
58	Process Integration for Hybrid Power System supply planning and demand management [A review]. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 66, 834-842	16.2	18
57	Supply and demand planning and management tools toward low carbon emissions 2015 , 451-477		
56	CO2 capture with potassium carbonate solutions: A state-of-the-art review. <i>International Journal of Greenhouse Gas Control</i> , 2015 , 41, 142-162	4.2	121
55	Prediction of Pd/C Catalyst Deactivation Rate and Assessment of Optimal Operating Conditions of Industrial Hydropurification Process. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 7067-7082	3.9	11
54	State-of-the-art of hydrogen management in refinery and industrial process plants. <i>Journal of Natural Gas Science and Engineering</i> , 2015 , 24, 346-356	4.6	29
53	Feasibility, Flexibility and Sensitivity Tests on Delta Temperature Minimum to Obtain Operable and Flexible Heat Exchanger Network. <i>Applied Mechanics and Materials</i> , 2015 , 735, 299-303	0.3	
52	Process modification of Total Site Heat Integration profile for capital cost reduction. <i>Applied Thermal Engineering</i> , 2015 , 89, 1023-1032	5.8	12
51	A process integration approach for design of hybrid power systems with energy storage. <i>Clean Technologies and Environmental Policy</i> , 2015 , 17, 2055-2072	4.3	27
50	Effect of Delta Temperature Minimum Contribution in Obtaining an Operable and Flexible Heat Exchanger Network. <i>Energy Procedia</i> , 2015 , 75, 3142-3147	2.3	2
49	Process modifications to maximise energy savings in total site heat integration. <i>Applied Thermal Engineering</i> , 2015 , 78, 731-739	5.8	38
48	Rate-based simulation and comparison of various promoters for CO2 capture in industrial DEA-promoted potassium carbonate absorption unit. <i>Journal of Industrial and Engineering Chemistry</i> , 2015 , 22, 306-316	6.3	38
47	Comparison of equilibrium and non-equilibrium models of a tray column for post-combustion CO2 capture using DEA-promoted potassium carbonate solution. <i>Chemical Engineering Science</i> , 2015 , 122, 291-298	4.4	29
46	Peak-off-peak load shifting for hybrid power systems based on Power Pinch Analysis. <i>Energy</i> , 2015 , 90, 128-136	7.9	30
45	Synthesis of a sustainable integrated rice mill complex. <i>Journal of Cleaner Production</i> , 2014 , 71, 118-127	10.3	10
44	Algorithmic targeting for Total Site Heat Integration with variable energy supply/demand. <i>Applied Thermal Engineering</i> , 2014 , 70, 1073-1083	5.8	48
43	Minimum water network design for fixed schedule and cyclic operation batch processes with minimum storage capacity and inter-connections. <i>Journal of Cleaner Production</i> , 2014 , 77, 65-78	10.3	19

42	Optimal sizing of hybrid power systems using power pinch analysis. <i>Journal of Cleaner Production</i> , 2014 , 71, 158-167	10.3	57
41	Electricity Load Reduction in Hybrid Power Systems Using Power Pinch Analysis. <i>Computer Aided Chemical Engineering</i> , 2014 , 33, 1495-1500	0.6	1
40	Recent Developments in Advanced Process Integration: Learning the Lessons from Industrial Implementations. <i>Applied Mechanics and Materials</i> , 2014 , 625, 454-457	0.3	4
39	Design Target Selection for Heat Exchanger Network Synthesis Based on Trade-off Plot. <i>Energy Procedia</i> , 2014 , 61, 2621-2624	2.3	2
38	Cost-effective Load Shifting for Hybrid Power Systems Using Power Pinch Analysis. <i>Energy Procedia</i> , 2014 , 61, 2464-2468	2.3	7
37	Generic Carbon Cascade Analysis technique for carbon emission management. <i>Applied Thermal Engineering</i> , 2014 , 70, 1141-1147	5.8	20
36	A retrofit framework for Total Site heat recovery systems. <i>Applied Energy</i> , 2014 , 135, 778-790	10.7	49
35	Total Site Heat Integration incorporating the water sensible heat. <i>Journal of Cleaner Production</i> , 2014 , 77, 94-104	10.3	29
34	Process Integration and Intensification 2014 ,		12
33	A new reactor concept for combining oxidative coupling and steam re-forming of methane: modeling and analysis. <i>International Journal of Energy Research</i> , 2013 , 37, 129-152	4.5	13
32	A multi-period model for optimal planning of an integrated, resource-efficient rice mill. <i>Computers and Chemical Engineering</i> , 2013 , 52, 77-89	4	21
31	New graphical tools for process changes via load shifting for hybrid power systems based on Power Pinch Analysis. <i>Clean Technologies and Environmental Policy</i> , 2013 , 15, 459-472	4.3	54
30	Heat exchanger network cost optimization considering multiple utilities and different types of heat exchangers. <i>Computers and Chemical Engineering</i> , 2013 , 49, 194-204	4	23
29	Industrial implementation issues of Total Site Heat Integration. <i>Applied Thermal Engineering</i> , 2013 , 61, 17-25	5.8	75
28	Towards an integrated, resource-efficient rice mill complex. <i>Resources, Conservation and Recycling</i> , 2013 , 75, 41-51	11.9	20
27	Process integration of hybrid power systems with energy losses considerations. <i>Energy</i> , 2013 , 55, 38-45	7.9	67
26	Centralised utility system planning for a Total Site Heat Integration network. <i>Computers and Chemical Engineering</i> , 2013 , 57, 104-111	4	50
25	Optimal Multi-Site Resource Allocation and Utility Planning for Integrated Rice Mill Complex. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 3816-3831	3.9	15

24	Process Integration techniques for optimal design of hybrid power systems. <i>Applied Thermal Engineering</i> , 2013 , 61, 26-35	5.8	61
23	Water Pinch Analysis for Water Management and Minimisation: An Introduction 2013 , 353-382		4
22	A review on utilisation of biomass from rice industry as a source of renewable energy. <i>Renewable and Sustainable Energy Reviews</i> , 2012 , 16, 3084-3094	16.2	388
21	Holistic carbon planning for industrial parks: a waste-to-resources process integration approach. <i>Journal of Cleaner Production</i> , 2012 , 33, 74-85	10.3	42
20	Optimal Design of a Rice Mill Utility System with Rice Husk Logistic Network. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 362-373	3.9	9
19	A Numerical Analysis for Total Site Sensitivity. <i>Computer Aided Chemical Engineering</i> , 2012 , 560-564	0.6	2
18	A Numerical Tool for Integrating Renewable Energy into Total Sites with Variable Supply and Demand. <i>Computer Aided Chemical Engineering</i> , 2012 , 1347-1351	0.6	4
17	A numerical technique for Total Site sensitivity analysis. <i>Applied Thermal Engineering</i> , 2012 , 40, 397-408	5.8	71
16	A new graphical approach for simultaneous targeting and design of a paper recycling network. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2011 , 6, 778-786	1.3	9
15	Optimal design of water networks involving multiple contaminants for global water operations. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2011 , 6, 771-777	1.3	6
14	Kinetics investigation of direct natural gas conversion by oxidative coupling of methane. <i>Journal of Natural Gas Science and Engineering</i> , 2010 , 2, 270-274	4.6	7
13	Effects of Ultrasonic Waves on Vapor-Liquid Equilibrium of an Azeotropic Mixture. <i>Separation Science and Technology</i> , 2009 , 44, 2707-2719	2.5	12
12	A generic graphical approach for simultaneous targeting and design of a gas network. <i>Resources, Conservation and Recycling</i> , 2009 , 53, 588-591	11.9	30
11	A new technique for simultaneous water and energy minimisation in process plant. <i>Chemical Engineering Research and Design</i> , 2009 , 87, 1509-1519	5.5	72
10	Targeting Multiple Water Utilities Using Composite Curves. <i>Industrial & Engineering Chemistry Research</i> , 2007 , 46, 5968-5976	3.9	27
9	Application of the water cascade analysis technique for water minimisation in a paper mill plant. <i>International Journal of Environment and Pollution</i> , 2007 , 29, 90	0.7	7
8	SHARPS: A new cost-screening technique to attain cost-effective minimum water network. <i>AIChE Journal</i> , 2006 , 52, 3981-3988	3.6	33
7	Retrofit of Water Network with Optimization of Existing Regeneration Units. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 7592-7602	3.9	26

6	Setting the Minimum Utility Gas Flowrate Targets Using Cascade Analysis Technique. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 5986-5995	3.9	129
5	Surplus diagram and cascade analysis technique for targeting property-based material reuse network. <i>Chemical Engineering Science</i> , 2006 , 61, 2626-2642	4.4	125
4	Correct identification of limiting water data for water network synthesis. <i>Clean Technologies and Environmental Policy</i> , 2006 , 8, 96-104	4.3	26
3	Synthesis of mass exchange network for batch processesPart II: Minimum units target and batch network design. <i>Chemical Engineering Science</i> , 2005 , 60, 1349-1362	4.4	28
2	Synthesis of maximum water recovery network for batch process systems. <i>Journal of Cleaner Production</i> , 2005 , 13, 1381-1394	10.3	97
1	Targeting the minimum water flow rate using water cascade analysis technique. <i>AIChE Journal</i> , 2004 , 50, 3169-3183	3.6	283