## Tamara King

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11455177/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of Vancomycin on Persistent Pain-Stimulated and Pain-Depressed Behaviors in Female Fischer Rats With or Without Voluntary Access to Running Wheels. Journal of Pain, 2021, 22, 1530-1544.	1.4	0
2	Voluntary exercise blocks ongoing pain and diminishes bone remodeling while sparing protective mechanical pain in a rat model of advanced osteoarthritis pain. Pain, 2021, Publish Ahead of Print, .	4.2	5
3	TIMP-1 Attenuates the Development of Inflammatory Pain Through MMP-Dependent and Receptor-Mediated Cell Signaling Mechanisms. Frontiers in Molecular Neuroscience, 2019, 12, 220.	2.9	50
4	Pros and Cons of Clinically Relevant Methods to Assess Pain in Rodents. Neuroscience and Biobehavioral Reviews, 2019, 100, 335-343.	6.1	118
5	Females have greater susceptibility to develop ongoing pain and central sensitization in a rat model of temporomandibular joint pain. Pain, 2019, 160, 2036-2049.	4.2	25
6	A Kappa Opioid Receptor Agonist Blocks Bone Cancer Pain Without Altering Bone Loss, Tumor Size, or Cancer Cell Proliferation in a Mouse Model of Cancer-Induced Bone Pain. Journal of Pain, 2018, 19, 612-625.	1.4	19
7	Disease modifying actions of interleukin-6 blockade in a rat model of bone cancer pain. Pain, 2018, 159, 684-698.	4.2	25
8	Blockade of endothelin receptors reduces tumor-induced ongoing pain and evoked hypersensitivity in a rat model of facial carcinoma induced pain. European Journal of Pharmacology, 2018, 818, 132-140.	3.5	13
9	Nanoparticulate peptide delivery exclusively to the brain produces tolerance free analgesia. Journal of Controlled Release, 2018, 270, 135-144.	9.9	51
10	Mechanisms Underlying Bone and Joint Pain. Current Osteoporosis Reports, 2018, 16, 763-771.	3.6	13
11	Exercise reverses pain-related weight asymmetry and differentially modulates trabecular bone microarchitecture in a rat model of osteoarthritis. Life Sciences, 2017, 180, 51-59.	4.3	13
12	Effects of Treadmill Exercise on Advanced Osteoarthritis Pain in Rats. Arthritis and Rheumatology, 2017, 69, 1407-1417.	5.6	32
13	Multiple sites and actions of gabapentin-induced relief of ongoing experimental neuropathic pain. Pain, 2017, 158, 2386-2395.	4.2	74
14	Central Sensitization and Neuropathic Features of Ongoing Pain inÂa Rat Model of Advanced Osteoarthritis. Journal of Pain, 2016, 17, 374-382.	1.4	75
15	Behavioral and neurochemical analysis of ongoing bone cancer pain in rats. Pain, 2015, 156, 1864-1873.	4.2	33
16	Evaluation of a Postoperative Painâ€Like State on Motivated Behavior in Rats: Effects of Plantar Incision on Progressiveâ€Ratio Foodâ€Maintained Responding. Drug Development Research, 2015, 76, 432-441.	2.9	7
17	Artemin induced functional recovery and reinnervation after partial nerve injury. Pain, 2014, 155, 476-484.	4.2	25
18	Preclinical Assessment of Pain: Improving Models in Discovery Research. Current Topics in Behavioral Neurosciences, 2014, 20, 101-120.	1.7	34

Tamara King

#	Article	IF	CITATIONS
19	Disease modification of breast cancer–induced bone remodeling by cannabinoid 2 receptor agonists. Journal of Bone and Mineral Research, 2013, 28, 92-107.	2.8	64
20	Descending Facilitation Maintains Long-Term Spontaneous Neuropathic Pain. Journal of Pain, 2013, 14, 845-853.	1.4	68
21	Evaluation of reward from pain relief. Annals of the New York Academy of Sciences, 2013, 1282, 1-11.	3.8	109
22	Pain relief produces negative reinforcement through activation of mesolimbic reward–valuation circuitry. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 20709-20713.	7.1	258
23	Afferent drive elicits ongoing pain in a model of advanced osteoarthritis. Pain, 2012, 153, 924-933.	4.2	110
24	Contribution of PKMζ-dependent and independent amplification to components of experimental neuropathic pain. Pain, 2012, 153, 1263-1273.	4.2	47
25	Ongoing pain in the MIA model of osteoarthritis. Neuroscience Letters, 2011, 493, 72-75.	2.1	81
26	Descending Facilitatory Pathways from the Rostroventromedial Medulla Mediate Naloxone-Precipitated Withdrawal in Morphine-Dependent Rats. Journal of Pain, 2011, 12, 667-676.	1.4	18
27	Lesion of the rostral anterior cingulate cortex eliminates the aversiveness of spontaneous neuropathic pain following partial or complete axotomy. Pain, 2011, 152, 1641-1648.	4.2	175
28	Contribution of afferent pathways to nerve injury-induced spontaneous pain and evoked hypersensitivity. Pain, 2011, 152, 1997-2005.	4.2	83
29	Engagement of descending inhibition from the rostral ventromedial medulla protects against chronic neuropathic pain. Pain, 2011, 152, 2701-2709.	4.2	186
30	Transient Inflammation-Induced Ongoing Pain is Driven by TRPV1 Sensitive Afferents. Molecular Pain, 2011, 7, 1744-8069-7-4.	2.1	81
31	Inhibition of p38-MAPK Signaling Pathway Attenuates Breast Cancer Induced Bone Pain and Disease Progression in a Murine Model of Cancer-Induced Bone Pain. Molecular Pain, 2011, 7, 1744-8069-7-81.	2.1	29
32	Opioid-induced latent sensitization in a model of non-inflammatory viscerosomatic hypersensitivity. Brain Research, 2010, 1358, 64-70.	2.2	24
33	A cannabinoid 2 receptor agonist attenuates bone cancer-induced pain and bone loss. Life Sciences, 2010, 86, 646-653.	4.3	71
34	Medullary pain facilitating neurons mediate allodynia in headacheâ€related pain. Annals of Neurology, 2009, 65, 184-193.	5.3	177
35	Unmasking the tonic-aversive state in neuropathic pain. Nature Neuroscience, 2009, 12, 1364-1366.	14.8	490
36	TRPV1 Receptor in Expression of Opioid-Induced Hyperalgesia. Journal of Pain, 2009, 10, 243-252.	1.4	69

TAMARA KING

#	Article	IF	CITATIONS
37	Persistent restoration of sensory function by immediate or delayed systemic artemin after dorsal root injury. Nature Neuroscience, 2008, 11, 488-496.	14.8	87
38	Spinal NK-1 receptor expressing neurons mediate opioid-induced hyperalgesia and antinociceptive tolerance via activation of descending pathways. Pain, 2007, 129, 35-45.	4.2	92
39	Morphine treatment accelerates sarcoma-induced bone pain, bone loss, and spontaneous fracture in a murine model of bone cancer. Pain, 2007, 132, 154-168.	4.2	100
40	Differential Blockade of Nerve Injury–Induced Shift in Weight Bearing and Thermal and Tactile Hypersensitivity by Milnacipran. Journal of Pain, 2006, 7, 513-520.	1.4	38
41	Opioid receptor-mediated hyperalgesia and antinociceptive tolerance induced by sustained opiate delivery. Neuroscience Letters, 2006, 396, 44-49.	2.1	90
42	Underlying mechanisms of pronociceptive consequences of prolonged morphine exposure. Biopolymers, 2005, 80, 319-324.	2.4	238
43	Is Paradoxical Pain Induced by Sustained Opioid Exposure an Underlying Mechanism of Opioid Antinociceptive Tolerance?. NeuroSignals, 2005, 14, 194-205.	0.9	170
44	Role of NK-1 neurotransmission in opioid-induced hyperalgesia. Pain, 2005, 116, 276-288.	4.2	157
45	Antinociceptive and nociceptive actions of opioids. Journal of Neurobiology, 2004, 61, 126-148.	3.6	216