

Yunfu Cui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1145665/publications.pdf>

Version: 2024-02-01

63
papers

2,271
citations

230014

27
h-index

252626

46
g-index

63
all docs

63
docs citations

63
times ranked

3313
citing authors

#	ARTICLE	IF	CITATIONS
1	G Protein Subunit Gamma 5 Is a Prognostic Biomarker and Correlated with Immune Infiltrates in Hepatocellular Carcinoma. <i>Disease Markers</i> , 2022, 2022, 1-14.	0.6	4
2	A Circular RNA, Cholangiocarcinoma-Associated Circular RNA 1, Contributes to Cholangiocarcinoma Progression, Induces Angiogenesis, and Disrupts Vascular Endothelial Barriers. <i>Hepatology</i> , 2021, 73, 1419-1435.	3.6	103
3	Yin Yang 1-induced LINC00667 up-regulates pyruvate dehydrogenase kinase 1 to promote proliferation, migration and invasion of cholangiocarcinoma cells by sponging miR-200c-3p. <i>Human Cell</i> , 2021, 34, 187-200.	1.2	18
4	Exosomes in hepatocellular carcinoma microenvironment and their potential clinical application value. <i>Biomedicine and Pharmacotherapy</i> , 2021, 138, 111529.	2.5	16
5	Circular RNA circ_ABCB10 in cancer. <i>Clinica Chimica Acta</i> , 2021, 518, 93-100.	0.5	7
6	Exosomal Noncoding RNAs in Hepatobiliary Cancer: A Rising Star. <i>Molecular Cancer Therapeutics</i> , 2021, 20, 1777-1788.	1.9	3
7	LncRNA DiGeorge syndrome critical region gene 5: A crucial regulator in malignant tumors. <i>Biomedicine and Pharmacotherapy</i> , 2021, 141, 111889.	2.5	4
8	Up-regulated LINC00261 predicts a poor prognosis and promotes a metastasis by EMT process in cholangiocarcinoma. <i>Pathology Research and Practice</i> , 2020, 216, 152733.	1.0	16
9	Linc00473 potentiates cholangiocarcinoma progression by modulation of DDX5 expression via miR-506 regulation. <i>Cancer Cell International</i> , 2020, 20, 324.	1.8	9
10	Circ_ASPH promotes cholangiocarcinoma growth and metastasis through the miR-581/ATP-binding cassette transporter G1 signaling pathway. <i>Cancer Communications</i> , 2020, 40, 545-550.	3.7	9
11	Huaier Restrains Cholangiocarcinoma Progression in vitro and in vivo Through Modulating lncRNA TP73-AS1 and Inducing Oxidative Stress. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 7819-7837.	1.0	9
12	AR-induced ZEB1-AS1 represents poor prognosis in cholangiocarcinoma and facilitates tumor stemness, proliferation and invasion through mediating miR-133b/HOXB8. <i>Aging</i> , 2020, 12, 1237-1255.	1.4	20
13	SP1-induced HOXD-AS1 promotes malignant progression of cholangiocarcinoma by regulating miR-520c-3p/MYCN. <i>Aging</i> , 2020, 12, 16304-16325.	1.4	16
14	Deoxyelephantopin induces apoptosis via oxidative stress and enhances gemcitabine sensitivity <i>in vitro</i> and <i>in vivo</i> through targeting the NF- κ B signaling pathway in pancreatic cancer. <i>Aging</i> , 2020, 12, 11116-11138.	1.4	11
15	Elevation of circular RNA circ_0005230 facilitates cell growth and metastasis via sponging miR-1238 and miR-1299 in cholangiocarcinoma. <i>Aging</i> , 2019, 11, 1907-1917.	1.4	54
16	Long non-coding RNA NNT-AS1 functions as an oncogenic gene through modulating miR-485/BCL9 in cholangiocarcinoma. <i>Cancer Management and Research</i> , 2019, Volume 11, 7739-7749.	0.9	18
17	Up-regulation of ZFAS1 indicates dismal prognosis for cholangiocarcinoma and promotes proliferation and metastasis by modulating USF1 via miR-296a-3p. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 8258-8268.	1.6	17
18	LncRNA-MEG3 inhibits cell proliferation and invasion by modulating Bmi1/RNF2 in cholangiocarcinoma. <i>Journal of Cellular Physiology</i> , 2019, 234, 22947-22959.	2.0	23

#	ARTICLE	IF	CITATIONS
19	Akirin2 is modulated by miR-490-3p and facilitates angiogenesis in cholangiocarcinoma through the IL-6/STAT3/VEGFA signaling pathway. <i>Cell Death and Disease</i> , 2019, 10, 262.	2.7	31
20	Functions and roles of long noncoding RNA in cholangiocarcinoma. <i>Journal of Cellular Physiology</i> , 2019, 234, 17113-17126.	2.0	24
21	Induction of cell cycle arrest and apoptosis in human cholangiocarcinoma cells by pristimerin. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 12002-12009.	1.2	13
22	Clinical Significance of Preoperative Serum CEA, CA125, and CA19-9 Levels in Predicting the Resectability of Cholangiocarcinoma. <i>Disease Markers</i> , 2019, 2019, 1-7.	0.6	31
23	MiR-let-7e inhibits invasion and migration and regulates HMGB1 expression in papillary thyroid carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2019, 110, 528-536.	2.5	22
24	Upregulated circular RNA circ_0030235 predicts unfavorable prognosis in pancreatic ductal adenocarcinoma and facilitates cell progression by sponging miR-1253 and miR-1294. <i>Biochemical and Biophysical Research Communications</i> , 2019, 509, 138-142.	1.0	79
25	Long noncoding RNA GHET1 in human cancer. <i>Clinica Chimica Acta</i> , 2019, 488, 111-115.	0.5	12
26	Downregulated circular RNA hsa_circ_0001649 regulates proliferation, migration and invasion in cholangiocarcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 2018, 496, 455-461.	1.0	147
27	Overexpressed long noncoding RNA Sox2ot predicts poor prognosis for cholangiocarcinoma and promotes cell proliferation and invasion. <i>Gene</i> , 2018, 645, 131-136.	1.0	35
28	Retroperitoneal Angiofollicular Lymph Node Hyperplasia (Castleman's Disease). , 2018, , 209-213.		0
29	Long non-coding RNA CCAT2 promotes cholangiocarcinoma cells migration and invasion by induction of epithelial-to-mesenchymal transition. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 121-127.	2.5	25
30	Long non-coding RNA MIAT in development and disease: a new player in an old game. <i>Journal of Biomedical Science</i> , 2018, 25, 23.	2.6	88
31	ZEB 1 AS 1: A crucial cancer-related long non-coding RNA. <i>Cell Proliferation</i> , 2018, 51, .	2.4	60
32	Increased Expression of Circular RNA circ_0005230 Indicates Dismal Prognosis in Breast Cancer and Regulates Cell Proliferation and Invasion via miR-618/ CBX8 Signal Pathway. <i>Cellular Physiology and Biochemistry</i> , 2018, 51, 1710-1722.	1.1	65
33	Small nucleolar RNA host gene 1: A new biomarker and therapeutic target for cancers. <i>Pathology Research and Practice</i> , 2018, 214, 1247-1252.	1.0	31
34	SP1-induced upregulation of lncRNA SPRY4-IT1 exerts oncogenic properties by scaffolding EZH2/LSD1/DNMT1 and sponging miR-101-3p in cholangiocarcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 81.	3.5	135
35	Neutrophils infiltrating pancreatic ductal adenocarcinoma indicate higher malignancy and worse prognosis. <i>Biochemical and Biophysical Research Communications</i> , 2018, 501, 313-319.	1.0	30
36	The role of long non-coding RNA AFAP1-AS1 in human malignant tumors. <i>Pathology Research and Practice</i> , 2018, 214, 1524-1531.	1.0	46

#	ARTICLE	IF	CITATIONS
37	Long non-coding RNA HOTAIR promotes tumorigenesis and forecasts a poor prognosis in cholangiocarcinoma. <i>Scientific Reports</i> , 2018, 8, 12176.	1.6	35
38	Current insight into a cancer-implicated long noncoding RNA ZFAS1 and correlative functional mechanisms involved. <i>Pathology Research and Practice</i> , 2018, 214, 1517-1523.	1.0	10
39	Overexpression of long noncoding RNA H19 indicates a poor prognosis for cholangiocarcinoma and promotes cell migration and invasion by affecting epithelial-mesenchymal transition. <i>Biomedicine and Pharmacotherapy</i> , 2017, 92, 17-23.	2.5	47
40	PANDAR: a pivotal cancer-related long non-coding RNA in human cancers. <i>Molecular BioSystems</i> , 2017, 13, 2195-2201.	2.9	22
41	Transcriptome analysis reveals dysregulated long non-coding RNAs and mRNAs associated with extrahepatic cholangiocarcinoma progression. <i>Oncology Letters</i> , 2017, 14, 6079-6084.	0.8	6
42	LncRNA-ATB: An indispensable cancer-related long noncoding RNA. <i>Cell Proliferation</i> , 2017, 50, .	2.4	152
43	Long noncoding RNA PCAT1 regulates extrahepatic cholangiocarcinoma progression via the Wnt/ β -catenin-signaling pathway. <i>Biomedicine and Pharmacotherapy</i> , 2017, 94, 55-62.	2.5	64
44	Binding pancreaticogastrostomy anastomosis in central pancreatectomy. <i>Medicine (United States)</i> , 2017, 96, e8354.	0.4	7
45	Upregulated long noncoding RNA PANDAR predicts an unfavorable prognosis and promotes tumorigenesis in cholangiocarcinoma. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 2873-2883.	1.0	41
46	The prognostic potential and carcinogenesis of long non-coding RNA TUG1 in human cholangiocarcinoma. <i>Oncotarget</i> , 2017, 8, 65823-65835.	0.8	28
47	Long non-coding RNA UCA1 indicates an unfavorable prognosis and promotes tumorigenesis via regulating AKT/GSK-3 β signaling pathway in cholangiocarcinoma. <i>Oncotarget</i> , 2017, 8, 96203-96214.	0.8	41
48	Next-generation proteasome inhibitor MLN9708 sensitizes breast cancer cells to doxorubicin-induced apoptosis. <i>Scientific Reports</i> , 2016, 6, 26456.	1.6	37
49	Tectonic 1 Is a Key Regulator of Cell Proliferation in Pancreatic Cancer. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2016, 31, 7-13.	0.7	10
50	Enhanced expression of suppresser of cytokine signaling 3 inhibits the IL-6-induced epithelial-to-mesenchymal transition and cholangiocarcinoma cell metastasis. <i>Medical Oncology</i> , 2015, 32, 105.	1.2	22
51	Constitutive ERK1/2 activation contributes to production of double minute chromosomes in tumour cells. <i>Journal of Pathology</i> , 2015, 235, 14-24.	2.1	18
52	The Prognostic Role of SOCS3 and A20 in Human Cholangiocarcinoma. <i>PLoS ONE</i> , 2015, 10, e0141165.	1.1	18
53	Metformin inhibits tumor growth by regulating multiple miRNAs in human cholangiocarcinoma. <i>Oncotarget</i> , 2015, 6, 3178-3194.	0.8	43
54	miR-211 suppresses hepatocellular carcinoma by downregulating SATB2. <i>Oncotarget</i> , 2015, 6, 9457-9466.	0.8	49

#	ARTICLE	IF	CITATIONS
55	The Wnt Antagonist sFRP1 as a Favorable Prognosticator in Human Biliary Tract Carcinoma. PLoS ONE, 2014, 9, e90308.	1.1	23
56	GPC1 Regulated by miR-96-5p, Rather than miR-182-5p, in Inhibition of Pancreatic Carcinoma Cell Proliferation. International Journal of Molecular Sciences, 2014, 15, 6314-6327.	1.8	49
57	MiR-34a targets GAS1 to promote cell proliferation and inhibit apoptosis in papillary thyroid carcinoma via PI3K/Akt/Bad pathway. Biochemical and Biophysical Research Communications, 2013, 441, 958-963.	1.0	104
58	Immunological response in H22 transplanted mice undergoing Aconitum coreanum polysaccharide treatment. International Journal of Biological Macromolecules, 2013, 55, 295-300.	3.6	28
59	Ischemia/Reperfusion in Clamped Lobes Facilitates Liver Regeneration of Non-clamped Lobes After Selective Portal Vein Ligation. Digestive Diseases and Sciences, 2012, 57, 3178-3183.	1.1	4
60	MicroRNA-421 functions as an oncogenic miRNA in biliary tract cancer through down-regulating farnesoid X receptor expression. Gene, 2012, 493, 44-51.	1.0	85
61	IL-6/STAT3/TFF3 signaling regulates human biliary epithelial cell migration and wound healing in vitro. Molecular Biology Reports, 2010, 37, 3813-3818.	1.0	54
62	Reconstitution of Secreted Frizzled-Related Protein ¹ Suppresses Tumor Growth and Lung Metastasis in an Orthotopic Model of Hepatocellular Carcinoma. Digestive Diseases and Sciences, 2010, 55, 2838-2843.	1.1	18
63	Prevention of core cell damage in isolated islets of Langerhans by low temperature preconditioning. World Journal of Gastroenterology, 2005, 11, 545.	1.4	25