Romela Irene Ramos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11457156/publications.pdf

Version: 2024-02-01

933447 1372567 1,284 10 10 10 citations g-index h-index papers 10 10 10 2417 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	IL-17 is essential for host defense against cutaneous Staphylococcus aureus infection in mice. Journal of Clinical Investigation, 2010, 120, 1762-1773.	8.2	554
2	Neutrophil-derived IL- \hat{l}^2 Is Sufficient for Abscess Formation in Immunity against Staphylococcus aureus in Mice. PLoS Pathogens, 2012, 8, e1003047.	4.7	194
3	Mouse model of chronic postâ€arthroplasty infection: Noninvasive in vivo bioluminescence imaging to monitor bacterial burden for longâ€ŧerm study. Journal of Orthopaedic Research, 2012, 30, 335-340.	2.3	125
4	Vancomycin-Rifampin Combination Therapy Has Enhanced Efficacy against an Experimental Staphylococcus aureus Prosthetic Joint Infection. Antimicrobial Agents and Chemotherapy, 2013, 57, 5080-5086.	3.2	78
5	<i>In Vivo</i> Bioluminescence Imaging To Evaluate Systemic and Topical Antibiotics against Community-Acquired Methicillin-Resistant Staphylococcus aureus-Infected Skin Wounds in Mice. Antimicrobial Agents and Chemotherapy, 2013, 57, 855-863.	3.2	73
6	Monitoring Bacterial Burden, Inflammation and Bone Damage Longitudinally Using Optical and \hat{l} CT lmaging in an Orthopaedic Implant Infection in Mice. PLoS ONE, 2012, 7, e47397.	2. 5	71
7	Protective role of ILâ \in 1 \hat{l}^2 against postâ \in arthroplasty <i>Staphylococcus aureus</i> infection. Journal of Orthopaedic Research, 2011, 29, 1621-1626.	2.3	65
8	Noninvasive In Vivo Imaging to Evaluate Immune Responses and Antimicrobial Therapy against Staphylococcus aureus and USA300 MRSA Skin Infections. Journal of Investigative Dermatology, 2011, 131, 907-915.	0.7	63
9	Daptomycin and Tigecycline Have Broader Effective Dose Ranges than Vancomycin as Prophylaxis against a Staphylococcus aureus Surgical Implant Infection in Mice. Antimicrobial Agents and Chemotherapy, 2012, 56, 2590-2597.	3.2	41
10	Combination Prophylactic Therapy with Rifampin Increases Efficacy against an Experimental Staphylococcus epidermidis Subcutaneous Implant-Related Infection. Antimicrobial Agents and Chemotherapy, 2014, 58, 2377-2386.	3.2	20