Yung-Chi Cheng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11467335/publications.pdf

Version: 2024-02-01

80 papers 4,973 citations

32 h-index 91712 69 g-index

84 all docs

84 docs citations

84 times ranked 4132 citing authors

#	Article	IF	CITATIONS
1	Ethnobotanical Survey on Bitter Tea in Taiwan. Frontiers in Pharmacology, 2022, 13, 816029.	1.6	2
2	A Phase II Clinical Trial on the Combination Therapy of PHY906 Plus Capecitabine in Hepatocellular Carcinoma. Oncologist, 2021, 26, e367-e373.	1.9	24
3	YIV-906 potentiated anti-PD1 action against hepatocellular carcinoma by enhancing adaptive and innate immunity in the tumor microenvironment. Scientific Reports, 2021, 11, 13482.	1.6	13
4	Traditional herbal medicine and nanomedicine: Converging disciplines to improve the rapeutic efficacy and human health. Advanced Drug Delivery Reviews, $2021, 178, 113964$.	6.6	71
5	An Ethnobotanical Study of Medicinal Plants in Kinmen. Frontiers in Pharmacology, 2021, 12, 681190.	1.6	6
6	Ethnopharmacological Survey of Traditional Chinese Medicine Pharmacy Prescriptions for Dysmenorrhea. Frontiers in Pharmacology, 2021, 12, 746777.	1.6	10
7	Natural deep eutectic characteristics of honey improve the bioactivity and safety of traditional medicines. Journal of Ethnopharmacology, 2020, 250, 112460.	2.0	29
8	An Ethnobotanical Study on Qīng-Căo-Chá Tea in Taiwan. Frontiers in Pharmacology, 2020, 11, 931.	1.6	6
9	2-(Arylamino)-6-(trifluoromethyl)nicotinic Acid Derivatives: New HIV-1 RT Dual Inhibitors Active on Viral Replication. Molecules, 2020, 25, 1338.	1.7	11
10	Gallic Acid Ameliorated Impaired Lipid Homeostasis in a Mouse Model of High-Fat Dietâ \in "and Streptozotocin-Induced NAFLD and Diabetes through Improvement of \hat{l}^2 -oxidation and Ketogenesis. Frontiers in Pharmacology, 2020, 11, 606759.	1.6	17
11	Prospective: Evolution of Chinese Medicine to Treat COVID-19 Patients in China. Frontiers in Pharmacology, 2020, 11, 615287.	1.6	10
12	A phase II randomized placebo-controlled study investigating the combination of yiv-906 and sorafenib (SORA) in HBV (+) patients (Pts) with advanced hepatocellular carcinoma (HCC) Journal of Clinical Oncology, 2020, 38, TPS601-TPS601.	0.8	4
13	Expression of the type 3 InsP ₃ receptor is a final common event in the development of hepatocellular carcinoma. Gut, 2019, 68, 1676-1687.	6.1	56
14	Cancer Biomarkers for Integrative Oncology. Current Oncology Reports, 2019, 21, 32.	1.8	3
15	Characterization, Dynamics, and Mechanism of CXCR4 Antagonists on a Constitutively Active Mutant. Cell Chemical Biology, 2019, 26, 662-673.e7.	2.5	20
16	Promotion of quality standard of Chinese herbal medicine by the integrated and efficacy-oriented quality marker of Effect-constituent Index. Phytomedicine, 2018, 45, 26-35.	2.3	20
17	Effects of processing adjuvants on traditional Chinese herbs. Journal of Food and Drug Analysis, 2018, 26, S96-S114.	0.9	69
18	Structure-activity relationships of cryptopleurine analogs with E-ring modifications as anti-hepatitis C virus agents. Bioorganic and Medicinal Chemistry, 2018, 26, 630-636.	1.4	4

#	Article	IF	CITATIONS
19	Mechanism Based Quality Control (MBQC) of Herbal Products: A Case Study YIV-906 (PHY906). Frontiers in Pharmacology, 2018, 9, 1324.	1.6	25
20	Targeting tumour microenvironment by tyrosine kinase inhibitor. Molecular Cancer, 2018, 17, 43.	7.9	71
21	Majority of Chinese Medicine Herb Category "Qing Re Yao―Have Multiple Mechanisms of Anti-inflammatory Activity. Scientific Reports, 2018, 8, 7416.	1.6	18
22	Improving the Concentrations of the Active Components in the Herbal Tea Ingredient, Uraria crinita: The Effect of Post-harvest Oven-drying Processing. Scientific Reports, 2017, 7, 38763.	1.6	27
23	Major achievements of evidence-based traditional Chinese medicine in treating major diseases. Biochemical Pharmacology, 2017, 139, 94-104.	2.0	123
24	Tylophorine Analogs Allosterically Regulates Heat Shock Cognate Protein 70 And Inhibits Hepatitis C Virus Replication. Scientific Reports, 2017, 7, 10037.	1.6	16
25	New and bioactive natural products from an endophyte of Panax notoginseng. RSC Advances, 2017, 7, 38100-38109.	1.7	32
26	Enhanced B-Raf-mediated NRF2 gene transcription and HATs-mediated NRF2 protein acetylation contributes to ABCC1-mediated chemoresistance and glutathione-mediated survival in acquired topoisomerase II poison-resistant cancer cells. Free Radical Biology and Medicine, 2017, 113, 505-518.	1.3	18
27	Cornusides A–O, Bioactive Iridoid Glucoside Dimers from the Fruit of <i>Cornus officinalis</i> Journal of Natural Products, 2017, 80, 3103-3111.	1.5	39
28	Design, synthesis and antiviral evaluation of novel heteroarylcarbothioamide derivatives as dual inhibitors of HIV-1 reverse transcriptase-associated RNase H and RDDP functions. Pathogens and Disease, 2017, 75, .	0.8	31
29	Chemosynthesis pathway and bioactivities comparison of saponins in radix and flower of Panax notoginseng (Burk.) F.H. Chen. Journal of Ethnopharmacology, 2017, 201, 56-72.	2.0	14
30	State of the Science: Cancer Complementary and Alternative Medicine Therapeutics Research—NCI Strategic Workshop Highlights of Discussion Report. Journal of the National Cancer Institute Monographs, 2017, 2017, .	0.9	10
31	Pilot trial of KD018 with neo-adjuvant concurrent chemo-radiation therapy in patients with locally advanced rectal cancer Journal of Clinical Oncology, 2017, 35, e15162-e15162.	0.8	2
32	Tylophorine Analog DCB-3503 Inhibited Cyclin D1 Translation through Allosteric Regulation of Heat Shock Cognate Protein 70. Scientific Reports, 2016, 6, 32832.	1.6	6
33	Antibacterial Flavonoids from Medicinal Plants Covalently Inactivate Type III Protein Secretion Substrates. Journal of the American Chemical Society, 2016, 138, 2209-2218.	6.6	87
34	An integrated system for identifying the hidden assassins in traditional medicines containing aristolochic acids. Scientific Reports, 2015, 5, 11318.	1.6	63
35	Disruption of the mevalonate pathway induces dNTP depletion and DNA damage. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2015, 1851, 1240-1253.	1.2	11
36	Opportunities for traditional Chinese medicine to address unmet challenges in modern healthcare. Journal of Traditional and Complementary Medicine, 2015, 5, 2-4.	1.5	8

3

#	Article	IF	CITATIONS
37	Safety Surveillance of Traditional Chinese Medicine: Current and Future. Drug Safety, 2015, 38, 117-128.	1.4	188
38	PHY906(KD018), an adjuvant based on a 1800-year-old Chinese medicine, enhanced the anti-tumor activity of Sorafenib by changing the tumor microenvironment. Scientific Reports, 2015, 5, 9384.	1.6	116
39	Study of Malformin C, a Fungal Source Cyclic Pentapeptide, as an Anti-Cancer Drug. PLoS ONE, 2015, 10, e0140069.	1.1	20
40	Impact of the rtl187V polymerase substitution of hepatitis B virus on viral replication and antiviral drug susceptibility. Journal of General Virology, 2014, 95, 2523-2530.	1.3	2
41	The number of intestinal bacteria is not critical for the enhancement of antitumor activity and reduction of intestinal toxicity of irinotecan by the Chinese herbal medicine PHY906 (KD018). BMC Complementary and Alternative Medicine, 2014, 14, 490.	3.7	26
42	Preclinical studies of the Chinese Herbal Medicine formulation PHY906 (KD018) as a potential adjunct to radiation therapy. International Journal of Radiation Biology, 2013, 89, 16-25.	1.0	33
43	PHY906, a Cancer Adjuvant Therapy, Differentially Affects Inflammation of Different Tissues. , 2013, , 549-562.		0
44	Old formula, new Rx: The journey of PHY906 as cancer adjuvant therapy. Journal of Ethnopharmacology, 2012, 140, 614-623.	2.0	131
45	Why and How to Globalize Traditional Chinese Medicine. Journal of Traditional and Complementary Medicine, $2011,1,1\text{-}4$.	1.5	11
46	Interaction of a traditional Chinese Medicine (PHY906) and CPT-11 on the inflammatory process in the tumor microenvironment. BMC Medical Genomics, 2011, 4, 38.	0.7	73
47	The Four-Herb Chinese Medicine PHY906 Reduces Chemotherapy-Induced Gastrointestinal Toxicity. Science Translational Medicine, 2010, 2, 45ra59.	5.8	282
48	A comprehensive platform for quality control of botanical drugs (PhytomicsQC): a case study of Huangqin Tang (HQT) and PHY906. Chinese Medicine, 2010, 5, 30.	1.6	92
49	Impairment of APE1 Function Enhances Cellular Sensitivity to Clinically Relevant Alkylators and Antimetabolites. Molecular Cancer Research, 2009, 7, 897-906.	1.5	73
50	Liquid chromatography/mass spectrometry analysis of PHY906, a Chinese medicine formulation for cancer therapy. Rapid Communications in Mass Spectrometry, 2007, 21, 3593-3607.	0.7	107
51	Apurinic/Apyrimidinic Endonuclease-1 Protein Level Is Associated with the Cytotoxicity of I-Configuration Deoxycytidine Analogs (Troxacitabine and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 182 (Gemcitabine and Î ² -d-Arabinofuranosylcytosine). Molecular Pharmacology, 2006, 69, 1607-1614.	Γd (β-l-2′ 1.0	² ,3′-Dideo× 26
52	New targets and inhibitors of HBV replication to combat drug resistance. Journal of Clinical Virology, 2005, 34, S147-S150.	1.6	33
53	The Exonuclease Activity of Human Apurinic/Apyrimidinic Endonuclease (APE1). Journal of Biological Chemistry, 2003, 278, 18289-18296.	1.6	100
54	Globalisation of Chinese Medicine. , 2003, , 215-244.		0

#	Article	IF	CITATIONS
55	An exonucleolytic activity of human apurinic/apyrimidinic endonuclease on 3′ mispaired DNA. Nature, 2002, 415, 655-659.	13.7	220
56	Spiropentane Mimics of Nucleosides:  Analogues of 2'-Deoxyadenosine and 2'-Deoxyguanosine. Synthes of All Stereoisomers, Isomeric Assignment, and Biological Activity. Journal of Organic Chemistry, 2000, 65, 1280-1290.	is 1.7	41
57	A Novel Action of Human Apurinic/Apyrimidinic Endonuclease. Journal of Biological Chemistry, 2000, 275, 31009-31015.	1.6	107
58	Excision of \hat{I}^2 -L- and \hat{I}^2 -D-Nucleotide Analogs From DNA by p53 Protein. Nucleosides, Nucleotides and Nucleic Acids, 2000, 19, 435-446.	0.4	8
59	Synthesis and Biological Evaluation of 1,3-Oxathiolane 5-Azapyrimidine, 6-Azapyrimidine, and Fluorosubstituted 3-Deazapyrimidine Nucleosides. Nucleosides, Nucleotides and Nucleic Acids, 2000, 19, 603-618.	0.4	8
60	Synthesis of 2′,3′-Dideoxy-2′-Fluoro-l- <i>threo</i> Pentofuranosyl Nucleosides as Potential Antiviral Agents. Nucleosides & Nucleotides, 1999, 18, 2233-2252.	0.5	6
61	Synthesis of 2′-Methylene-Substituted 5-Azapyrimidine, 6-Azapyrimidine, and 3-Deazaguanine Nucleoside Analogues as Potential Antitumor/Antiviral Agents. Nucleosides & Nucleotides, 1999, 18, 55-72.	0.5	7
62	Asymmetric Synthesis and Antiviral Activities of l-Carbocyclic 2â€~,3â€~-Didehydro-2â€~,3â€~-dideoxy and 2â€~,3â€~-Dideoxy Nucleosides. Journal of Medicinal Chemistry, 1999, 42, 3390-3399.	2.9	44
63	Synthesis and Anti-HIV and Anti-HBV Activities of 2â€~-Fluoro-2â€~,3â€~-unsaturated l-Nucleosides. Journal of Medicinal Chemistry, 1999, 42, 1320-1328.	2.9	71
64	Biochemical Characterization of the HIV-1 Integrase 3â€-Processing Activity and Its Inhibition by Phosphorothioate Oligonucleotidesâ€. Biochemistry, 1998, 37, 7237-7243.	1.2	34
65	Altered Formation of Topotecan-Stabilized Topoisomerase I-DNA Adducts in Human Leukemia Cells. Blood, 1997, 89, 2098-2104.	0.6	51
66	Synthesis of a Series of Purine 2′,3′-Dideoxy-L-Nucleoside Analogues as Potential Antiviral Agents. Nucleosides & Nucleotides, 1995, 14, 1759-1783.	0.5	19
67	Anti-AIDS (Acquired Immune Deficiency Syndrome) Agents. 17. New Brominated Hexahydroxybiphenyl Derivatives as Potent Anti-HIV Agents. Journal of Medicinal Chemistry, 1995, 38, 3003-3008.	2.9	35
68	Removal of anti-human immunodeficiency virus $2\hat{a}\in ^2$, $3\hat{a}\in ^2$ -dideoxynucleoside monophosphates from DNA by a novel human cytosolic $3\hat{a}\in ^2\hat{a}\dagger$, $5\hat{a}\in ^2$ exonuclease. Biochemical Pharmacology, 1995, 50, 815-821.	2.0	29
69	High titers of anti-epstein-barr virus DNA polymerase are found in patients with severe fatiguing illness. Journal of Medical Virology, 1994, 42, 42-46.	2.5	39
70	Antitumor agents. 126. Novel 4 beta-substituted anilino derivatives of 3',4'-O,O-didemethylpodophyllotoxin as potent inhibitors of human DNA topoisomerase II. Pharmaceutical Research, 1993, 10, 343-350.	1.7	7
71	Antitumor agents. 125. New 4 beta-benzoylamino derivatives of 4'-O-demethyl-4-desoxypodophyllotoxin and 4 beta-benzoyl derivatives of 4'-O-demethylpodophyllotoxin as potent inhibitors of human DNA topoisomerase II. Pharmaceutical Research, 1993, 10, 214-219.	1.7	17
72	Prevention of binding of rgp120 by anti-HIV active tannins. Biochemical Pharmacology, 1992, 43, 2479-2480.	2.0	34

#	Article	IF	CITATIONS
73	HIV and reverse transcriptase inhibition by tannins. Bioorganic and Medicinal Chemistry Letters, 1992, 2, 1529-1534.	1.0	27
74	Tannins and Related Compounds as Anti-HIV Agents 1., 1992,, 69-90.		7
75	Phosphorothioate Oligonucleotides as Potential Antiviral Compounds Against Human Immunodeficiency Virus and Herpes Viruses. Nucleosides & Nucleotides, 1991, 10, 155-166.	0.5	14
76	DNA Polymerases versus HIV Reverse Transcriptase in AIDS Therapy. Annals of the New York Academy of Sciences, 1990, 616, 217-223.	1.8	23
77	Anti-Aids Agents, 2: Inhibitory Effect of Tannins on HIV Reverse Transcriptase and HIV Replication in H9 Lymphocyte Cells. Journal of Natural Products, 1990, 53, 587-595.	1.5	173
78	Herpes Simplex Virus Thymidine Kinase-Dependent Antiviral Agents. , 1984, , 59-70.		5
79	Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells. Cell, 1977, 11, 223-232.	13.5	1,548
80	Antiviral Action and Cellular Toxicity of Four Thymidine Analogues: 5-Ethyl-, 5-Vinyl-, 5-Propyl-, and 5-Allyl-2′-Deoxyuridine. Antimicrobial Agents and Chemotherapy, 1976, 10, 119-122.	1.4	108