## Chunhua Shen

## List of Publications by Citations

Source: https://exaly.com/author-pdf/11471822/chunhua-shen-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

5,902
citations

h-index

76
g-index

7,956
ext. papers

6.8
avg, IF

L-index

#	Paper	IF	Citations
86	FCOS: Fully Convolutional One-Stage Object Detection <b>2019</b> ,		996
85	RefineNet: Multi-path Refinement Networks for High-Resolution Semantic Segmentation 2017,		959
84	Supervised Discrete Hashing <b>2015</b> ,		592
83	A survey of appearance models in visual object tracking. <i>ACM Transactions on Intelligent Systems and Technology</i> , <b>2013</b> , 4, 1-48	8	374
82	Efficient Piecewise Training of Deep Structured Models for Semantic Segmentation 2016,		362
81	Is face recognition really a Compressive Sensing problem? 2011,		170
80	Real-time visual tracking using compressive sensing <b>2011</b> ,		162
79	CRF learning with CNN features for image segmentation. <i>Pattern Recognition</i> , <b>2015</b> , 48, 2983-2992	7.7	143
78	Adaptive object tracking based on an effective appearance filter. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2007</b> , 29, 1661-7	13.3	128
77	Hashing on nonlinear manifolds. IEEE Transactions on Image Processing, 2015, 24, 1839-51	8.7	109
76	2018,		95
75	Fast Pedestrian Detection Using a Cascade of Boosted Covariance Features. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , <b>2008</b> , 18, 1140-1151	6.4	90
74	Efficient and Accurate Arbitrary-Shaped Text Detection With Pixel Aggregation Network 2019,		86
73	Show, Attend and Read: A Simple and Strong Baseline for Irregular Text Recognition. <i>Proceedings of the AAAI Conference on Artificial Intelligence</i> , <b>2019</b> , 33, 8610-8617	5	81
72	A Mutual Bootstrapping Model for Automated Skin Lesion Segmentation and Classification. <i>IEEE Transactions on Medical Imaging</i> , <b>2020</b> , 39, 2482-2493	11.7	79
71	Strengthening the Effectiveness of Pedestrian Detection with Spatially Pooled Features. <i>Lecture Notes in Computer Science</i> , <b>2014</b> , 546-561	0.9	78
70	Pedestrian Detection with Spatially Pooled Features and Structured Ensemble Learning. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2016</b> , 38, 1243-57	13.3	76

## (2014-2017)

69	Temporal Pyramid Pooling-Based Convolutional Neural Network for Action Recognition. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , <b>2017</b> , 27, 2613-2622	6.4	64	
68	Generalized Kernel-Based Visual Tracking. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , <b>2010</b> , 20, 119-130	6.4	58	
67	Scalable large-margin Mahalanobis distance metric learning. <i>IEEE Transactions on Neural Networks</i> , <b>2010</b> , 21, 1524-30		55	
66	Cluster Sparsity Field: An Internal Hyperspectral Imagery Prior for Reconstruction. <i>International Journal of Computer Vision</i> , <b>2018</b> , 126, 797-821	10.6	53	
65	On the dual formulation of boosting algorithms. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2010</b> , 32, 2216-31	13.3	53	
64	2019,		51	
63	. IEEE Transactions on Intelligent Transportation Systems, <b>2017</b> , 18, 3147-3156	6.1	50	
62	Fast global kernel density mode seeking: applications to localization and tracking. <i>IEEE Transactions on Image Processing</i> , <b>2007</b> , 16, 1457-69	8.7	50	
61	Feature selection with redundancy-constrained class separability. <i>IEEE Transactions on Neural Networks</i> , <b>2010</b> , 21, 853-8		46	
60	Boosting through optimization of margin distributions. <i>IEEE Transactions on Neural Networks</i> , <b>2010</b> , 21, 659-66		46	
59	Face image classification by pooling raw features. Pattern Recognition, 2016, 54, 94-103	7.7	40	
58	Multi-label learning based deep transfer neural network for facial attribute classification. <i>Pattern Recognition</i> , <b>2018</b> , 80, 225-240	7.7	38	
57	. IEEE Transactions on Knowledge and Data Engineering, <b>2014</b> , 26, 2588-2597	4.2	37	
56	Compositional Model Based Fisher Vector Coding for Image Classification. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2017</b> , 39, 2335-2348	13.3	35	
56 55		13.3	35 35	
	Pattern Analysis and Machine Intelligence, 2017, 39, 2335-2348  Attend in Groups: A Weakly-Supervised Deep Learning Framework for Learning from Web Data	13.3		
55	Pattern Analysis and Machine Intelligence, 2017, 39, 2335-2348  Attend in Groups: A Weakly-Supervised Deep Learning Framework for Learning from Web Data 2017,  Dictionary Learning for Promoting Structured Sparsity in Hyperspectral Compressive Sensing. IEEE		35	

51	. IEEE Transactions on Multimedia, <b>2019</b> , 21, 2930-2941	6.6	29
50	Graph mode-based contextual kernels for robust SVM tracking <b>2011</b> ,		28
49	Fast and robust object detection using asymmetric totally corrective boosting. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2012</b> , 23, 33-46	10.3	25
48	Structural Analysis of Attributes for Vehicle Re-Identification and Retrieval. <i>IEEE Transactions on Intelligent Transportation Systems</i> , <b>2020</b> , 21, 723-734	6.1	25
47	Supervised dimensionality reduction via sequential semidefinite programming. <i>Pattern Recognition</i> , <b>2008</b> , 41, 3644-3652	7.7	23
46	Training Effective Node Classifiers for Cascade Classification. <i>International Journal of Computer Vision</i> , <b>2013</b> , 103, 326-347	10.6	22
45	Approximate least trimmed sum of squares fitting and applications in image analysis. <i>IEEE Transactions on Image Processing</i> , <b>2013</b> , 22, 1836-47	8.7	21
44	SESV: Accurate Medical Image Segmentation by Predicting and Correcting Errors. <i>IEEE Transactions on Medical Imaging</i> , <b>2021</b> , 40, 286-296	11.7	21
43	Efficiently learning a detection cascade with sparse eigenvectors. <i>IEEE Transactions on Image Processing</i> , <b>2011</b> , 20, 22-35	8.7	20
42	2011,		19
42 41	2011,  A Fast Semidefinite Approach to Solving Binary Quadratic Problems 2013,		19 17
41	A Fast Semidefinite Approach to Solving Binary Quadratic Problems <b>2013</b> ,	0.9	17
41	A Fast Semidefinite Approach to Solving Binary Quadratic Problems 2013,  Efficient Pedestrian Detection by Directly Optimizing the Partial Area under the ROC Curve 2013,  Pyramid Center-Symmetric Local Binary/Trinary Patterns for Effective Pedestrian Detection.	0.9	17 15 15
41 40 39	A Fast Semidefinite Approach to Solving Binary Quadratic Problems 2013,  Efficient Pedestrian Detection by Directly Optimizing the Partial Area under the ROC Curve 2013,  Pyramid Center-Symmetric Local Binary/Trinary Patterns for Effective Pedestrian Detection.  Lecture Notes in Computer Science, 2011, 281-292  Adaptive Importance Learning for Improving Lightweight Image Super-Resolution Network.		17 15 15
41 40 39 38	A Fast Semidefinite Approach to Solving Binary Quadratic Problems 2013,  Efficient Pedestrian Detection by Directly Optimizing the Partial Area under the ROC Curve 2013,  Pyramid Center-Symmetric Local Binary/Trinary Patterns for Effective Pedestrian Detection.  Lecture Notes in Computer Science, 2011, 281-292  Adaptive Importance Learning for Improving Lightweight Image Super-Resolution Network.  International Journal of Computer Vision, 2020, 128, 479-499  MobileFAN: Transferring deep hidden representation for face alignment. Pattern Recognition, 2020,	10.6	17 15 15
41 40 39 38 37	A Fast Semidefinite Approach to Solving Binary Quadratic Problems 2013,  Efficient Pedestrian Detection by Directly Optimizing the Partial Area under the ROC Curve 2013,  Pyramid Center-Symmetric Local Binary/Trinary Patterns for Effective Pedestrian Detection.  Lecture Notes in Computer Science, 2011, 281-292  Adaptive Importance Learning for Improving Lightweight Image Super-Resolution Network.  International Journal of Computer Vision, 2020, 128, 479-499  MobileFAN: Transferring deep hidden representation for face alignment. Pattern Recognition, 2020, 100, 107114	10.6 7.7	17 15 15 15 14

## (2020-2016)

33	Online unsupervised feature learning for visual tracking. <i>Image and Vision Computing</i> , <b>2016</b> , 51, 84-94	3.7	11
32	A hierarchical word-merging algorithm with class separability measure. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2014</b> , 36, 417-35	13.3	11
31	Non-sparse linear representations for visual tracking with online reservoir metric learning 2012,		11
30	Weakly Supervised Semantic Segmentation Based on Co-segmentation 2017,		11
29	A scalable stagewise approach to large-margin multiclass loss-based boosting. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2014</b> , 25, 1002-13	10.3	10
28	Incremental training of a detector using online sparse eigendecomposition. <i>IEEE Transactions on Image Processing</i> , <b>2011</b> , 20, 213-26	8.7	10
27	Cluster Sparsity Field for Hyperspectral Imagery Denoising. <i>Lecture Notes in Computer Science</i> , <b>2016</b> , 631-647	0.9	10
26	A Convex Programming Approach to the Trace Quotient Problem <b>2007</b> , 227-235		10
25	2009,		8
24	Structured learning of metric ensembles with application to person re-identification. <i>Computer Vision and Image Understanding</i> , <b>2017</b> , 156, 51-65	4.3	7
23	A generalized probabilistic framework for compact codebook creation 2011,		7
22	. IEEE Transactions on Multimedia, <b>2021</b> , 23, 454-467	6.6	7
21	Worst case linear discriminant analysis as scalable semidefinite feasibility problems. <i>IEEE Transactions on Image Processing</i> , <b>2015</b> , 24, 2382-92	8.7	6
20	RandomBoost: simplified multiclass boosting through randomization. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , <b>2014</b> , 25, 764-79	10.3	6
19	Sharing features in multi-class boosting via group sparsity <b>2012</b> ,		5
18	Fully corrective boosting with arbitrary loss and regularization. <i>Neural Networks</i> , <b>2013</b> , 48, 44-58	9.1	4
17	On the Optimality of Sequential Forward Feature Selection Using Class Separability Measure 2011,		4
16	Accurate Tensor Completion via Adaptive Low-Rank Representation. IEEE Transactions on Neural		

15	Exploring the Capacity of an Orderless Box Discretization Network for Multi-orientation Scene Text Detection. <i>International Journal of Computer Vision</i> , <b>2021</b> , 129, 1972-1992	10.6	4
14	2010,		3
13	Totally-Corrective Multi-class Boosting. Lecture Notes in Computer Science, 2011, 269-280	0.9	3
12	Learning Multi-level Region Consistency with Dense Multi-label Networks for Semantic Segmentation <b>2017</b> ,		3
11	A Generalized Probabilistic Framework for Compact Codebook Creation. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , <b>2016</b> , 38, 224-37	13.3	2
10	Efficient Semidefinite Branch-and-Cut for MAP-MRF Inference. <i>International Journal of Computer Vision</i> , <b>2016</b> , 117, 269-289	10.6	2
9	. IEEE Transactions on Multimedia, <b>2014</b> , 16, 1254-1267	6.6	2
8	Robust Face Recognition via Accurate Face Alignment and Sparse Representation <b>2010</b> ,		2
7	Hippocampal shape classification using redundancy constrained feature selection. <i>Lecture Notes in Computer Science</i> , <b>2010</b> , 13, 266-73	0.9	2
6	A Scalable Algorithm for Learning a Mahalanobis Distance Metric. <i>Lecture Notes in Computer Science</i> , <b>2010</b> , 299-310	0.9	2
5	Large-margin Learning of Compact Binary Image Encodings. <i>IEEE Transactions on Image Processing</i> , <b>2014</b> , 23, 4041-4054	8.7	1
4	NAS-FCOS: Efficient Search for Object Detection Architectures. <i>International Journal of Computer Vision</i> , <b>2021</b> , 129, 3299-3312	10.6	О
3	Arbitrarily shaped scene text detection with dynamic convolution. <i>Pattern Recognition</i> , <b>2022</b> , 127, 1086	5 <b>0;8</b> 7	0
2	Accurate imagery recovery using a multi-observation patch model. <i>Information Sciences</i> , <b>2019</b> , 501, 724	I-7 <del>/1/</del> 1	
1	A Variant of the Trace Quotient Formulation for Dimensionality Reduction. <i>Lecture Notes in Computer Science</i> <b>2010</b> , 277-286	0.9	