W Robert Taylor

List of Publications by Citations

Source: https://exaly.com/author-pdf/11477105/w-robert-taylor-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

8,429 46 119 90 h-index g-index citations papers 9,286 132 5.77 7.4 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
119	Superoxide production and expression of nox family proteins in human atherosclerosis. <i>Circulation</i> , 2002 , 105, 1429-35	16.7	741
118	Role of NADH/NADPH oxidase-derived H2O2 in angiotensin II-induced vascular hypertrophy. <i>Hypertension</i> , 1998 , 32, 488-95	8.5	551
117	In vivo imaging of hydrogen peroxide with chemiluminescent nanoparticles. <i>Nature Materials</i> , 2007 , 6, 765-9	27	411
116	p22phox mRNA expression and NADPH oxidase activity are increased in aortas from hypertensive rats. <i>Circulation Research</i> , 1997 , 80, 45-51	15.7	363
115	Nox1 overexpression potentiates angiotensin II-induced hypertension and vascular smooth muscle hypertrophy in transgenic mice. <i>Circulation</i> , 2005 , 112, 2668-76	16.7	349
114	Angiotensin II-induced hypertension accelerates the development of atherosclerosis in apoE-deficient mice. <i>Circulation</i> , 2001 , 103, 448-54	16.7	313
113	The role of the adventitia in vascular inflammation. <i>Cardiovascular Research</i> , 2007 , 75, 640-8	9.9	277
112	Hydrocyanines: a class of fluorescent sensors that can image reactive oxygen species in cell culture, tissue, and in vivo. <i>Angewandte Chemie - International Edition</i> , 2009 , 48, 299-303	16.4	276
111	Hemodynamic shear stresses in mouse aortas: implications for atherogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2007 , 27, 346-51	9.4	233
110	Bioartificial matrices for therapeutic vascularization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 3323-8	11.5	230
109	Bone morphogenic protein 4 produced in endothelial cells by oscillatory shear stress stimulates an inflammatory response. <i>Journal of Biological Chemistry</i> , 2003 , 278, 31128-35	5.4	230
108	Quantitative microcomputed tomography analysis of collateral vessel development after ischemic injury. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H302-10	5.2	192
107	Increased circulating endothelial progenitor cells are associated with survival in acute lung injury. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 172, 854-60	10.2	184
106	Impaired angiogenesis, early callus formation, and late stage remodeling in fracture healing of osteopontin-deficient mice. <i>Journal of Bone and Mineral Research</i> , 2007 , 22, 286-97	6.3	155
105	The study of the influence of flow on vascular endothelial biology. <i>American Journal of the Medical Sciences</i> , 1998 , 316, 169-75	2.2	145
104	Monocyte chemoattractant protein-1 expression in aortic tissues of hypertensive rats. <i>Hypertension</i> , 1997 , 30, 1397-402	8.5	139
103	Vasculogenic bio-synthetic hydrogel for enhancement of pancreatic islet engraftment and function in type 1 diabetes. <i>Biomaterials</i> , 2013 , 34, 4602-11	15.6	128

(2015-2000)

102	CC chemokine receptor 2 is required for macrophage infiltration and vascular hypertrophy in angiotensin II-induced hypertension. <i>Hypertension</i> , 2000 , 36, 360-3	8.5	126
101	Vascular hypertrophy in angiotensin II-induced hypertension is mediated by vascular smooth muscle cell-derived H2O2. <i>Hypertension</i> , 2005 , 46, 732-7	8.5	120
100	Sustained VEGF delivery via PLGA nanoparticles promotes vascular growth. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H1959-65	5.2	115
99	Pharmacological suppression of hepcidin increases macrophage cholesterol efflux and reduces foam cell formation and atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012 , 32, 29	9 ⁹ 3 1 07	110
98	Cellular encapsulation enhances cardiac repair. <i>Journal of the American Heart Association</i> , 2013 , 2, e000	3 6 7	107
97	Bone morphogenic protein antagonists are coexpressed with bone morphogenic protein 4 in endothelial cells exposed to unstable flow in vitro in mouse aortas and in human coronary arteries: role of bone morphogenic protein antagonists in inflammation and atherosclerosis. <i>Circulation</i> ,	16.7	107
96	NOX and inflammation in the vascular adventitia. Free Radical Biology and Medicine, 2009, 47, 1254-66	7.8	104
95	Cellular Mechanisms of Aortic Aneurysm Formation. <i>Circulation Research</i> , 2019 , 124, 607-618	15.7	103
94	Reactive oxygen species-selective regulation of aortic inflammatory gene expression in Type 2 diabetes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H2073-82	5.2	103
93	Shear stress and plaque development. Expert Review of Cardiovascular Therapy, 2010, 8, 545-56	2.5	99
92	Activation of extracellular signal-regulated kinase is involved in mechanical strain inhibition of RANKL expression in bone stromal cells. <i>Journal of Bone and Mineral Research</i> , 2002 , 17, 1452-60	6.3	96
91	PET imaging of bacterial infections with fluorine-18-labeled maltohexaose. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 14096-14101	16.4	86
90	Mice with enhanced macrophage angiotensin-converting enzyme are resistant to melanoma. <i>American Journal of Pathology</i> , 2007 , 170, 2122-34	5.8	84
89	Granulocyte colony-stimulating factor and granulocyte macrophage colony-stimulating factor exacerbate atherosclerosis in apolipoprotein E-deficient mice. <i>Circulation</i> , 2007 , 115, 2049-54	16.7	83
88	Convergence of redox-sensitive and mitogen-activated protein kinase signaling pathways in tumor necrosis factor-alpha-mediated monocyte chemoattractant protein-1 induction in vascular smooth muscle cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2000 , 20, 385-91	9.4	83
87	Biomechanical strain induces class a scavenger receptor expression in human monocyte/macrophages and THP-1 cells: a potential mechanism of increased atherosclerosis in hypertension. <i>Circulation</i> , 2001 , 104, 109-14	16.7	82
86	Expression of CYP1A1 and CYP1B1 in human endothelial cells: regulation by fluid shear stress. <i>Cardiovascular Research</i> , 2009 , 81, 669-77	9.9	81
85	Circulating CD34+ progenitor cells and risk of mortality in a population with coronary artery disease. <i>Circulation Research</i> , 2015 , 116, 289-297	15.7	79

84	Anti-inflammatory and antiatherogenic role of BMP receptor II in endothelial cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 1350-9	9.4	68
83	Preferential activation of SMAD1/5/8 on the fibrosa endothelium in calcified human aortic valvesassociation with low BMP antagonists and SMAD6. <i>PLoS ONE</i> , 2011 , 6, e20969	3.7	60
82	Effect of inlet velocity profiles on patient-specific computational fluid dynamics simulations of the carotid bifurcation. <i>Journal of Biomechanical Engineering</i> , 2012 , 134, 051001	2.1	60
81	CD163 interacts with TWEAK to regulate tissue regeneration after ischaemic injury. <i>Nature Communications</i> , 2015 , 6, 7792	17.4	58
80	The role of lysyl oxidase family members in the stabilization of abdominal aortic aneurysms. American Journal of Physiology - Heart and Circulatory Physiology, 2012 , 303, H1067-75	5.2	55
79	Bone marrow mobilization with granulocyte macrophage colony-stimulating factor improves endothelial dysfunction and exercise capacity in patients with peripheral arterial disease. <i>American Heart Journal</i> , 2009 , 158, 53-60.e1	4.9	53
78	Angiopoietin-2 stimulates blood flow recovery after femoral artery occlusion by inducing inflammation and arteriogenesis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1989-95	9.4	49
77	Deoxycorticosterone acetate salt hypertension in apolipoprotein E-/- mice results in accelerated atherosclerosis: the role of angiotensin II. <i>Hypertension</i> , 2008 , 51, 218-24	8.5	49
76	Overexpression of catalase in vascular smooth muscle cells prevents the formation of abdominal aortic aneurysms. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2389-96	9.4	47
75	A significant improvement of the efficacy of radical oxidant probes by the kinetic isotope effect. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 6134-8	16.4	46
74	The role of osteopontin in recovery from hind limb ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 290-5	9.4	46
73	Polymerase delta interacting protein 2 sustains vascular structure and function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2154-61	9.4	44
72	Quantitative 3D fluorescence technique for the analysis of en face preparations of arterial walls using quantum dot nanocrystals and two-photon excitation laser scanning microscopy. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006 , 290, R114-23	3.2	44
71	Nucleoside reverse transcriptase inhibitors impair endothelium-dependent relaxation by increasing superoxide. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 283, H2363-70	5.2	41
70	Alginate microencapsulation of human mesenchymal stem cells as a strategy to enhance paracrine-mediated vascular recovery after hindlimb ischaemia. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016 , 10, 222-32	4.4	38
69	Catalase overexpression in aortic smooth muscle prevents pathological mechanical changes underlying abdominal aortic aneurysm formation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H355-62	5.2	38
68	Differential effects of AT1 receptor and Ca2+ channel blockade on atherosclerosis, inflammatory gene expression, and production of reactive oxygen species. <i>Atherosclerosis</i> , 2007 , 195, 39-47	3.1	37
67	In vivo assessment of blood flow patterns in abdominal aorta of mice with MRI: implications for AAA localization. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009 , 297, H1290-5	5.2	36

66	Severe Acute Respiratory Syndrome Coronavirus 2, COVID-19, and the Renin-Angiotensin System: Pressing Needs and Best Research Practices. <i>Hypertension</i> , 2020 , 76, 1350-1367	8.5	36
65	Reactive oxygen species regulate osteopontin expression in a murine model of postischemic neovascularization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2012 , 32, 1383-91	9.4	34
64	Circadian variation in vascular function and regenerative capacity in healthy humans. <i>Journal of the American Heart Association</i> , 2014 , 3, e000845	6	32
63	Disturbed Flow Increases UBE2C (Ubiquitin E2 Ligase C) via Loss of miR-483-3p, Inducing Aortic Valve Calcification by the pVHL (von Hippel-Lindau Protein) and HIF-1[[Hypoxia-Inducible Factor-1][Pathway in Endothelial Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 467-	9.4 481	32
62	miR181a protects against angiotensin II-induced osteopontin expression in vascular smooth muscle cells. <i>Atherosclerosis</i> , 2013 , 228, 168-74	3.1	27
61	Vascular thrombin receptor regulation in hypertensive rats. <i>Circulation Research</i> , 1997 , 80, 838-44	15.7	26
60	Coupled Morphological-Hemodynamic Computational Analysis of Type B Aortic Dissection: A Longitudinal Study. <i>Annals of Biomedical Engineering</i> , 2018 , 46, 927-939	4.7	25
59	A Novel Technique for Accelerated Culture of Murine Mesenchymal Stem Cells that Allows for Sustained Multipotency. <i>Scientific Reports</i> , 2017 , 7, 13334	4.9	23
58	Vascular injury involves the overoxidation of peroxiredoxin type II and is recovered by the peroxiredoxin activity mimetic that induces reendothelialization. <i>Circulation</i> , 2013 , 128, 834-44	16.7	23
57	Is increased arterial stiffness a cause or consequence of atherosclerosis?. <i>Atherosclerosis</i> , 2016 , 249, 22	6 3 71	23
56	The receptor for advanced glycation end products impairs collateral formation in both diabetic and non-diabetic mice. <i>Laboratory Investigation</i> , 2017 , 97, 34-42	5.9	22
55	HERPUD1 protects against oxidative stress-induced apoptosis through downregulation of the inositol 1,4,5-trisphosphate receptor. <i>Free Radical Biology and Medicine</i> , 2016 , 90, 206-18	7.8	21
54	Fibronectin and Cyclic Strain Improve Cardiac Progenitor Cell Regenerative Potential In Vitro. <i>Stem Cells International</i> , 2016 , 2016, 8364382	5	21
53	Hydrogen peroxide regulates osteopontin expression through activation of transcriptional and translational pathways. <i>Journal of Biological Chemistry</i> , 2014 , 289, 275-85	5.4	2 0
52	Hypertensive vascular disease and inflammation: mechanical and humoral mechanisms. <i>Current Hypertension Reports</i> , 1999 , 1, 96-101	4.7	20
51	Biomechanics and inflammation in atherosclerotic plaque erosion and plaque rupture: implications for cardiovascular events in women. <i>PLoS ONE</i> , 2014 , 9, e111785	3.7	20
50	Overexpression of catalase in myeloid cells causes impaired postischemic neovascularization. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2203-9	9.4	19
49	Mechanical deformation of the arterial wall in hypertension: a mechanism for vascular pathology. American Journal of the Medical Sciences, 1998, 316, 156-61	2.2	19

48	Nox4-dependent activation of cofilin mediates VSMC reorientation in response to cyclic stretching. <i>Free Radical Biology and Medicine</i> , 2015 , 85, 288-94	7.8	17
47	Polymerase Interacting protein 2 promotes postischemic neovascularization of the mouse hindlimb. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 1548-55	9.4	17
46	Growth and regression of vasculature in healthy and diabetic mice after hindlimb ischemia. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2012, 303, R48-56	3.2	17
45	Superoxide and hydrogen peroxide counterregulate myogenic contractions in renal afferent arterioles from a mouse model of chronic kidney disease. <i>Kidney International</i> , 2017 , 92, 625-633	9.9	16
44	Computational Fluid Dynamics Simulations of Hemodynamics in Plaque Erosion. <i>Cardiovascular Engineering and Technology</i> , 2013 , 4, 464	2.2	16
43	Ultrasound imaging of oxidative stress in vivo with chemically-generated gas microbubbles. <i>Annals of Biomedical Engineering</i> , 2012 , 40, 2059-68	4.7	15
42	An in vivo murine model of low-magnitude oscillatory wall shear stress to address the molecular mechanisms of mechanotransductionbrief report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 2099-102	9.4	15
41	Temporal effects of catalase overexpression on healing after myocardial infarction. <i>Circulation: Heart Failure</i> , 2011 , 4, 98-106	7.6	14
40	Polarized secretion of IGF-I and IGF-I binding protein activity by cultured aortic endothelial cells. Journal of Cellular Physiology, 1993 , 154, 139-42	7	13
39	A Trimethoprim Conjugate of Thiomaltose Has Enhanced Antibacterial Efficacy In Vivo. <i>Bioconjugate Chemistry</i> , 2018 , 29, 1729-1735	6.3	12
38	Biomechanical modeling and morphology analysis indicates plaque rupture due to mechanical failure unlikely in atherosclerosis-prone mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2013 , 304, H473-86	5.2	12
37	Beyond the adventitia: exploring the outer limits of the blood vessel wall. <i>Circulation Research</i> , 2009 , 104, 416-8	15.7	12
36	Markers of inflammation collocate with increased wall stress in human coronary arterial plaque. <i>Biomechanics and Modeling in Mechanobiology</i> , 2009 , 8, 473-86	3.8	12
35	Characterizing intramural stress and inflammation in hypertensive arterial bifurcations. <i>Biomechanics and Modeling in Mechanobiology</i> , 2007 , 6, 409-21	3.8	12
34	Rounding up the usual suspects in atherosclerosis. Focus on "Growth factors induce monocyte binding to vascular smooth muscle". <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 287, C592-3	5.4	12
33	Novel PET and Near Infrared Imaging Probes for the Specific Detection of Bacterial Infections Associated With Cardiac Devices. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 875-886	8.4	12
32	Redox signaling in an in vivo murine model of low magnitude oscillatory wall shear stress. <i>Antioxidants and Redox Signaling</i> , 2011 , 15, 1369-78	8.4	11
31	Effect of poly(ethylene glycol) diacrylate concentration on network properties and in vivo response of poly(Emino ester) networks. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 96, 320-9	5.4	11

(2018-2006)

30	Mechanoregulation of monocyte chemoattractant protein-1 expression in rat vascular smooth muscle cells. <i>Antioxidants and Redox Signaling</i> , 2006 , 8, 1461-71	8.4	11
29	Assessment of the regional distribution of normalized circumferential strain in the thoracic and abdominal aorta using DENSE cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019 , 21, 59	6.9	10
28	Critical Limb Ischemia Induces Remodeling of Skeletal Muscle Motor Unit, Myonuclear-, and Mitochondrial-Domains. <i>Scientific Reports</i> , 2019 , 9, 9551	4.9	9
27	Vascular wall ACE is not required for atherogenesis in ApoE(-/-) mice. <i>Atherosclerosis</i> , 2010 , 209, 352-8	3.1	9
26	Developing cell-specific antibodies to endothelial progenitor cells using avian immune phage display technology. <i>Journal of Biomolecular Screening</i> , 2011 , 16, 744-54		9
25	Intestinal barrier dysfunction as a therapeutic target for cardiovascular disease. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 319, H1227-H1233	5.2	9
24	Osteopontin isoforms differentially promote arteriogenesis in response to ischemia via macrophage accumulation and survival. <i>Laboratory Investigation</i> , 2019 , 99, 331-345	5.9	8
23	Smooth Muscle-Targeted Overexpression of Peroxisome Proliferator Activated Receptor-□ Disrupts Vascular Wall Structure and Function. <i>PLoS ONE</i> , 2015 , 10, e0139756	3.7	8
22	Circulating proangiogenic cell activity is associated with cardiovascular disease risk. <i>Journal of Biomolecular Screening</i> , 2012 , 17, 1163-70		8
21	The Study of the Influence of Flow on Vascular Endothelial Biology. <i>American Journal of the Medical Sciences</i> , 1998 , 316, 169-175	2.2	8
20	Poldip2 knockdown inhibits vascular smooth muscle proliferation and neointima formation by regulating the expression of PCNA and p21. <i>Laboratory Investigation</i> , 2019 , 99, 387-398	5.9	8
19	Cyclic Strain and Hypertension Increase Osteopontin Expression in the Aorta. <i>Cellular and Molecular Bioengineering</i> , 2017 , 10, 144-152	3.9	7
18	Over-expression of catalase in myeloid cells confers acute protection following myocardial infarction. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 9036-50	6.3	7
17	Semi-degradable poly(Emino ester) networks with temporally controlled enhancement of mechanical properties. <i>Acta Biomaterialia</i> , 2014 , 10, 3475-83	10.8	6
16	SEX AND VASCULAR BIOMECHANICS: A HYPOTHESIS FOR THE MECHANISM UNDERLYING DIFFERENCES IN THE PREVALENCE OF ABDOMINAL AORTIC ANEURYSMS IN MEN AND WOMEN. <i>Transactions of the American Clinical and Climatological Association</i> , 2016 , 127, 148-161	0.9	6
15	In vivo quantification of regional circumferential Green strain in the thoracic and abdominal aorta by 2D spiral cine DENSE MRI. <i>Journal of Biomechanical Engineering</i> , 2018 ,	2.1	6
14	Thyroid hormone plus dual-specificity phosphatase-5 siRNA increases the number of cardiac muscle cells and improves left ventricular contractile function in chronic doxorubicin-injured hearts. <i>Theranostics</i> , 2021 , 11, 4790-4808	12.1	5
13	Impaired Collateral Vessel Formation in Sickle Cell Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 1125-1133	9.4	4

12	Overexpression of myeloid angiotensin-converting enzyme (ACE) reduces atherosclerosis. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 520, 573-579	3.4	4
11	Proangiogenic cell colonies grown in vitro from human peripheral blood mononuclear cells. <i>Journal of Biomolecular Screening</i> , 2012 , 17, 1128-35		4
10	Mobilizing bone marrow progenitor cells, a double edge sword. <i>Cardiovascular Drugs and Therapy</i> , 2008 , 22, 339-41	3.9	2
9	Targeting Vascular Epitopes Using Quantum Dots 2008 , 443-461		2
8	Characterization of Poldip2 knockout mice: Avoiding incorrect gene targeting PLoS ONE, 2021, 16, e02	437 / 261	2
7	Mechanical Deformation of the Arterial Wall in Hypertension: A Mechanism for Vascular Pathology. <i>American Journal of the Medical Sciences</i> , 1998 , 316, 156-161	2.2	1
6	Circulating progenitor cells are reduced in HIV-positive, anti-retroviral naWe patients. <i>International Journal of Cardiology</i> , 2014 , 176, 1150-2	3.2	О
5	Satellite Cell Expression of RAGE (Receptor for Advanced Glycation end Products) Is Important for Collateral Vessel Formation. <i>Journal of the American Heart Association</i> , 2021 , 10, e022127	6	Ο
4	FLOW AND ATHEROSCLEROSIS 2010 , 1-38		
3	Endothelial Progenitor Cells Are Decreased in the Circulation of Patients with Sepsis. <i>FASEB Journal</i> , 2008 , 22, 964.1	0.9	
2	Muscle Stem Cell-Nerve-Vasculature Interactions Modulate Tissue Regeneration Following Critical Limb Ischemia. <i>FASEB Journal</i> , 2019 , 33, 524.2	0.9	
1	Maltohexaose-indocyanine green (MH-ICG) for near infrared imaging of endocarditis. <i>PLoS ONE</i> ,	3.7	