

Matthew D Barber

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11478991/matthew-d-barber-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

9,754
citations

48
h-index

98
g-index

131
ext. papers

11,209
ext. citations

4.1
avg, IF

6.11
L-index

#	Paper	IF	Citations
123	Prevalence of symptomatic pelvic floor disorders in US women. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1311-6	27.4	1125
122	Pelvic organ prolapse. <i>Lancet, The</i> , 2007 , 369, 1027-38	40	545
121	Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 1388-95	6.4	436
120	Defining success after surgery for pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2009 , 114, 600-609	4.9	346
119	A randomized trial of urodynamic testing before stress-incontinence surgery. <i>New England Journal of Medicine</i> , 2012 , 366, 1987-97	59.2	329
118	Laparoscopic compared with robotic sacrocolpopexy for vaginal prolapse: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2011 , 118, 1005-1013	4.9	304
117	Epidemiology and outcome assessment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2013 , 24, 1783-90	2	303
116	Women seeking treatment for advanced pelvic organ prolapse have decreased body image and quality of life. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1455-61	6.4	290
115	Rectocele repair: a randomized trial of three surgical techniques including graft augmentation. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1762-71	6.4	280
114	Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse: the OPTIMAL randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1023-34	27.4	265
113	Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. <i>European Urology</i> , 2010 , 58, 218-38	10.2	257
112	Refractory idiopathic urge urinary incontinence and botulinum A injection. <i>Journal of Urology</i> , 2008 , 180, 217-22	2.5	246
111	Sexual function in women with urinary incontinence and pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2002 , 99, 281-9	4.9	244
110	A midurethral sling to reduce incontinence after vaginal prolapse repair. <i>New England Journal of Medicine</i> , 2012 , 366, 2358-67	59.2	238
109	Complication and reoperation rates after apical vaginal prolapse surgical repair: a systematic review. <i>Obstetrics and Gynecology</i> , 2009 , 113, 367-73	4.9	217
108	Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 1402-10; discussion 1410-1	6.4	212
107	Vaginal mesh erosion after abdominal sacral colpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 184, 297-302	6.4	200

106	Innervation of the female levator ani muscles. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 64-71	6.4	192
105	Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2008 , 111, 611-21	4.9	171
104	The female urinary microbiome in urgency urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 347.e1-11	6.4	166
103	An International Urogynecological Association (IUGA) / International Continence Society (ICS) joint report on the terminology for female pelvic organ prolapse (POP). <i>International Urogynecology Journal</i> , 2016 , 27, 165-94	2	138
102	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic organ prolapse (POP). <i>International Urogynecology Journal</i> , 2016 , 27, 655-84	2	126
101	A randomized trial comparing conventional and robotically assisted total laparoscopic hysterectomy. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 368.e1-7	6.4	122
100	Apical prolapse. <i>International Urogynecology Journal</i> , 2013 , 24, 1815-33	2	119
99	An International Urogynecological Association (IUGA) / International Continence Society (ICS) Joint Report on the Terminology for Female Pelvic Organ Prolapse (POP). <i>Neurourology and Urodynamics</i> , 2016 , 35, 137-68	2.3	109
98	Laparoscopic Burch colposuspension versus tension-free vaginal tape: a randomized trial. <i>Obstetrics and Gynecology</i> , 2004 , 104, 1249-58	4.9	100
97	Evaluation and management of complications from synthetic mesh after pelvic reconstructive surgery: a multicenter study. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 163.e1-8	6.4	99
96	Functional bowel and anorectal disorders in patients with pelvic organ prolapse and incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 2105-11	6.4	98
95	The minimum important differences for the urinary scales of the Pelvic Floor Distress Inventory and Pelvic Floor Impact Questionnaire. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 580.e1-7	6.4	94
94	Effect of Uterosacral Ligament Suspension vs Sacrospinous Ligament Fixation With or Without Perioperative Behavioral Therapy for Pelvic Organ Vaginal Prolapse on Surgical Outcomes and Prolapse Symptoms at 5 Years in the OPTIMAL Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 319, 1554-1565	27.4	93
93	Can we screen for pelvic organ prolapse without a physical examination in epidemiologic studies?. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 942-8	6.4	87
92	Quality of life after surgery for genital prolapse in elderly women: obliterative and reconstructive surgery. <i>International Urogynecology Journal</i> , 2007 , 18, 799-806	2	86
91	Reanalysis of a randomized trial of 3 techniques of anterior colporrhaphy using clinically relevant definitions of success. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 205, 69.e1-8	6.4	82
90	Further validation of the short form versions of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ). <i>Neurourology and Urodynamics</i> , 2011 , 30, 541-6	2.3	80
89	Symptoms and outcome measures of pelvic organ prolapse. <i>Clinical Obstetrics and Gynecology</i> , 2005 , 48, 648-61	1.7	78

88	Complications of neglected vaginal pessaries: case presentation and literature review. <i>International Urogynecology Journal</i> , 2008 , 19, 1173-8	2	77
87	Risk factors associated with failure 1 year after retropubic or transobturator midurethral slings. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 666.e1-7	6.4	74
86	The incidence of ureteral obstruction and the value of intraoperative cystoscopy during vaginal surgery for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1478-85	6.4	72
85	Pelvic organ prolapse. <i>BMJ, The</i> , 2016 , 354, i3853	5.9	69
84	Perioperative adverse events after minimally invasive abdominal sacrocolpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 547.e1-8	6.4	67
83	A prospective assessment of overactive bladder symptoms in a cohort of elderly women who underwent transvaginal surgery for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 82.e1-4	6.4	62
82	Accuracy of clinical assessment of paravaginal defects in women with anterior vaginal wall prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 87-90	6.4	61
81	The questionnaire for urinary incontinence diagnosis (QUID): validity and responsiveness to change in women undergoing non-surgical therapies for treatment of stress predominant urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 727-34	2.3	60
80	Single-incision mini-sling compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2012 , 119, 328-37	4.9	59
79	Questionnaires for women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2007 , 18, 461-5	2	55
78	Bowel symptoms 1 year after surgery for prolapse: further analysis of a randomized trial of rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 76.e1-5	6.4	53
77	Perioperative complications and adverse events of the MONARC transobturator tape, compared with the tension-free vaginal tape. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1820-5	6.4	51
76	A model for predicting the risk of de novo stress urinary incontinence in women undergoing pelvic organ prolapse surgery. <i>Obstetrics and Gynecology</i> , 2014 , 123, 279-287	4.9	50
75	Predicting risk of pelvic floor disorders 12 and 20 years after delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 222.e1-222.e19	6.4	44
74	Operations and pelvic muscle training in the management of apical support loss (OPTIMAL) trial: design and methods. <i>Contemporary Clinical Trials</i> , 2009 , 30, 178-89	2.3	43
73	Anal sphincter injury in women with pelvic floor disorders. <i>Obstetrics and Gynecology</i> , 2004 , 104, 690-6	4.9	41
72	Incidence of adverse events after uterosacral colpopexy for uterovaginal and posthysterectomy vault prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 603.e1-7	6.4	40
71	Quality of Life and Sexual Function 2 Years After Vaginal Surgery for Prolapse. <i>Obstetrics and Gynecology</i> , 2016 , 127, 1071-1079	4.9	39

70	Innervation of the levator ani and coccygeus muscles of the female rat. <i>The Anatomical Record</i> , 2003 , 275, 1031-41		38
69	Patient-centered treatment goals for pelvic floor disorders: association with quality-of-life and patient satisfaction. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 568.e1-6	6.4	34
68	The impact of stress urinary incontinence on sexual activity in women. <i>Cleveland Clinic Journal of Medicine</i> , 2005 , 72, 225-32	2.8	33
67	Contemporary views on female pelvic anatomy. <i>Cleveland Clinic Journal of Medicine</i> , 2005 , 72 Suppl 4, S3-11	2.8	33
66	Minimum important differences for scales assessing symptom severity and quality of life in patients with fecal incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 342-8	1.9	31
65	The use of synthetic mesh in female pelvic reconstructive surgery. <i>BJU International</i> , 2006 , 98 Suppl 1, 70-6; discussion 77	5.6	31
64	Insertion and removal of vaginal mesh for pelvic organ prolapse. <i>Clinical Obstetrics and Gynecology</i> , 2010 , 53, 99-114	1.7	29
63	Controlling faecal incontinence in women by performing anal exercises with biofeedback or loperamide: a randomised clinical trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 698-710	18.8	28
62	Conceptual framework for patient-important treatment outcomes for pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2014 , 33, 414-9	2.3	24
61	Measuring outcomes in urogynecological surgery: "perspective is everything". <i>International Urogynecology Journal</i> , 2013 , 24, 15-25	2	23
60	Assessment of voiding after sling: a randomized trial of 2 methods of postoperative catheter management after midurethral sling surgery for stress urinary incontinence in women. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 597.e1-9	6.4	21
59	Interrater reliability of the International Continence Society and International Urogynecological Association (ICS/IUGA) classification system for mesh-related complications. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 442.e1-6	6.4	21
58	Symptomatology of irritable bowel syndrome and inflammatory bowel disease during the menstrual cycle. <i>Gastroenterology Report</i> , 2015 , 3, 185-93	3.3	20
57	Paper versus web-based administration of the Pelvic Floor Distress Inventory 20 and Pelvic Floor Impact Questionnaire 7. <i>International Urogynecology Journal</i> , 2008 , 19, 1331-5	2	20
56	The Design of a Randomized Trial of Vaginal Surgery for Uterovaginal Prolapse: Vaginal Hysterectomy With Native Tissue Vault Suspension Versus Mesh Hysteropexy Suspension (The Study of Uterine Prolapse Procedures Randomized Trial). <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 182-9	1.9	19
55	Prediction models for postpartum urinary and fecal incontinence in primiparous women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013 , 19, 110-8	1.9	19
54	Controlling anal incontinence in women by performing anal exercises with biofeedback or loperamide (CAPABLE) trial: Design and methods. <i>Contemporary Clinical Trials</i> , 2015 , 44, 164-174	2.3	17
53	American Urogynecologic Society Prolapse Consensus Conference Summary Report. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 260-263	1.9	17

52	Development and validation of a laparoscopic sacrocolpopexy simulation model for surgical training. <i>Journal of Minimally Invasive Gynecology</i> , 2014 , 21, 612-8	2.2	17
51	The impact of cesarean delivery on pelvic floor dysfunction in lysyl oxidase like-1 knockout mice. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 21-30	1.9	16
50	The Incidence of Perioperative Adverse Events in the Very Elderly Undergoing Urogynecologic Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 425-429	1.9	15
49	Assessing ureteral patency using 10% dextrose cystoscopy fluid: evaluation of urinary tract infection rates. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 74.e1-6	6.4	14
48	Models for Predicting Recurrence, Complications, and Health Status in Women After Pelvic Organ Prolapse Surgery. <i>Obstetrics and Gynecology</i> , 2018 , 132, 298-309	4.9	14
47	Vaginal Mesh in Pelvic Reconstructive Surgery: Controversies, Current Use, and Complications. <i>Clinical Obstetrics and Gynecology</i> , 2015 , 58, 740-53	1.7	13
46	The Quality of Health Information Available on the Internet for Patients With Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 225-30	1.9	13
45	The pelvic floor complication scale: a new instrument for reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 81.e1-9	6.4	13
44	Comparison of responsiveness of validated outcome measures after surgery for stress urinary incontinence. <i>Journal of Urology</i> , 2010 , 184, 2013-7	2.5	13
43	Pelvic Floor Disorders Registry: Study Design and Outcome Measures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 70-6	1.9	13
42	Native Tissue Prolapse Repairs: Comparative Effectiveness Trials. <i>Obstetrics and Gynecology Clinics of North America</i> , 2016 , 43, 69-81	3.3	12
41	Long-Term Effectiveness of Uterosacral Colpopexy and Minimally Invasive Sacral Colpopexy for Treatment of Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 188-194 ⁹	1.9	12
40	Pelvic organ prolapse: defining the disease. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 201-3	1.9	12
39	Differences in urinary incontinence between Hispanic and non-Hispanic white women: a population-based study. <i>BJU International</i> , 2008 , 101, 575-9	5.6	12
38	Optimism in women undergoing abdominal sacrocolpopexy for pelvic organ prolapse. <i>Journal of the American College of Surgeons</i> , 2008 , 207, 240-5	4.4	12
37	Summary: 2017 International Consultation on Incontinence Evidence-Based Surgical Pathway for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 30-36	1.9	12
36	Ultrasound Evaluation of Midurethral Sling Position and Correlation to Physical Examination and Patient Symptoms. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 263-8	1.9	10
35	Apical prolapse repair: weighing the risks and benefits. <i>Current Opinion in Obstetrics and Gynecology</i> , 2015 , 27, 373-9	2.4	10

34	Accuracy of the digital anal examination in women with fecal incontinence. <i>International Urogynecology Journal</i> , 2012 , 23, 765-8	2	10
33	Concomitant Anterior Repair, Preoperative Prolapse Severity, and Anatomic Prolapse Outcomes After Vaginal Apical Procedures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019 , 25, 22-28	1.9	10
32	The effect of surgical start time in patients undergoing minimally invasive sacrocolpopexy. <i>International Urogynecology Journal</i> , 2016 , 27, 1535-9	2	9
31	Predicting Risk of Urinary Incontinence and Adverse Events After Midurethral Sling Surgery in Women. <i>Obstetrics and Gynecology</i> , 2016 , 127, 330-40	4.9	9
30	Responsiveness and minimally important difference of SF-6D and EQ-5D utility scores for the treatment of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 265.e1-265.e11	6.4	8
29	Development and Validation of a Quantitative Measure of Adaptive Behaviors in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 232-237	1.9	8
28	Perioperative Behavioral Therapy and Pelvic Muscle Strengthening Do Not Enhance Quality of Life After Pelvic Surgery: Secondary Report of a Randomized Controlled Trial. <i>Physical Therapy</i> , 2017 , 97, 1075-1083	3.3	8
27	Quantification of vaginal support: are continuous summary scores better than POPQ stage?. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 512.e1-6	6.4	8
26	Pain and activity after vaginal reconstructive surgery for pelvic organ prolapse and stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 233.e1-233.e16	6.4	7
25	Bacterial uropathogens and antibiotic susceptibility of positive urine cultures in women with pelvic organ prolapse and urinary incontinence. <i>Neurourology and Urodynamics</i> , 2016 , 35, 69-73	2.3	7
24	Utility of postoperative laboratory studies after female pelvic reconstructive surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 363.e1-5	6.4	7
23	Functional bowel disorders and pelvic organ prolapse: a case-control study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 209-14	1.9	7
22	The effect of major depression on quality of life after surgery for stress urinary incontinence: a secondary analysis of the Trial of Midurethral Slings. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 455.e1-9	6.4	7
21	Validation of a Model Predicting De Novo Stress Urinary Incontinence in Women Undergoing Pelvic Organ Prolapse Surgery. <i>Obstetrics and Gynecology</i> , 2019 , 133, 683-690	4.9	7
20	Studying surgical innovations: challenges of the randomized controlled trial. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 573-82	2.2	6
19	Midurethral slings for stress urinary incontinence: a urogynecology perspective. <i>Urologic Clinics of North America</i> , 2012 , 39, 289-97	2.9	6
18	Surgical techniques for removing problematic mesh. <i>Clinical Obstetrics and Gynecology</i> , 2013 , 56, 289-302.	7	6
17	Histopathology of excised midurethral sling mesh. <i>International Urogynecology Journal</i> , 2015 , 26, 591-5	2	5

16	Association between gastro-intestinal symptoms and menstruation in patients with ileal pouches. <i>Gastroenterology Report</i> , 2014 , 2, 207-14	3.3	5
15	Lower abdominal and pelvic pain with advanced pelvic organ prolapse: a case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 537.e1-5	6.4	5
14	Accidental Bowel Leakage Evaluation: A New Patient-Centered Validated Measure of Accidental Bowel Leakage Symptoms in Women. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 668-677	3.1	4
13	Immediate Postoperative Pelvic Organ Prolapse Quantification Measures and 2-Year Risk of Prolapse Recurrence. <i>Obstetrics and Gynecology</i> , 2020 , 136, 792-801	4.9	4
12	Intraoperative Evaluation of Urinary Tract Injuries at the Time of Pelvic Surgery: A Systematic Review. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 655-663	1.9	3
11	Success and failure are dynamic, recurrent event states after surgical treatment for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 362.e1-362.e11	6.4	3
10	The responsiveness and minimally important difference for the Accidental Bowel Leakage Evaluation questionnaire. <i>International Urogynecology Journal</i> , 2020 , 31, 2499-2505	2	1
9	Outcomes And Quality-Of-Life Measures In Pelvic Floor Research 2007 , 499-511		1
8	Subgroups of failure after surgery for pelvic organ prolapse and associations with quality of life outcomes: a longitudinal cluster analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 504.e1-504.e22	6.4	1
7	Reliability of Symptoms and Dipstick for Postoperative Catheter-Associated Urinary Tract Infections. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021 , 27, 398-402	1.9	1
6	Reply: To PMID 23395927. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 594-5	6.4	
5	Genital Anatomic Correlates 2006 , 79-87		
4	Genital Anatomic Correlates 2008 , 79-87		
3	Medidas de resultados y calidad de vida en la investigaci3n del suelo p3lvico 2008 , 507-519		
2	General Complications of Pelvic Reconstructive Surgery. <i>Current Clinical Urology</i> , 2017 , 25-41		
1	The Effect of Catheterization on Susceptibility of Uropathogens After Pelvic Reconstructive Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 692-696	1.9	