

Matthew D Barber

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11478991/matthew-d-barber-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

9,754
citations

48
h-index

98
g-index

131
ext. papers

11,209
ext. citations

4.1
avg, IF

6.11
L-index

#	Paper	IF	Citations
123	Subgroups of failure after surgery for pelvic organ prolapse and associations with quality of life outcomes: a longitudinal cluster analysis. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 225, 504.e1-504.e22	6.4	504
122	Success and failure are dynamic, recurrent event states after surgical treatment for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 362.e1-362.e11	6.4	3
121	Reliability of Symptoms and Dipstick for Postoperative Catheter-Associated Urinary Tract Infections. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2021 , 27, 398-402	1.9	1
120	The responsiveness and minimally important difference for the Accidental Bowel Leakage Evaluation questionnaire. <i>International Urogynecology Journal</i> , 2020 , 31, 2499-2505	2	1
119	Accidental Bowel Leakage Evaluation: A New Patient-Centered Validated Measure of Accidental Bowel Leakage Symptoms in Women. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 668-677	3.1	4
118	Intraoperative Evaluation of Urinary Tract Injuries at the Time of Pelvic Surgery: A Systematic Review. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 655-663	1.9	3
117	Immediate Postoperative Pelvic Organ Prolapse Quantification Measures and 2-Year Risk of Prolapse Recurrence. <i>Obstetrics and Gynecology</i> , 2020 , 136, 792-801	4.9	4
116	The Effect of Catheterization on Susceptibility of Uropathogens After Pelvic Reconstructive Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 692-696	1.9	
115	Summary: 2017 International Consultation on Incontinence Evidence-Based Surgical Pathway for Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 30-36	1.9	12
114	Pain and activity after vaginal reconstructive surgery for pelvic organ prolapse and stress urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 221, 233.e1-233.e16	6.4	7
113	Responsiveness and minimally important difference of SF-6D and EQ-5D utility scores for the treatment of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 265.e1-265.e11	6.4	8
112	Controlling faecal incontinence in women by performing anal exercises with biofeedback or loperamide: a randomised clinical trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 698-710	18.8	28
111	Validation of a Model Predicting De Novo Stress Urinary Incontinence in Women Undergoing Pelvic Organ Prolapse Surgery. <i>Obstetrics and Gynecology</i> , 2019 , 133, 683-690	4.9	7
110	Concomitant Anterior Repair, Preoperative Prolapse Severity, and Anatomic Prolapse Outcomes After Vaginal Apical Procedures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2019 , 25, 22-28	1.9	10
109	Effect of Uterosacral Ligament Suspension vs Sacrospinous Ligament Fixation With or Without Perioperative Behavioral Therapy for Pelvic Organ Vaginal Prolapse on Surgical Outcomes and Prolapse Symptoms at 5 Years in the OPTIMAL Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1554-1565	27.4	93
108	American Urogynecologic Society Prolapse Consensus Conference Summary Report. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2018 , 24, 260-263	1.9	17
107	Predicting risk of pelvic floor disorders 12 and 20 years after delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2018 , 218, 222.e1-222.e19	6.4	44

106	Models for Predicting Recurrence, Complications, and Health Status in Women After Pelvic Organ Prolapse Surgery. <i>Obstetrics and Gynecology</i> , 2018 , 132, 298-309	4.9	14
105	Development and Validation of a Quantitative Measure of Adaptive Behaviors in Women With Pelvic Floor Disorders. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 232-237	1.9	8
104	Long-Term Effectiveness of Uterosacral Colpopexy and Minimally Invasive Sacral Colpopexy for Treatment of Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2017 , 23, 188-194	4.9	12
103	Perioperative Behavioral Therapy and Pelvic Muscle Strengthening Do Not Enhance Quality of Life After Pelvic Surgery: Secondary Report of a Randomized Controlled Trial. <i>Physical Therapy</i> , 2017 , 97, 1075-1083	3.3	8
102	General Complications of Pelvic Reconstructive Surgery. <i>Current Clinical Urology</i> , 2017 , 25-41		
101	Bacterial uropathogens and antibiotic susceptibility of positive urine cultures in women with pelvic organ prolapse and urinary incontinence. <i>Neurourology and Urodynamics</i> , 2016 , 35, 69-73	2.3	7
100	Pelvic organ prolapse. <i>BMJ, The</i> , 2016 , 354, i3853	5.9	69
99	Assessing ureteral patency using 10% dextrose cystoscopy fluid: evaluation of urinary tract infection rates. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 74.e1-6	6.4	14
98	The Design of a Randomized Trial of Vaginal Surgery for Uterovaginal Prolapse: Vaginal Hysterectomy With Native Tissue Vault Suspension Versus Mesh Hysteropexy Suspension (The Study of Uterine Prolapse Procedures Randomized Trial). <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 182-9	1.9	19
97	The effect of surgical start time in patients undergoing minimally invasive sacrocolpopexy. <i>International Urogynecology Journal</i> , 2016 , 27, 1535-9	2	9
96	An International Urogynecological Association (IUGA) / International Continence Society (ICS) Joint Report on the Terminology for Female Pelvic Organ Prolapse (POP). <i>Neurourology and Urodynamics</i> , 2016 , 35, 137-68	2.3	109
95	Quality of Life and Sexual Function 2 Years After Vaginal Surgery for Prolapse. <i>Obstetrics and Gynecology</i> , 2016 , 127, 1071-1079	4.9	39
94	An International Urogynecological Association (IUGA) / International Continence Society (ICS) joint report on the terminology for female pelvic organ prolapse (POP). <i>International Urogynecology Journal</i> , 2016 , 27, 165-94	2	138
93	Native Tissue Prolapse Repairs: Comparative Effectiveness Trials. <i>Obstetrics and Gynecology Clinics of North America</i> , 2016 , 43, 69-81	3.3	12
92	The Incidence of Perioperative Adverse Events in the Very Elderly Undergoing Urogynecologic Surgery. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 425-429	1.9	15
91	Pelvic Floor Disorders Registry: Study Design and Outcome Measures. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2016 , 22, 70-6	1.9	13
90	Predicting Risk of Urinary Incontinence and Adverse Events After Midurethral Sling Surgery in Women. <i>Obstetrics and Gynecology</i> , 2016 , 127, 330-40	4.9	9
89	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female pelvic organ prolapse (POP). <i>International Urogynecology Journal</i> , 2016 , 27, 655-84	2	126

88	The effect of major depression on quality of life after surgery for stress urinary incontinence: a secondary analysis of the Trial of Midurethral Slings. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 215, 455.e1-9	6.4	7
87	Histopathology of excised midurethral sling mesh. <i>International Urogynecology Journal</i> , 2015 , 26, 591-5	2	5
86	Assessment of voiding after sling: a randomized trial of 2 methods of postoperative catheter management after midurethral sling surgery for stress urinary incontinence in women. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 597.e1-9	6.4	21
85	Incidence of adverse events after uterosacral colpopexy for uterovaginal and posthysterectomy vault prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 212, 603.e1-7	6.4	40
84	Studying surgical innovations: challenges of the randomized controlled trial. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 573-82	2.2	6
83	The female urinary microbiome in urgency urinary incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 347.e1-11	6.4	166
82	Controlling anal incontinence in women by performing anal exercises with biofeedback or loperamide (CAPABLE) trial: Design and methods. <i>Contemporary Clinical Trials</i> , 2015 , 44, 164-174	2.3	17
81	Vaginal Mesh in Pelvic Reconstructive Surgery: Controversies, Current Use, and Complications. <i>Clinical Obstetrics and Gynecology</i> , 2015 , 58, 740-53	1.7	13
80	Ultrasound Evaluation of Midurethral Sling Position and Correlation to Physical Examination and Patient Symptoms. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 263-8	1.9	10
79	The Quality of Health Information Available on the Internet for Patients With Pelvic Organ Prolapse. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2015 , 21, 225-30	1.9	13
78	Apical prolapse repair: weighing the risks and benefits. <i>Current Opinion in Obstetrics and Gynecology</i> , 2015 , 27, 373-9	2.4	10
77	Symptomatology of irritable bowel syndrome and inflammatory bowel disease during the menstrual cycle. <i>Gastroenterology Report</i> , 2015 , 3, 185-93	3.3	20
76	Evaluation and management of complications from synthetic mesh after pelvic reconstructive surgery: a multicenter study. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 163.e1-8	6.4	99
75	Perioperative adverse events after minimally invasive abdominal sacrocolpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 547.e1-8	6.4	67
74	Development and validation of a laparoscopic sacrocolpopexy simulation model for surgical training. <i>Journal of Minimally Invasive Gynecology</i> , 2014 , 21, 612-8	2.2	17
73	Conceptual framework for patient-important treatment outcomes for pelvic organ prolapse. <i>Neurourology and Urodynamics</i> , 2014 , 33, 414-9	2.3	24
72	Association between gastro-intestinal symptoms and menstruation in patients with ileal pouches. <i>Gastroenterology Report</i> , 2014 , 2, 207-14	3.3	5
71	A model for predicting the risk of de novo stress urinary incontinence in women undergoing pelvic organ prolapse surgery. <i>Obstetrics and Gynecology</i> , 2014 , 123, 279-287	4.9	50

70	Comparison of 2 transvaginal surgical approaches and perioperative behavioral therapy for apical vaginal prolapse: the OPTIMAL randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1023-34	27.4	265
69	Minimum important differences for scales assessing symptom severity and quality of life in patients with fecal incontinence. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2014 , 20, 342-8	1.9	31
68	Apical prolapse. <i>International Urogynecology Journal</i> , 2013 , 24, 1815-33	2	119
67	Epidemiology and outcome assessment of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2013 , 24, 1783-90	2	303
66	Measuring outcomes in urogynecological surgery: "perspective is everything". <i>International Urogynecology Journal</i> , 2013 , 24, 15-25	2	23
65	Utility of postoperative laboratory studies after female pelvic reconstructive surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 363.e1-5	6.4	7
64	A randomized trial comparing conventional and robotically assisted total laparoscopic hysterectomy. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 368.e1-7	6.4	122
63	Reply: To PMID 23395927. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 594-5	6.4	
62	The pelvic floor complication scale: a new instrument for reconstructive pelvic surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 208, 81.e1-9	6.4	13
61	Prediction models for postpartum urinary and fecal incontinence in primiparous women. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2013 , 19, 110-8	1.9	19
60	Surgical techniques for removing problematic mesh. <i>Clinical Obstetrics and Gynecology</i> , 2013 , 56, 289-302.	7	6
59	A midurethral sling to reduce incontinence after vaginal prolapse repair. <i>New England Journal of Medicine</i> , 2012 , 366, 2358-67	59.2	238
58	Midurethral slings for stress urinary incontinence: a urogynecology perspective. <i>Urologic Clinics of North America</i> , 2012 , 39, 289-97	2.9	6
57	A randomized trial of urodynamic testing before stress-incontinence surgery. <i>New England Journal of Medicine</i> , 2012 , 366, 1987-97	59.2	329
56	Accuracy of the digital anal examination in women with fecal incontinence. <i>International Urogynecology Journal</i> , 2012 , 23, 765-8	2	10
55	Interrater reliability of the International Continence Society and International Urogynecological Association (ICS/IUGA) classification system for mesh-related complications. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 442.e1-6	6.4	21
54	Single-incision mini-sling compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2012 , 119, 328-37	4.9	59
53	Laparoscopic compared with robotic sacrocolpopexy for vaginal prolapse: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2011 , 118, 1005-1013	4.9	304

52	Lower abdominal and pelvic pain with advanced pelvic organ prolapse: a case-control study. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 537.e1-5	6.4	5
51	Reanalysis of a randomized trial of 3 techniques of anterior colporrhaphy using clinically relevant definitions of success. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 205, 69.e1-8	6.4	82
50	Further validation of the short form versions of the Pelvic Floor Distress Inventory (PFDI) and Pelvic Floor Impact Questionnaire (PFIQ). <i>Neurourology and Urodynamics</i> , 2011 , 30, 541-6	2.3	80
49	Insertion and removal of vaginal mesh for pelvic organ prolapse. <i>Clinical Obstetrics and Gynecology</i> , 2010 , 53, 99-114	1.7	29
48	Comparison of responsiveness of validated outcome measures after surgery for stress urinary incontinence. <i>Journal of Urology</i> , 2010 , 184, 2013-7	2.5	13
47	The impact of cesarean delivery on pelvic floor dysfunction in lysyl oxidase like-1 knockout mice. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 21-30	1.9	16
46	Pelvic organ prolapse: defining the disease. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 201-3	1.9	12
45	Functional bowel disorders and pelvic organ prolapse: a case-control study. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2010 , 16, 209-14	1.9	7
44	Updated systematic review and meta-analysis of the comparative data on colposuspensions, pubovaginal slings, and midurethral tapes in the surgical treatment of female stress urinary incontinence. <i>European Urology</i> , 2010 , 58, 218-38	10.2	257
43	Quantification of vaginal support: are continuous summary scores better than POPQ stage?. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 512.e1-6	6.4	8
42	The questionnaire for urinary incontinence diagnosis (QUID): validity and responsiveness to change in women undergoing non-surgical therapies for treatment of stress predominant urinary incontinence. <i>Neurourology and Urodynamics</i> , 2010 , 29, 727-34	2.3	60
41	Defining success after surgery for pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2009 , 114, 600-609	4.9	346
40	Patient-centered treatment goals for pelvic floor disorders: association with quality-of-life and patient satisfaction. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 568.e1-6	6.4	34
39	The minimum important differences for the urinary scales of the Pelvic Floor Distress Inventory and Pelvic Floor Impact Questionnaire. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 580.e1-7	6.4	94
38	Operations and pelvic muscle training in the management of apical support loss (OPTIMAL) trial: design and methods. <i>Contemporary Clinical Trials</i> , 2009 , 30, 178-89	2.3	43
37	Complication and reoperation rates after apical vaginal prolapse surgical repair: a systematic review. <i>Obstetrics and Gynecology</i> , 2009 , 113, 367-73	4.9	217
36	Differences in urinary incontinence between Hispanic and non-Hispanic white women: a population-based study. <i>BJU International</i> , 2008 , 101, 575-9	5.6	12
35	Optimism in women undergoing abdominal sacrocolpopexy for pelvic organ prolapse. <i>Journal of the American College of Surgeons</i> , 2008 , 207, 240-5	4.4	12

34	Refractory idiopathic urge urinary incontinence and botulinum A injection. <i>Journal of Urology</i> , 2008 , 180, 217-22	2.5	246
33	Prevalence of symptomatic pelvic floor disorders in US women. <i>JAMA - Journal of the American Medical Association</i> , 2008 , 300, 1311-6	27.4	1125
32	Transobturator tape compared with tension-free vaginal tape for the treatment of stress urinary incontinence: a randomized controlled trial. <i>Obstetrics and Gynecology</i> , 2008 , 111, 611-21	4.9	171
31	Complications of neglected vaginal pessaries: case presentation and literature review. <i>International Urogynecology Journal</i> , 2008 , 19, 1173-8	2	77
30	Paper versus web-based administration of the Pelvic Floor Distress Inventory 20 and Pelvic Floor Impact Questionnaire 7. <i>International Urogynecology Journal</i> , 2008 , 19, 1331-5	2	20
29	Risk factors associated with failure 1 year after retropubic or transobturator midurethral slings. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 666.e1-7	6.4	74
28	Genital Anatomic Correlates 2008 , 79-87		
27	Medidas de resultados y calidad de vida en la investigaci3n del suelo p3lvico 2008 , 507-519		
26	Bowel symptoms 1 year after surgery for prolapse: further analysis of a randomized trial of rectocele repair. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 76.e1-5	6.4	53
25	A prospective assessment of overactive bladder symptoms in a cohort of elderly women who underwent transvaginal surgery for advanced pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 197, 82.e1-4	6.4	62
24	Quality of life after surgery for genital prolapse in elderly women: obliterative and reconstructive surgery. <i>International Urogynecology Journal</i> , 2007 , 18, 799-806	2	86
23	Questionnaires for women with pelvic floor disorders. <i>International Urogynecology Journal</i> , 2007 , 18, 461-5	2	55
22	Pelvic organ prolapse. <i>Lancet, The</i> , 2007 , 369, 1027-38	40	545
21	Outcomes And Quality-Of-Life Measures In Pelvic Floor Research 2007 , 499-511		1
20	Genital Anatomic Correlates 2006 , 79-87		
19	The use of synthetic mesh in female pelvic reconstructive surgery. <i>BJU International</i> , 2006 , 98 Suppl 1, 70-6; discussion 77	5.6	31
18	Women seeking treatment for advanced pelvic organ prolapse have decreased body image and quality of life. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1455-61	6.4	290
17	The incidence of ureteral obstruction and the value of intraoperative cystoscopy during vaginal surgery for pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1478-85	6.4	72

16	Can we screen for pelvic organ prolapse without a physical examination in epidemiologic studies?. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 942-8	6.4	87
15	Perioperative complications and adverse events of the MONARC transobturator tape, compared with the tension-free vaginal tape. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1820-5	6.4	51
14	Rectocele repair: a randomized trial of three surgical techniques including graft augmentation. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 195, 1762-71	6.4	280
13	Symptoms and outcome measures of pelvic organ prolapse. <i>Clinical Obstetrics and Gynecology</i> , 2005 , 48, 648-61	1.7	78
12	Functional bowel and anorectal disorders in patients with pelvic organ prolapse and incontinence. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 2105-11	6.4	98
11	The impact of stress urinary incontinence on sexual activity in women. <i>Cleveland Clinic Journal of Medicine</i> , 2005 , 72, 225-32	2.8	33
10	Contemporary views on female pelvic anatomy. <i>Cleveland Clinic Journal of Medicine</i> , 2005 , 72 Suppl 4, S3-11	2.8	33
9	Laparoscopic Burch colposuspension versus tension-free vaginal tape: a randomized trial. <i>Obstetrics and Gynecology</i> , 2004 , 104, 1249-58	4.9	100
8	Anal sphincter injury in women with pelvic floor disorders. <i>Obstetrics and Gynecology</i> , 2004 , 104, 690-6	4.9	41
7	Innervation of the levator ani and coccygeus muscles of the female rat. <i>The Anatomical Record</i> , 2003 , 275, 1031-41		38
6	Innervation of the female levator ani muscles. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 187, 64-71	6.4	192
5	Sexual function in women with urinary incontinence and pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2002 , 99, 281-9	4.9	244
4	Vaginal mesh erosion after abdominal sacral colpopexy. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 184, 297-302	6.4	200
3	Psychometric evaluation of 2 comprehensive condition-specific quality of life instruments for women with pelvic floor disorders. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 185, 1388-95	6.4	436
2	Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 2000 , 183, 1402-10; discussion 1410-1	6.4	212
1	Accuracy of clinical assessment of paravaginal defects in women with anterior vaginal wall prolapse. <i>American Journal of Obstetrics and Gynecology</i> , 1999 , 181, 87-90	6.4	61