

Roberto De Philippis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1148199/roberto-de-philippis-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

5,281
citations

40
h-index

69
g-index

134
ext. papers

6,118
ext. citations

5.2
avg, IF

5.93
L-index

#	Paper	IF	Citations
124	Rhizosphere-root system changes exopolysaccharide content but stabilizes bacterial community across contrasting seasons in a desert environment.. <i>Environmental Microbiomes</i> , 2022 , 17, 14	5.6	2
123	Cyanobacterial biocrust induction: A comprehensive review on a soil rehabilitation-effective biotechnology. <i>Geoderma</i> , 2022 , 415, 115766	6.7	3
122	Multiple diversity facets of crucial microbial groups in biological soil crusts promote soil multifunctionality. <i>Global Ecology and Biogeography</i> , 2021 , 30, 1204-1217	6.1	2
121	Drought-tolerant cyanobacteria and mosses as biotechnological tools to attain land degradation neutrality. <i>Web Ecology</i> , 2021 , 21, 65-78	1.7	2
120	Overcoming field barriers to restore dryland soils by cyanobacteria inoculation. <i>Soil and Tillage Research</i> , 2021 , 207, 104799	6.5	6
119	Cyanoflan: A cyanobacterial sulfated carbohydrate polymer with emulsifying properties. <i>Carbohydrate Polymers</i> , 2020 , 229, 115525	10.3	19
118	A novel two-phase bioprocess for the production of <i>Arthrospira (Spirulina) maxima</i> LJGR1 at pilot plant scale during different seasons and for phycocyanin induction under controlled conditions. <i>Bioresource Technology</i> , 2020 , 298, 122548	11	18
117	Cyanobacteria inoculation as a potential tool for stabilization of burned soils. <i>Restoration Ecology</i> , 2020 , 28, S106	3.1	15
116	Monosaccharide composition of primary cell wall polysaccharides as a developmental level indicator of biological soil crusts. <i>Catena</i> , 2020 , 195, 104782	5.8	1
115	High Arctic biocrusts: characterization of the exopolysaccharidic matrix. <i>Polar Biology</i> , 2020 , 43, 1805-1815		2
114	Exopolysaccharide Features Influence Growth Success in Biocrust-forming Cyanobacteria, Moving From Liquid Culture to Sand Microcosms. <i>Frontiers in Microbiology</i> , 2020 , 11, 568224	5.7	8
113	Comment on Kidron, G. J. (2018). Biocrust research: A critical view on eight common hydrological-related paradigms and dubious theses. <i>Ecohydrology</i> , e2061 <i>Ecohydrology</i> , 2020 , 13, e2215	2.5	1
112	The role of grain size and inoculum amount on biocrust formation by <i>Leptolyngbya ohadii</i> . <i>Catena</i> , 2020 , 184, 104248	5.8	15
111	Induced biological soil crusts and soil properties varied between slope aspect, slope gradient and plant canopy in the Hobq desert of China. <i>Catena</i> , 2020 , 190, 104559	5.8	16
110	Anti-Inflammatory Activity of Exopolysaccharides from sp. ETS05, the Most Abundant Cyanobacterium of the Therapeutic Euganean Thermal Muds, Using the Zebrafish Model. <i>Biomolecules</i> , 2020 , 10,	5.9	14
109	The role of the tyrosine kinase Wzc (Sll0923) and the phosphatase Wzb (Slr0328) in the production of extracellular polymeric substances (EPS) by <i>Synechocystis</i> PCC 6803. <i>MicrobiologyOpen</i> , 2019 , 8, e00753	3.4	17
108	Characterization and antitumor activity of the extracellular carbohydrate polymer from the cyanobacterium <i>Synechocystis</i> FigF mutant. <i>International Journal of Biological Macromolecules</i> , 2019 , 136, 1219-1227	7.9	13

107	The facilitative effects of shrub on induced biological soil crust development and soil properties. <i>Applied Soil Ecology</i> , 2019 , 137, 129-138	5	6
106	Increased algicidal activity of <i>Aeromonas veronii</i> in response to <i>Microcystis aeruginosa</i> : interspecies crosstalk and secondary metabolites synergism. <i>Environmental Microbiology</i> , 2019 , 21, 1140-1150	5.2	14
105	The alternative sigma factor SigF is a key player in the control of secretion mechanisms in <i>Synechocystis</i> sp. PCC 6803. <i>Environmental Microbiology</i> , 2019 , 21, 343-359	5.2	20
104	Identification of aqueous extracts from <i>Artemisia ordosica</i> and their allelopathic effects on desert soil algae. <i>Chemoecology</i> , 2019 , 29, 61-71	2	10
103	Soil Type and Cyanobacteria Species Influence the Macromolecular and Chemical Characteristics of the Polysaccharidic Matrix in Induced Biocrusts. <i>Microbial Ecology</i> , 2019 , 78, 482-493	4.4	30
102	Mixotrophic cultivation of <i>Chlorococcum</i> sp. under non-controlled conditions using a digestate from pig manure within a biorefinery. <i>Journal of Applied Phycology</i> , 2018 , 30, 2847-2857	3.2	16
101	Bread wastes to energy: Sequential lactic and photo-fermentation for hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 9569-9576	6.7	31
100	A novel method to evaluate nutrient retention by biological soil crust exopolymeric matrix. <i>Plant and Soil</i> , 2018 , 429, 53-64	4.2	14
99	Microbial extracellular polymeric substances improve water retention in dryland biological soil crusts. <i>Soil Biology and Biochemistry</i> , 2018 , 116, 67-69	7.5	88
98	Complex role of the polymeric matrix in biological soil crusts. <i>Plant and Soil</i> , 2018 , 429, 19-34	4.2	72
97	Development of the polysaccharidic matrix in biocrusts induced by a cyanobacterium inoculated in sand microcosms. <i>Biology and Fertility of Soils</i> , 2018 , 54, 27-40	6.1	57
96	Cyanobacteria Inoculation Improves Soil Stability and Fertility on Different Textured Soils: Gaining Insights for Applicability in Soil Restoration. <i>Frontiers in Environmental Science</i> , 2018 , 6,	4.8	90
95	The potential of the cyanobacterium <i>Leptolyngbya ohadii</i> as inoculum for stabilizing bare sandy substrates. <i>Soil Biology and Biochemistry</i> , 2018 , 127, 318-328	7.5	38
94	Acclimation strategy of <i>Rhodospseudomonas palustris</i> to high light irradiance. <i>Microbiological Research</i> , 2017 , 197, 49-55	5.3	16
93	Photosynthetic Purple Non Sulfur Bacteria in Hydrogen Producing Systems: New Approaches in the Use of Well Known and Innovative Substrates 2017 , 321-350		10
92	Cyanobacterial inoculation (cyanobacterisation): Perspectives for the development of a standardized multifunctional technology for soil fertilization and desertification reversal. <i>Earth-Science Reviews</i> , 2017 , 171, 28-43	10.2	109
91	Biotransformation of water lettuce (<i>Pistia stratiotes</i>) to biohydrogen by <i>Rhodospseudomonas palustris</i> . <i>Journal of Applied Microbiology</i> , 2017 , 123, 1438-1446	4.7	6
90	Draft genome sequence and overview of the purple non sulfur bacterium <i>Rhodospseudomonas palustris</i> 42OL. <i>Standards in Genomic Sciences</i> , 2016 , 11, 24		10

89	Exocellular Polysaccharides in Microalgae and Cyanobacteria: Chemical Features, Role and Enzymes and Genes Involved in Their Biosynthesis 2016 , 565-590		40
88	Use of quantitative PCR with the chloroplast gene rps4 to determine moss abundance in the early succession stage of biological soil crusts. <i>Biology and Fertility of Soils</i> , 2016 , 52, 595-599	6.1	8
87	Agroindustrial residues and energy crops for the production of hydrogen and poly- β -hydroxybutyrate via photofermentation. <i>Bioresource Technology</i> , 2016 , 216, 941-7	11	20
86	Energy conversion of biomass crops and agroindustrial residues by combined biohydrogen/biomethane system and anaerobic digestion. <i>Bioresource Technology</i> , 2016 , 211, 509-18	11	36
85	Released polysaccharides (RPS) from Cyanothecce sp. CCY 0110 as biosorbent for heavy metals bioremediation: interactions between metals and RPS binding sites. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 7765-75	5.7	51
84	Hydrogen production under salt stress conditions by a freshwater Rhodospseudomonas palustris strain. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 2917-26	5.7	12
83	H ₂ production in Rhodospseudomonas palustris as a way to cope with high light intensities. <i>Research in Microbiology</i> , 2016 , 167, 350-6	4	12
82	Pore characteristics in biological soil crusts are independent of extracellular polymeric substances. <i>Soil Biology and Biochemistry</i> , 2016 , 103, 294-299	7.5	14
81	Differentiation of microbial activity and functional diversity between various biocrust elements in a heterogeneous crustal community. <i>Catena</i> , 2016 , 147, 138-145	5.8	8
80	Differentiation of the characteristics of excreted extracellular polysaccharides reveals the heterogeneous primary succession of induced biological soil crusts. <i>Journal of Applied Phycology</i> , 2015 , 27, 1935-1944	3.2	14
79	Effects of heavy metals on Cyanothecce sp. CCY 0110 growth, extracellular polymeric substances (EPS) production, ultrastructure and protein profiles. <i>Journal of Proteomics</i> , 2015 , 120, 75-94	3.9	57
78	Cyanobacteria in biofilms on stone temples of Bhubaneswar, Eastern India. <i>Algological Studies (Stuttgart, Germany: 2007)</i> , 2015 , 147, 67-93	1	11
77	Role of cyanobacterial exopolysaccharides in phototrophic biofilms and in complex microbial mats. <i>Life</i> , 2015 , 5, 1218-38	3	186
76	Introducing capnophilic lactic fermentation in a combined dark-photo fermentation process: a route to unparalleled H ₂ yields. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 1001-10	5.7	19
75	Microbial fixation of CO ₂ in water bodies and in drylands to combat climate change, soil loss and desertification. <i>New Biotechnology</i> , 2015 , 32, 109-20	6.4	40
74	Differential proteomes of the cyanobacterium Cyanothecce sp. CCY 0110 upon exposure to heavy metals. <i>Data in Brief</i> , 2015 , 4, 152-8	1.2	3
73	Microbial secreted exopolysaccharides affect the hydrological behavior of induced biological soil crusts in desert sandy soils. <i>Soil Biology and Biochemistry</i> , 2014 , 68, 62-70	7.5	135
72	Photobioreactor design and illumination systems for H ₂ production with anoxygenic photosynthetic bacteria: A review. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 3127-3141	6.7	96

71	Macromolecular and chemical features of the excreted extracellular polysaccharides in induced biological soil crusts of different ages. <i>Soil Biology and Biochemistry</i> , 2014 , 78, 1-9	7.5	67
70	Rhizosphere effect and salinity competing to shape microbial communities in <i>Phragmites australis</i> (Cav.) Trin. ex-Steud. <i>FEMS Microbiology Letters</i> , 2014 , 359, 193-200	2.9	35
69	Photosynthesis and Hydrogen Production in Purple Non Sulfur Bacteria: Fundamental and Applied Aspects. <i>Advances in Photosynthesis and Respiration</i> , 2014 , 269-290	1.7	7
68	Characterization of exopolysaccharides produced by seven biofilm-forming cyanobacterial strains for biotechnological applications. <i>Journal of Applied Phycology</i> , 2013 , 25, 1697-1708	3.2	50
67	UV-B resistance as a criterion for the selection of desert microalgae to be utilized for inoculating desert soils. <i>Journal of Applied Phycology</i> , 2013 , 25, 1009-1015	3.2	23
66	Production and characterization of extracellular carbohydrate polymer from <i>Cyanothece</i> sp. CCY 0110. <i>Carbohydrate Polymers</i> , 2013 , 92, 1408-15	10.3	70
65	Purple Bacteria: Electron Acceptors and Donors 2013 , 693-699		5
64	Exopolysaccharides from cyanobacteria and their possible industrial applications 2013 , 197-207		2
63	Assembly and Export of Extracellular Polymeric Substances (EPS) in Cyanobacteria: A Phylogenomic Approach. <i>Advances in Botanical Research</i> , 2013 , 65, 235-279	2.2	21
62	Use of cyanobacterial polysaccharides to promote shrub performances in desert soils: a potential approach for the restoration of desertified areas. <i>Biology and Fertility of Soils</i> , 2013 , 49, 143-152	6.1	63
61	Shifting species interaction in soil microbial community and its influence on ecosystem functions modulating. <i>Microbial Ecology</i> , 2013 , 65, 700-8	4.4	23
60	The role of the exopolysaccharides in enhancing hydraulic conductivity of biological soil crusts. <i>Soil Biology and Biochemistry</i> , 2012 , 46, 33-40	7.5	115
59	Chemical composition of volatile oil from <i>Artemisia ordosica</i> and its allelopathic effects on desert soil microalgae, <i>Palmellococcus miniatus</i> . <i>Plant Physiology and Biochemistry</i> , 2012 , 51, 153-8	5.4	26
58	Effect of light and temperature on biomass, photosynthesis and capsular polysaccharides in cultured phototrophic biofilms. <i>Journal of Applied Phycology</i> , 2012 , 24, 211-220	3.2	44
57	Biosorption and Recovery of Chromium from Industrial Wastewaters By Using <i>Saccharomyces cerevisiae</i> in a Flow-Through System. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 4452-4457	3.9	6
56	Characteristics and role of the exocellular polysaccharides produced by five cyanobacteria isolated from phototrophic biofilms growing on stone monuments. <i>Biofouling</i> , 2012 , 28, 215-24	3.3	89
55	Gold biosorption by exopolysaccharide producing cyanobacteria and purple nonsulphur bacteria. <i>Journal of Applied Microbiology</i> , 2012 , 113, 1380-8	4.7	20
54	Hydrogen Production: Photofermentation 2012 , 53-75		9

53	A <i>Rhodospseudomonas palustris</i> nifA* mutant produces H ₂ from -containing vegetable wastes. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 15893-15900	6.7	36
52	Combined Systems for Maximum Substrate Conversion 2012 , 107-126		5
51	Selective biosorption and recovery of Ruthenium from industrial effluents with <i>Rhodospseudomonas palustris</i> strains. <i>Applied Microbiology and Biotechnology</i> , 2012 , 95, 381-7	5.7	22
50	Sustained outdoor H ₂ production with <i>Rhodospseudomonas palustris</i> cultures in a 50L tubular photobioreactor. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 8840-8849	6.7	49
49	Exopolysaccharide-producing cyanobacteria in heavy metal removal from water: molecular basis and practical applicability of the biosorption process. <i>Applied Microbiology and Biotechnology</i> , 2011 , 92, 697-708	5.7	196
48	Using extracellular polymeric substances (EPS)-producing cyanobacteria for the bioremediation of heavy metals: do cations compete for the EPS functional groups and also accumulate inside the cell?. <i>Microbiology (United Kingdom)</i> , 2011 , 157, 451-458	2.9	95
47	Biosorption of copper by cyanobacterial bloom-derived biomass harvested from the eutrophic Lake Dianchi in China. <i>Current Microbiology</i> , 2010 , 61, 340-5	2.4	15
46	Treatment of Cr(VI)-containing wastewaters with exopolysaccharide-producing cyanobacteria in pilot flow through and batch systems. <i>Applied Microbiology and Biotechnology</i> , 2010 , 87, 1953-61	5.7	27
45	Hydrogen-producing purple non-sulfur bacteria isolated from the trophic lake Averno (Naples, Italy). <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 12216-12223	6.7	52
44	Complexity of cyanobacterial exopolysaccharides: composition, structures, inducing factors and putative genes involved in their biosynthesis and assembly. <i>FEMS Microbiology Reviews</i> , 2009 , 33, 917-41 ^{15.1}		412
43	Capsular polysaccharides of cultured phototrophic biofilms. <i>Biofouling</i> , 2009 , 25, 495-504	3.3	40
42	Heavy Metal Removal with Exopolysaccharide-Producing Cyanobacteria. <i>Advances in Industrial and Hazardous Wastes Treatment Series</i> , 2009 ,		4
41	New and traditional energy resources from microbial activities in the agroindustrial system. <i>Italian Journal of Agronomy</i> , 2009 , 4, 141	1.4	
40	Selectivity in the heavy metal removal by exopolysaccharide-producing cyanobacteria. <i>Journal of Applied Microbiology</i> , 2008 , 105, 88-94	4.7	74
39	Sheathless mutant of <i>Cyanobacterium Gloeotheca</i> sp. strain PCC 6909 with increased capacity to remove copper ions from aqueous solutions. <i>Applied and Environmental Microbiology</i> , 2008 , 74, 2797-804 ^{4.8}		42
38	Control of Lunar and Martian dust--experimental insights from artificial and natural cyanobacterial and algal crusts in the desert of Inner Mongolia, China. <i>Astrobiology</i> , 2008 , 8, 75-86	3.7	40
37	Characterizing cultivable soil microbial communities from copper fungicide-amended olive orchard and vineyard soils. <i>World Journal of Microbiology and Biotechnology</i> , 2008 , 24, 309-318	4.4	32
36	Hydrogen production during stationary phase in purple photosynthetic bacteria. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 6525-6534	6.7	56

35	Heavy metal sorption by released polysaccharides and whole cultures of two exopolysaccharide-producing cyanobacteria. <i>Biodegradation</i> , 2007 , 18, 181-7	4.1	68
34	Exopolysaccharides of Two Cyanobacterial Strains from Roman Hypogea. <i>Geomicrobiology Journal</i> , 2006 , 23, 301-310	2.5	22
33	Optimization of copper sorbing-desorbing cycles with confined cultures of the exopolysaccharide-producing cyanobacterium <i>Cyanospira capsulata</i> . <i>Journal of Applied Microbiology</i> , 2006 , 101, 1351-6	4.7	33
32	Seasonal succession of phototrophic biofilms in an Italian wastewater treatment plant: biovolume, spatial structure and exopolysaccharides. <i>Aquatic Microbial Ecology</i> , 2006 , 45, 301-312	1.1	27
31	Exopolysaccharides in cyanobacterial biofilms from Roman catacombs. <i>Algological Studies</i> , 2005 , 117, 117-132		7
30	Populations of exopolysaccharide-producing cyanobacteria and diatoms in the mucilaginous benthic aggregates of the Tyrrhenian Sea (Tuscan Archipelago). <i>Science of the Total Environment</i> , 2005 , 353, 360-8	10.2	24
29	Effectiveness of <i>Cyanothece</i> spp. and <i>Cyanospira capsulata</i> exocellular polysaccharides as antiadhesive agents for blocking attachment of <i>Helicobacter pylori</i> to human gastric cells. <i>Folia Microbiologica</i> , 2004 , 49, 64-70	2.8	17
28	<i>Leptolyngbya</i> strains from Roman hypogea: cytochemical and physico-chemical characterisation of exopolysaccharides. <i>Journal of Applied Phycology</i> , 2003 , 15, 193-200	3.2	27
27	Carbohydrate synthesis by two <i>Navicula</i> strains isolated from benthic and pelagic mucilages in the Tyrrhenian Sea (Tuscan Archipelago). <i>Journal of Applied Phycology</i> , 2003 , 15, 259-261	3.2	7
26	Assessment of the metal removal capability of two capsulated cyanobacteria, <i>Cyanospira capsulata</i> and <i>Nostoc PCC7936</i> . <i>Journal of Applied Phycology</i> , 2003 , 15, 155-161	3.2	64
25	Generation of superoxide anion and SOD activity in haemocytes and muscle of American white shrimp (<i>Litopenaeus vannamei</i>) as a response to beta-glucan and sulphated polysaccharide. <i>Fish and Shellfish Immunology</i> , 2002 , 12, 353-66	4.3	170
24	Exopolysaccharide-producing cyanobacteria and their possible exploitation: A review. <i>Journal of Applied Phycology</i> , 2001 , 13, 293-299	3.2	202
23	Assessment of the potential of <i>Nostoc</i> strains from the Pasteur Culture Collection for the production of polysaccharides of applied interest. <i>Journal of Applied Phycology</i> , 2000 , 12, 401-407	3.2	30
22	Morphological and biochemical characterization of the exocellular investments of polysaccharide-producing <i>Nostoc</i> strains from the Pasteur Culture Collection. <i>World Journal of Microbiology and Biotechnology</i> , 2000 , 16, 655-661	4.4	20
21	Exocellular polysaccharides from cyanobacteria and their possible applications. <i>FEMS Microbiology Reviews</i> , 1998 , 22, 151-175	15.1	278
20	Exocellular polysaccharides from cyanobacteria and their possible applications. <i>FEMS Microbiology Reviews</i> , 1998 , 22, 151-175	15.1	191
19	Potential of unicellular cyanobacteria from saline environments as exopolysaccharide producers. <i>Applied and Environmental Microbiology</i> , 1998 , 64, 1130-2	4.8	110
18	H and poly- β -hydroxybutyrate, two alternative chemicals from purple non sulfur bacteria. <i>Biotechnology Letters</i> , 1997 , 19, 759-762	3	42

17	Response of an exopolysaccharide-producing heterocystous cyanobacterium to changes in metabolic carbon flux. <i>Journal of Applied Phycology</i> , 1996 , 8, 275-281	3.2	38
16	Stability of molecular and rheological properties of the exopolysaccharide produced by <i>Cyanospira capsulata</i> cultivated under different growth conditions. <i>Journal of Applied Phycology</i> , 1993 , 5, 539-541	3.2	23
15	Exopolysaccharide production by a unicellular cyanobacterium isolated from a hypersaline habitat. <i>Journal of Applied Phycology</i> , 1993 , 5, 387-394	3.2	97
14	Glycogen and poly- β -hydroxybutyrate synthesis in <i>Spirulina maxima</i> . <i>Journal of General Microbiology</i> , 1992 , 138, 1623-1628		76
13	Factors affecting poly- β -hydroxybutyrate accumulation in cyanobacteria and in purple non-sulfur bacteria. <i>FEMS Microbiology Letters</i> , 1992 , 103, 187-194	2.9	2
12	Factors affecting poly- β -hydroxybutyrate accumulation in cyanobacteria and in purple non-sulfur bacteria. <i>FEMS Microbiology Letters</i> , 1992 , 103, 187-194	2.9	21
11	Rheology of culture broths and exopolysaccharide of <i>Cyanospira capsulata</i> at different stages of growth. <i>Carbohydrate Polymers</i> , 1992 , 17, 1-10	10.3	23
10	Effects of growth conditions on exopolysaccharide production by <i>Cyanospira capsulata</i> . <i>Bioresource Technology</i> , 1991 , 38, 101-104	11	46
9	Occurrence of poly-beta-hydroxybutyrate in <i>Spirulina</i> species. <i>Journal of Bacteriology</i> , 1990 , 172, 2791-23.5		68
8	Studies on exopolysaccharide release by diazotrophic batch cultures of <i>Cyanospira capsulata</i> . <i>Applied Microbiology and Biotechnology</i> , 1990 , 34, 392-396	5.7	59
7	The role of hydrogen metabolism in photoheterotrophic cultures of the cyanobacterium <i>Nostoc</i> sp. strain Cc isolated from <i>Cycas circinalis</i> L.. <i>Journal of General Microbiology</i> , 1990 , 136, 1009-1015		9
6	Heterotrophic metabolism and diazotrophic growth of <i>Nostoc</i> sp. from <i>Cycas circinalis</i> 1989 , 63-70		1
5	Heterotrophic metabolism and diazotrophic growth of <i>Nostoc</i> sp. from <i>Cycas circinalis</i> . <i>Plant and Soil</i> , 1988 , 110, 199-206	4.2	12
4	Two halophilic <i>Ectothiorhodospira</i> strains with unusual morphological, physiological and biochemical characters. <i>Archives of Microbiology</i> , 1988 , 149, 273-279	3	12
3	Marine Cyanobacteria as a Potential Source of Biomass and Chemicals. <i>International Journal of Solar Energy</i> , 1988 , 6, 235-246		2
2	Ammonia photoproduction by <i>Cyanospira rippkae</i> cells entrapped in dialysis tube. <i>Experientia</i> , 1986 , 42, 1040-1043		12
1	Phylogenetic, morphological and biochemical studies on <i>Thermospirulina andreolii</i> gen. & sp. nov. (Cyanophyta) from the Euganean Thermal District (Italy). <i>Phycologia</i> , 1-10	2.7	1