

# Jie-Xi Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1148283/publications.pdf>

Version: 2024-02-01

153  
papers

7,385  
citations

53939

47  
h-index

73587

79  
g-index

153  
all docs

153  
docs citations

153  
times ranked

8317  
citing authors

#	ARTICLE	IF	CITATIONS
1	Multi-scale boron penetration toward stabilizing nickel-rich cathode. <i>Fundamental Research</i> , 2023, 3, 618-626.	1.6	6
2	Grain size regulation for balancing cycle performance and rate capability of LiNi <sub>0.9</sub> Co <sub>0.055</sub> Mn <sub>0.045</sub> O <sub>2</sub> single crystal nickel-rich cathode materials. <i>Journal of Energy Chemistry</i> , 2022, 65, 681-687.	7.1	35
3	Mitigating the voltage fading and air sensitivity of O <sub>3</sub> -type NaNi <sub>0.4</sub> Mn <sub>0.4</sub> Cu <sub>0.1</sub> Ti <sub>0.1</sub> O <sub>2</sub> cathode material via La doping. <i>Chemical Engineering Journal</i> , 2022, 431, 133456.	6.6	10
4	A new boundary condition forging the unprecedented self-consistence of galvanostatic intermittent titration technique. <i>Solid State Ionics</i> , 2022, 374, 115816.	1.3	4
5	Enhancing storage performance of P2-type Na <sub>2/3</sub> Fe <sub>1/2</sub> Mn <sub>1/2</sub> O <sub>2</sub> cathode materials by Al <sub>2</sub> O <sub>3</sub> coating. <i>Transactions of Nonferrous Metals Society of China</i> , 2022, 32, 262-272.	1.7	11
6	A scalable dry chemical method for lithium borate coating to improve the performance of LiNi <sub>0.9</sub> Co <sub>0.06</sub> Mn <sub>0.04</sub> O <sub>2</sub> cathode material. <i>Ionics</i> , 2022, 28, 2073-2082.	1.2	2
7	A robust in-situ catalytic graphitization combined with salt-template strategy towards fast lithium-ions storage. <i>Journal of Alloys and Compounds</i> , 2022, 908, 164717.	2.8	1
8	First-Principle Study of a ZnS/Graphene Heterostructure as a Promising Anode Material for Lithium-Ion Batteries. <i>Energy &amp; Fuels</i> , 2022, 36, 677-683.	2.5	5
9	Inhibiting Mn Migration by Sb-Pinning Transition Metal Layers in Lithium-Rich Cathode Material for Stable High-Capacity Properties. <i>Small</i> , 2022, 18, e2200713.	5.2	13
10	Free-standing ultrathick LiMn <sub>2</sub> O <sub>4</sub> @single-wall carbon nanotubes electrode with high areal capacity. <i>Journal of Energy Chemistry</i> , 2022, 73, 452-459.	7.1	7
11	Comparative study of 1,3-propane sultone, prop-1-ene-1,3-sultone and ethylene sulfate as film-forming additives for sodium ion batteries. <i>Journal of Power Sources</i> , 2022, 541, 231726.	4.0	10
12	Visualization of concentration polarization in thick electrodes. <i>Energy Storage Materials</i> , 2022, 51, 476-485.	9.5	25
13	Synthesis of NaNi <sub>0.5</sub> Mn <sub>0.5</sub> O <sub>2</sub> cathode materials for sodium-ion batteries via spray pyrolysis method. <i>Journal of Alloys and Compounds</i> , 2022, 922, 166283.	2.8	3
14	Electrospinning-Enabled Si/C Nanofibers with Dual Modification as Anode Materials for High-Performance Lithium-Ion Batteries. <i>Acta Metallurgica Sinica (English Letters)</i> , 2021, 34, 329-336.	1.5	6
15	Evolution of the morphology, structural and thermal stability of LiCoO <sub>2</sub> during overcharge. <i>Journal of Energy Chemistry</i> , 2021, 55, 524-532.	7.1	40
16	Unraveling the role of LiODFB salt as a SEI-forming additive for sodium-ion battery. <i>Ionics</i> , 2021, 27, 683-691.	1.2	11
17	Immobilizing polysulfide jointly via chemical absorbing and physical blocking in polytungstates-embedded carbon nanofibers. <i>Journal of Energy Chemistry</i> , 2021, 57, 206-211.	7.1	0
18	Incorporating multifunctional LiAlSiO <sub>4</sub> into polyethylene oxide for high-performance solid-state lithium batteries. <i>Journal of Energy Chemistry</i> , 2021, 53, 116-123.	7.1	20

#	ARTICLE	IF	CITATIONS
19	Highly Dispersed Submicrometer Single-Crystal Nickel-Rich Layered Cathode: Spray Synthesis and Accelerated Lithium-Ion Transport. <i>Small</i> , 2021, 17, e2006869.	5.2	68
20	Spiral Graphene Coupling Hierarchically Porous Carbon Advances Dual-Carbon Lithium Ion Capacitor. <i>Energy Storage Materials</i> , 2021, 38, 528-534.	9.5	39
21	Self-sacrificial-reaction guided formation of hierarchical electronic/ionic conductive shell enabling high-performance nano-silicon anode. <i>Chemical Engineering Journal</i> , 2021, 415, 128998.	6.6	31
22	Research Progress of Single-Crystal Nickel-Rich Cathode Materials for Lithium Ion Batteries. <i>Small Methods</i> , 2021, 5, e2100234.	4.6	71
23	First principles calculation of $\text{Li}_2+2x\text{Zn}_{1-x}\text{SiO}_4$ ( $x=0.125\sim 0.5$ ) as solid electrolyte for lithium-ion battery. <i>Solid State Ionics</i> , 2021, 371, 115767.	1.3	3
24	Defective synergy of 2D graphitic carbon nanosheets promotes lithium-ion capacitors performance. <i>Energy Storage Materials</i> , 2020, 24, 304-311.	9.5	44
25	Confine growth of NiCo <sub>2</sub> S <sub>4</sub> nanoneedles in graphene framework toward high-performance asymmetric capacitor. <i>Journal of Alloys and Compounds</i> , 2020, 822, 153645.	2.8	34
26	Synergy of interlayer expansion and capacitive contribution promoting sodium ion storage in S, N-Doped mesoporous carbon nanofiber. <i>Journal of Power Sources</i> , 2020, 449, 227514.	4.0	50
27	Robust assembly of urchin-like NiCo <sub>2</sub> O <sub>4</sub> /CNTs architecture as bifunctional electrocatalyst in Zn-Air batteries. <i>Ceramics International</i> , 2020, 46, 6262-6269.	2.3	11
28	Bifunctional Li <sub>6</sub> CoO <sub>4</sub> serving as prelithiation reagent and pseudocapacitive electrode for lithium ion capacitors. <i>Journal of Energy Chemistry</i> , 2020, 47, 38-45.	7.1	33
29	Anchoring NiCo <sub>2</sub> O <sub>4</sub> nanowhiskers in biomass-derived porous carbon as superior oxygen electrocatalyst for rechargeable Zn-air battery. <i>Journal of Power Sources</i> , 2020, 476, 228684.	4.0	32
30	Accurate regulation of pore distribution and atomic arrangement enabling highly efficient dual-carbon lithium ion capacitors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 22230-22239.	5.2	7
31	High-Value Utilization of Lignin To Prepare Functional Carbons toward Advanced Lithium-Ion Capacitors. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 11522-11531.	3.2	32
32	A Renewable Sedimentary Slurry Battery: Preliminary Study in Zinc Electrodes. <i>IScience</i> , 2020, 23, 101821.	1.9	6
33	Ultrathin porous graphitic carbon nanosheets activated by alkali metal salts for high power density lithium-ion capacitors. <i>Rare Metals</i> , 2020, 39, 1364-1373.	3.6	37
34	Graphitic nanorings for super-long lifespan lithium-ion capacitors. <i>Nano Research</i> , 2020, 13, 2909-2916.	5.8	14
35	High-performance spherical LiVPO <sub>4</sub> F/C cathode enabled by facile spray pyrolysis. <i>Science China Technological Sciences</i> , 2020, 63, 2729-2734.	2.0	4
36	Tuning the surface of LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> primary particle with lithium boron oxide toward stable cycling. <i>Chemical Engineering Journal</i> , 2020, 400, 125820.	6.6	49

#	ARTICLE	IF	CITATIONS
37	Oxygen-induced lithiophilicity of tin-based framework toward highly stable lithium metal anode. <i>Chemical Engineering Journal</i> , 2020, 394, 124848.	6.6	36
38	Aluminum electrolysis derivative spent cathodic carbon for dendrite-free Li metal anode. <i>Materials Today Energy</i> , 2020, 17, 100465.	2.5	8
39	Effect of copper and iron substitution on the structures and electrochemical properties of LiNi <sub>0.8</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> cathode materials. <i>Energy Science and Engineering</i> , 2020, 8, 1868-1879.	1.9	11
40	New insight into the electrodeposition of NiCo layered double hydroxide and its capacitive evaluation. <i>Electrochimica Acta</i> , 2020, 336, 135734.	2.6	33
41	Al-doped NaNi <sub>1/3</sub> Mn <sub>1/3</sub> Fe <sub>1/3</sub> O <sub>2</sub> for high performance of sodium ion batteries. <i>Ionics</i> , 2020, 26, 1797-1804.	1.2	25
42	Robust template-activator cooperated pyrolysis enabling hierarchically porous honeycombed defective carbon as highly-efficient metal-free bifunctional electrocatalyst for Zn-air batteries. <i>Applied Catalysis B: Environmental</i> , 2020, 265, 118603.	10.8	79
43	Vital effect of sufficient vulcanization on the properties of Ni-Co-S/graphene composites for supercapacitor. <i>Chemical Engineering Science</i> , 2020, 221, 115709.	1.9	14
44	In-situ tailored 3D Li <sub>2</sub> O@Cu nanowires array enabling stable lithium metal anode with ultra-high coulombic efficiency. <i>Journal of Power Sources</i> , 2020, 463, 228178.	4.0	33
45	Clearing surficial charge-transport obstacles to boost the performance of lithium-rich layered oxides. <i>Chemical Engineering Journal</i> , 2020, 399, 125142.	6.6	12
46	Magnesium-doped Li[Li <sub>0.2</sub> Mn <sub>0.54</sub> Ni <sub>0.13</sub> Co <sub>0.13</sub> ]O <sub>2</sub> cathode with high rate capability and improved cyclic stability. <i>Ionics</i> , 2019, 25, 1967-1977.	1.2	12
47	Novel LiV(PO <sub>4</sub> ) <sub>0.9</sub> F <sub>1.3</sub> with ultrahigh rate capability and prolonged cycle life. <i>Chemical Communications</i> , 2019, 55, 11175-11178.	2.2	8
48	FeCo <sub>x</sub> alloy nanoparticles encapsulated in three-dimensionally N-doped porous carbon/multiwalled carbon nanotubes composites as bifunctional electrocatalyst for zinc-air battery. <i>Journal of Power Sources</i> , 2019, 438, 227019.	4.0	18
49	Lithiophilic Ag/Li composite anodes via a spontaneous reaction for Li nucleation with a reduced barrier. <i>Journal of Materials Chemistry A</i> , 2019, 7, 20911-20918.	5.2	66
50	Controlled Synthesis of Ni <sub>x</sub> Co <sub>y</sub> S <sub>4</sub> /rGO Composites for Constructing High-Performance Asymmetric Supercapacitor. <i>Frontiers in Materials</i> , 2019, 6, .	1.2	13
51	Comprehensive utilization of metallurgic waste in manganese electrowinning: Towards high performance LiMn <sub>2</sub> O <sub>4</sub> . <i>Ceramics International</i> , 2019, 45, 8607-8615.	2.3	20
52	Non-aqueous dual-carbon lithium-ion capacitors: a review. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15541-15563.	5.2	118
53	Mono-Active Bimetallic Oxide Co <sub>2</sub> AlO <sub>4</sub> with Yolk-shell Structure as a Superior Lithium-storage Material. <i>ChemElectroChem</i> , 2019, 6, 3298-3302.	1.7	8
54	Multiple Covalent Triazine Frameworks with Strong Polysulfide Chemisorption for Enhanced Lithium-sulfur Batteries. <i>ChemElectroChem</i> , 2019, 6, 2777-2781.	1.7	27

#	ARTICLE	IF	CITATIONS
55	Manipulating the Composition and Structure of Solid Electrolyte Interphase at Graphite Anode by Adjusting the Formation Condition. <i>Energy Technology</i> , 2019, 7, 1900273.	1.8	17
56	Advances in nanostructures fabricated via spray pyrolysis and their applications in energy storage and conversion. <i>Chemical Society Reviews</i> , 2019, 48, 3015-3072.	18.7	260
57	Hydrometallurgical production of LiNi <sub>0.80</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> cathode material from high-grade nickel matte. <i>Hydrometallurgy</i> , 2019, 186, 30-41.	1.8	23
58	Modification of Li[Li <sub>0.2</sub> Mn <sub>0.54</sub> Ni <sub>0.13</sub> Co <sub>0.13</sub> ]O <sub>2</sub> cathode with $\pm$ -MoO <sub>3</sub> via a simple wet chemical coating process. <i>Applied Surface Science</i> , 2019, 479, 1277-1286.	3.1	21
59	A novel dried plum-like yolk-shell architecture of tin oxide nanodots embedded into a carbon matrix: ultra-fast assembly and superior lithium storage properties. <i>Journal of Materials Chemistry A</i> , 2019, 7, 5803-5810.	5.2	34
60	The Electrochemical Performance and Reaction Mechanism of Coated Titanium Anodes for Manganese Electrowinning. <i>Journal of the Electrochemical Society</i> , 2019, 166, E502-E511.	1.3	24
61	Systematic parameter acquisition method for electrochemical model of 4.35 V LiCoO <sub>2</sub> batteries. <i>Solid State Ionics</i> , 2019, 343, 115083.	1.3	28
62	Facile synthesis of NaVPO <sub>4</sub> F/C cathode with enhanced interfacial conductivity towards long-cycle and high-rate sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2019, 357, 458-462.	6.6	83
63	The influences of SO <sub>4</sub> <sup>2-</sup> from electrolytic manganese dioxide precursor on the electrochemical properties of Li-rich Mn-based material for Li-ion batteries. <i>Ionics</i> , 2019, 25, 2585-2594.	1.2	12
64	Metalorganic Quantum Dots and Their Graphene-Like Derivative Porous Graphitic Carbon for Advanced Lithium-Ion Hybrid Supercapacitor. <i>Advanced Energy Materials</i> , 2019, 9, 1802878.	10.2	94
65	Enhancing the electrochemical and storage performance of Ni-based cathode materials by introducing spinel pillaring layer for lithium ion batteries. <i>Solid State Ionics</i> , 2019, 332, 41-46.	1.3	11
66	Facile construction of Co(OH) <sub>2</sub> @Ni(OH) <sub>2</sub> core-shell nanosheets on nickel foam as three dimensional free-standing electrode for supercapacitors. <i>Electrochimica Acta</i> , 2019, 293, 40-46.	2.6	61
67	Compact structured silicon/carbon composites as high-performance anodes for lithium ion batteries. <i>Ionics</i> , 2018, 24, 3405-3411.	1.2	9
68	Suppressing the Voltage Decay and Enhancing the Electrochemical Performance of Li <sub>1.2</sub> Mn <sub>0.54</sub> Co <sub>0.13</sub> Ni <sub>0.13</sub> O <sub>2</sub> by Multifunctional Nb <sub>2</sub> O <sub>5</sub> Coating. <i>Energy Technology</i> , 2018, 6, 2139-2145.	1.8	54
69	The role of a MnO <sub>2</sub> functional layer on the surface of Ni-rich cathode materials: Towards enhanced chemical stability on exposure to air. <i>Ceramics International</i> , 2018, 44, 13341-13348.	2.3	44
70	Cooperation of nitrogen-doping and catalysis to improve the Li-ion storage performance of lignin-based hard carbon. <i>Journal of Energy Chemistry</i> , 2018, 27, 1390-1396.	7.1	46
71	An Ostwald ripening route towards Ni-rich layered cathode material with cobalt-rich surface for lithium ion battery. <i>Science China Materials</i> , 2018, 61, 719-727.	3.5	32
72	Lightweight Reduced Graphene Oxide@MoS <sub>2</sub> Interlayer as Polysulfide Barrier for High-Performance Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 3707-3713.	4.0	239

#	ARTICLE	IF	CITATIONS
73	Fluidized bed reaction towards crystalline embedded amorphous Si anode with much enhanced cycling stability. <i>Chemical Communications</i> , 2018, 54, 3755-3758.	2.2	66
74	Multifunctional Separator with Porous Carbon/Multi-Walled Carbon Nanotube Coating for Advanced Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , 2018, 5, 71-77.	1.7	38
75	Li <sub>3</sub> V(MoO <sub>4</sub> ) <sub>3</sub> as a novel electrode material with good lithium storage properties and improved initial coulombic efficiency. <i>Nano Energy</i> , 2018, 44, 272-278.	8.2	125
76	Spray pyrolysis synthesis of nickel-rich layered cathodes LiNi <sub>1-x</sub> Co <sub>x</sub> Mn <sub>x</sub> O <sub>2</sub> (x = 0.075, 0.05, 0.025) for lithium-ion batteries. <i>Journal of Energy Chemistry</i> , 2018, 27, 447-450.	7.1	27
77	Research on Temperature Field Change Trend of the Sintering Process for Lithium-ion Battery Cathode Materials. <i>IFAC-PapersOnLine</i> , 2018, 51, 307-312.	0.5	7
78	Three-dimensionally mesoporous dual (Co, Fe) metal oxide/CNTs composite as electrocatalysts for air cathodes in Li-O <sub>2</sub> batteries. <i>Ceramics International</i> , 2018, 44, 21942-21949.	2.3	10
79	Improving the Desulfurization Degree of High-Grade Nickel Matte via a Two-Step Oxidation Roasting Process. <i>Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science</i> , 2018, 49, 1834-1840.	1.0	4
80	Potentiostatic deposition of nickel cobalt sulfide nanosheet arrays as binder-free electrode for high-performance pseudocapacitor. <i>Ceramics International</i> , 2018, 44, 15778-15784.	2.3	28
81	A smart architecture of nickel-cobalt sulfide nanotubes assembled nanoclusters for high-performance pseudocapacitor. <i>Journal of Alloys and Compounds</i> , 2018, 765, 505-511.	2.8	12
82	BODIPY-Based Conjugated Porous Polymer and Its Derived Porous Carbon for Lithium-Ion Storage. <i>ACS Omega</i> , 2018, 3, 7727-7735.	1.6	10
83	Structural and electrochemical characterization of NH <sub>4</sub> F-pretreated lithium-rich layered Li[[Li <sub>0.2</sub> Ni <sub>0.13</sub> Co <sub>0.13</sub> Mn <sub>0.54</sub> ]O <sub>2</sub> cathodes for lithium-ion batteries. <i>Ceramics International</i> , 2018, 44, 14370-14376.	2.3	27
84	A novel hierarchical precursor of densely integrated hydroxide nanoflakes on oxide microspheres toward high-performance layered Ni-rich cathode for lithium ion batteries. <i>Materials Chemistry Frontiers</i> , 2018, 2, 1822-1828.	3.2	14
85	Superior lithium storage of Si/WSi <sub>2</sub> composite prepared via one step co-reduction of multi-phase oxide. <i>Journal of Electroanalytical Chemistry</i> , 2018, 826, 84-89.	1.9	8
86	Improving rate capability and decelerating voltage decay of Li-rich layered oxide cathodes by chromium doping. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 11109-11119.	3.8	60
87	Anchoring K <sup>+</sup> in Li <sup>+</sup> Sites of LiNi <sub>0.8</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> Cathode Material to Suppress its Structural Degradation During High-Voltage Cycling. <i>Energy Technology</i> , 2018, 6, 2358-2366.	1.8	64
88	Template-free synthesis of hierarchical hollow V <sub>2</sub> O <sub>5</sub> microspheres with highly stable lithium storage capacity. <i>RSC Advances</i> , 2017, 7, 2480-2485.	1.7	8
89	Fluorinated solvents for high-voltage electrolyte in lithium-ion battery. <i>Journal of Solid State Electrochemistry</i> , 2017, 21, 1589-1597.	1.2	37
90	A new design concept for preparing nickel-foam-supported metal oxide microspheres with superior electrochemical properties. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13469-13474.	5.2	91

#	ARTICLE	IF	CITATIONS
91	Co <sub>3</sub> O <sub>4</sub> /Co nanoparticles enclosed graphitic carbon as anode material for high performance Li-ion batteries. <i>Chemical Engineering Journal</i> , 2017, 321, 495-501.	6.6	173
92	Pitch carbon and LiF co-modified Si-based anode material for lithium ion batteries. <i>Ceramics International</i> , 2017, 43, 8590-8595.	2.3	37
93	Metallurgy Inspired Formation of Homogeneous Al <sub>2</sub> O <sub>3</sub> Coating Layer To Improve the Electrochemical Properties of LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> Cathode Material. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 10199-10205.	3.2	131
94	A compact process to prepare LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> cathode material from nickel-copper sulfide ore. <i>Hydrometallurgy</i> , 2017, 174, 1-9.	1.8	13
95	Cave-embedded porous Mn <sub>2</sub> O <sub>3</sub> hollow microsphere as anode material for lithium ion batteries. <i>Electrochimica Acta</i> , 2017, 247, 795-802.	2.6	25
96	Effect of molybdenum substitution on electrochemical performance of Li[Li <sub>0.2</sub> Mn <sub>0.54</sub> Co <sub>0.13</sub> Ni <sub>0.13</sub> ]O <sub>2</sub> cathode material. <i>Ceramics International</i> , 2017, 43, 14836-14841.	2.3	30
97	Accurate construction of a hierarchical nickel-cobalt oxide multishell yolk-shell structure with large and ultrafast lithium storage capability. <i>Journal of Materials Chemistry A</i> , 2017, 5, 14996-15001.	5.2	106
98	Graphitic carbon balanced between high plateau capacity and high rate capability for lithium ion capacitors. <i>Journal of Materials Chemistry A</i> , 2017, 5, 15302-15309.	5.2	91
99	Improvement in the electrochemical performance of LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> cathode material by Li <sub>2</sub> ZrO <sub>3</sub> coating. <i>Applied Surface Science</i> , 2017, 423, 1045-1053.	3.1	124
100	A MoS <sub>2</sub> coating strategy to improve the comprehensive electrochemical performance of LiVPO <sub>4</sub> F. <i>Journal of Power Sources</i> , 2016, 315, 294-301.	4.0	83
101	Improving the electrochemical performance of lithium vanadium fluorophosphate cathode material: Focus on interfacial stability. <i>Journal of Power Sources</i> , 2016, 329, 553-557.	4.0	94
102	Molybdenum Disulfide-Coated Lithium Vanadium Fluorophosphate Anode: Experiments and First-Principles Calculations. <i>ChemSusChem</i> , 2016, 9, 2122-2128.	3.6	25
103	High-performance hybrid supercapacitors based on self-supported 3D ultrathin porous quaternary Zn-Ni-Al-Co oxide nanosheets. <i>Nano Energy</i> , 2016, 28, 475-485.	8.2	173
104	Impacts of vinyl ethylene carbonate and vinylene carbonate on lithium manganese oxide spinel cathode at elevated temperature. <i>Journal of Alloys and Compounds</i> , 2015, 632, 435-444.	2.8	12
105	Facile general strategy toward hierarchical mesoporous transition metal oxides arrays on three-dimensional macroporous foam with superior lithium storage properties. <i>Nano Energy</i> , 2015, 13, 77-91.	8.2	164
106	Smart construction of three-dimensional hierarchical tubular transition metal oxide core/shell heterostructures with high-capacity and long-cycle-life lithium storage. <i>Nano Energy</i> , 2015, 12, 437-446.	8.2	220
107	Synthesis of Ni <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> (OH) <sub>2</sub> precursor and electrochemical performance of LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> cathode material for lithium batteries. <i>Transactions of Nonferrous Metals Society of China</i> , 2015, 25, 2253-2259.	1.7	22
108	Synthesis and performance of xLiVPO <sub>4</sub> F-yLi <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> composites as cathode materials for lithium ion batteries. <i>Ceramics International</i> , 2015, 41, 13891-13895.	2.3	6

#	ARTICLE	IF	CITATIONS
109	Effects of 1-propylphosphonic acid cyclic anhydride as an electrolyte additive on the high voltage cycling performance of graphite/LiNi <sub>0.5</sub> Co <sub>0.2</sub> Mn <sub>0.3</sub> O <sub>2</sub> battery. <i>Electrochimica Acta</i> , 2015, 166, 190-196.	2.6	34
110	One-step facile synthesis of graphene-decorated LiVPO <sub>4</sub> F/C nanocomposite as cathode for high-performance lithium ion battery. <i>Ceramics International</i> , 2015, 41, 9188-9192.	2.3	19
111	A new route for graphene wrapping LiVPO <sub>4</sub> F/C nano composite toward superior lithium storage property. <i>Journal of Alloys and Compounds</i> , 2015, 639, 496-503.	2.8	26
112	Electrochemical analysis for cycle performance and capacity fading of lithium manganese oxide spinel cathode at elevated temperature using p-toluenesulfonyl isocyanate as electrolyte additive. <i>Electrochimica Acta</i> , 2015, 180, 815-823.	2.6	32
113	Porous carbonized graphene-embedded fungus film as an interlayer for superior Li-ion batteries. <i>Nano Energy</i> , 2015, 17, 224-232.	8.2	130
114	Mg doping and zirconium oxyfluoride coating co-modification to enhance the high-voltage performance of LiCoO <sub>2</sub> for lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2015, 621, 212-219.	2.8	43
115	Mechanical activation assisted soft chemical synthesis of Na-doped lithium vanadium fluorophosphates with improved lithium storage properties. <i>Ceramics International</i> , 2015, 41, 4267-4271.	2.3	29
116	Systematic investigation on determining chemical diffusion coefficients of lithium ion in Li <sub>1-x</sub> VPO <sub>4</sub> F (0 ≤ x ≤ 2). <i>Journal of Solid State Electrochemistry</i> , 2015, 19, 153-160.	1.2	26
117	Sustainable synthesis of Penicillium-derived highly conductive carbon film as superior binder-free electrode of lithium ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2014, 18, 3209-3214.	1.2	11
118	Enhanced high-voltage electrochemical performance of LiCoO <sub>2</sub> coated with ZrO <sub>x</sub> F <sub>y</sub> . <i>Materials Letters</i> , 2014, 123, 93-96.	1.3	9
119	Three-dimensional hierarchical Co <sub>3</sub> O <sub>4</sub> /CuO nanowire heterostructure arrays on nickel foam for high-performance lithium ion batteries. <i>Nano Energy</i> , 2014, 6, 19-26.	8.2	230
120	One-step facile synthesis of porous Co <sub>3</sub> O <sub>4</sub> microspheres as anode materials for lithium-ion batteries. <i>Materials Letters</i> , 2014, 120, 73-75.	1.3	25
121	Improved lithium ion battery performance by mesoporous Co <sub>3</sub> O <sub>4</sub> nanosheets grown on self-standing NiSi <sub>x</sub> nanowires on nickel foam. <i>Journal of Materials Chemistry A</i> , 2014, 2, 8483.	5.2	48
122	Enhanced electrochemical performance in LiNi <sub>0.8</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> cathode material: Resulting from Mn-surface-modification using a facile oxidizing coating method. <i>Materials Letters</i> , 2014, 115, 49-52.	1.3	26
123	Sputtering graphite coating to improve the elevated-temperature cycling ability of the LiMn <sub>2</sub> O <sub>4</sub> electrode. <i>Physical Chemistry Chemical Physics</i> , 2014, 16, 16021-16029.	1.3	45
124	Compatibility of Graphite with 1,3-(1,1,2,2-Tetrafluoroethoxy)propane and Fluoroethylene Carbonate as Cosolvents for Nonaqueous Electrolyte in Lithium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2014, 118, 6586-6593.	1.5	19
125	Facile large-scale synthesis of vertically aligned CuO nanowires on nickel foam: growth mechanism and remarkable electrochemical performance. <i>Journal of Materials Chemistry A</i> , 2014, 2, 3865.	5.2	104
126	Mesoporous ZnCo <sub>2</sub> O <sub>4</sub> microspheres composed of ultrathin nanosheets cross-linked with metallic NiSi <sub>x</sub> nanowires on Ni foam as anodes for lithium ion batteries. <i>Nano Energy</i> , 2014, 10, 245-258.	8.2	76



#	ARTICLE	IF	CITATIONS
127	Preparation of a macroscopic, robust carbon-fiber monolith from filamentous fungi and its application in Li-ion batteries. <i>Green Chemistry</i> , 2014, 16, 3926.	4.6	115
128	Structure and electrochemical performance of LiCoO <sub>2</sub> cathode material in different voltage ranges. <i>Ionics</i> , 2014, 20, 1525-1534.	1.2	32
129	A novel carbamide-assistant hydrothermal process for coating Al <sub>2</sub> O <sub>3</sub> onto LiMn <sub>1.5</sub> Ni <sub>0.5</sub> O <sub>4</sub> particles used for cathode material of lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2014, 583, 313-319.	2.8	61
130	A comprehensive study on electrochemical performance of Mn-surface-modified LiNi <sub>0.8</sub> Co <sub>0.15</sub> Al <sub>0.05</sub> O <sub>2</sub> synthesized by an in situ oxidizing-coating method. <i>Journal of Power Sources</i> , 2014, 252, 200-207.	4.0	125
131	Nanosized LiVPO <sub>4</sub> F/graphene composite: A promising anode material for lithium ion batteries. <i>Journal of Power Sources</i> , 2014, 251, 325-330.	4.0	70
132	Growth of Hierarchical 3D Mesoporous NiSi <sub>2</sub> /NiCo <sub>2</sub> O <sub>4</sub> Core/Shell Heterostructures on Nickel Foam for Lithium-ion Batteries. <i>ChemSusChem</i> , 2014, 7, 2325-2334.	3.6	58
133	Structural and electrochemical performance of Na-doped Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C cathode materials for lithium-ion batteries via rheological phase reaction. <i>Journal of Alloys and Compounds</i> , 2013, 575, 268-272.	2.8	36
134	Synthesis and performance of LiVPO <sub>4</sub> F/C-based cathode material for lithium ion battery. <i>Transactions of Nonferrous Metals Society of China</i> , 2013, 23, 1718-1722.	1.7	17
135	Washing effects on electrochemical performance and storage characteristics of LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> as cathode material for lithium-ion batteries. <i>Journal of Power Sources</i> , 2013, 222, 318-325.	4.0	317
136	A simple method of preparing graphene-coated Li[Li <sub>0.2</sub> Mn <sub>0.54</sub> Ni <sub>0.13</sub> Co <sub>0.13</sub> ]O <sub>2</sub> for lithium-ion batteries. <i>Materials Letters</i> , 2013, 91, 261-264.	1.3	43
137	Comparative investigations of LiVPO <sub>4</sub> F/C and Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> /C synthesized in similar soft chemical route. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1-8.	1.2	34
138	A graphite functional layer covering the surface of LiMn <sub>2</sub> O <sub>4</sub> electrode to improve its electrochemical performance. <i>Electrochemistry Communications</i> , 2013, 36, 6-9.	2.3	40
139	Effect of fluorine on the electrochemical performance of spherical LiNi <sub>0.8</sub> Co <sub>0.1</sub> Mn <sub>0.1</sub> O <sub>2</sub> cathode materials via a low temperature method. <i>Powder Technology</i> , 2013, 237, 623-626.	2.1	49
140	The enhanced electrochemical performance of LiNi <sub>0.6</sub> Co <sub>0.2</sub> Mn <sub>0.2</sub> O <sub>2</sub> cathode materials by low temperature fluorine substitution. <i>Electrochimica Acta</i> , 2013, 95, 112-118.	2.6	121
141	Synthesis and electrochemical performance of xLi <sub>2</sub> MnO <sub>3</sub> ·(1-x)LiMn <sub>0.5</sub> Ni <sub>0.4</sub> Co <sub>0.1</sub> O <sub>2</sub> for lithium ion battery. <i>Powder Technology</i> , 2013, 235, 158-162.	2.1	14
142	Comprehensive reinvestigation on the initial coulombic efficiency and capacity fading mechanism of LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> at low rate and elevated temperature. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1029-1038.	1.2	8
143	xLi <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> ·LiVPO <sub>4</sub> F/C composite cathode materials for lithium ion batteries. <i>Electrochimica Acta</i> , 2013, 87, 224-229.	2.6	74
144	Enhancement of electrochemical performance of Al-doped LiVPO <sub>4</sub> F using AlF <sub>3</sub> as aluminum source. <i>Journal of Alloys and Compounds</i> , 2013, 581, 836-842.	2.8	38

#	ARTICLE	IF	CITATIONS
145	Synthesis and characterization of LiVPO <sub>4</sub> F/C using precursor obtained through a soft chemical route with mechanical activation assist. <i>Electrochimica Acta</i> , 2013, 91, 75-81.	2.6	49
146	Novel polymer electrolyte based on PVDF/HDPE blending for lithium-ion battery. <i>Materials Letters</i> , 2013, 99, 164-167.	1.3	19
147	A facile synthesis of graphite/silicon/graphene spherical composite anode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2013, 104, 117-123.	2.6	138
148	Fe <sub>2</sub> O <sub>3</sub> particles enwrapped by graphene with excellent cyclability and rate capability as anode materials for lithium ion batteries. <i>Applied Surface Science</i> , 2013, 266, 148-154.	3.1	78
149	Carbonization and graphitization of pitch applied for anode materials of high power lithium ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 1401-1408.	1.2	52
150	Physicochemical properties of a novel composite polymer electrolyte doped with vinyltrimethoxysilane-modified nano-La <sub>2</sub> O <sub>3</sub> . <i>Journal of Rare Earths</i> , 2012, 30, 1034-1040.	2.5	9
151	Extraction of lithium from lepidolite using chlorination roasting water leaching process. <i>Transactions of Nonferrous Metals Society of China</i> , 2012, 22, 1753-1759.	1.7	106
152	Extraction of valuable metals from lepidolite. <i>Hydrometallurgy</i> , 2012, 117-118, 116-118.	1.8	79
153	Extraction of lithium from lepidolite by sulfation roasting and water leaching. <i>International Journal of Mineral Processing</i> , 2012, 110-111, 1-5.	2.6	99