Rafael Leandro Figueiredo Vasconcellos

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1148504/publications.pdf

Version: 2024-02-01

687363 713466 21 848 13 21 citations h-index g-index papers 21 21 21 1353 docs citations citing authors all docs times ranked

#	Article	IF	Citations
1	Impact of Inoculation with Pseudomonas aestus CMAA 1215T on the Non-target Resident Bacterial Community in a Saline Rhizosphere Soil. Current Microbiology, 2021, 78, 218-228.	2.2	6
2	Draft Genome Sequence of Plant Growth-Promoting Drought-Tolerant <i>Bacillus</i> sp. Strain CMAA 1363 Isolated from the Brazilian Caatinga Biome. Genome Announcements, 2017, 5, .	0.8	4
3	Ants as indicators of soil quality in an on-going recovery of riparian forests. Forest Ecology and Management, 2017, 404, 338-343.	3.2	14
4	Pseudomonas aestus sp. nov., a plant growth-promoting bacterium isolated from mangrove sediments. Archives of Microbiology, 2017, 199, 1223-1229.	2.2	5
5	Arbuscular Mycorrhizal Fungi and Glomalinâ€Related Soil Protein as Potential Indicators of Soil Quality in a Recuperation Gradient of the Atlantic Forest in Brazil. Land Degradation and Development, 2016, 27, 325-334.	3.9	68
6	Streptomyces atlanticus sp. nov., a novel actinomycete isolated from marine sponge Aplysina fulva (Pallas, 1766). Antonie Van Leeuwenhoek, 2016, 109, 1467-1474.	1.7	17
7	Dark septate endophytic fungi of native plants along an altitudinal gradient in the Brazilian Atlantic forest. Fungal Ecology, 2016, 20, 202-210.	1.6	43
8	Diversity of Arbuscular Mycorrhizal Fungi in a Brazilian Atlantic Forest Toposequence. Microbial Ecology, 2016, 71, 164-177.	2.8	67
9	Draft Genome Sequence of <i>Bacillus</i> sp. Strain CMAA 1185, a Cellullolytic Bacterium Isolated from Stain House Lake, Antarctic Peninsula. Genome Announcements, 2015, 3, .	0.8	2
10	Indole-3-acetic acid producing root-associated bacteria on growth of Brazil Pine (Araucaria) Tj ETQq0 0 0 rgBT /C)verlock 10	O Tf 50 382 To
11	Bacterial community characterization in the soils of native and restored rainforest fragments. Antonie Van Leeuwenhoek, 2014, 106, 947-957.	1.7	2
12	Microbiological indicators of soil quality in a riparian forest recovery gradient. Ecological Engineering, 2013, 53, 313-320.	3.6	32
13	Soil macrofauna as an indicator of soil quality in an undisturbed riparian forest and recovering sites of different ages. European Journal of Soil Biology, 2013, 58, 105-112.	3.2	57
14	Arbuscular mycorrhizal fungi in the Brazilian Atlantic forest: A gradient of environmental restoration. Applied Soil Ecology, 2013, 71, 7-14.	4.3	42
15	Draft Genome Sequence of <i>Pseudomonas</i> sp. Strain CMAA 1215, a Plant Growth-Promoting Bacterium Isolated from a Brazilian Mangrove. Genome Announcements, 2013, 1, .	0.8	5
16	Soil health: looking for suitable indicators. What should be considered to assess the effects of use and management on soil health?. Scientia Agricola, 2013, 70, 274-289.	1.2	322
17	Nitrogênio, carbono e compactação do solo como fatores limitantes do processo de recuperação de matas ciliares. Revista Brasileira De Ciencia Do Solo, 2013, 37, 1164-1173.	1.3	4
18	Microbial biomass and activity in litter during the initial development of pure and mixed plantations of Eucalyptus grandis and Acacia mangium. Revista Brasileira De Ciencia Do Solo, 2013, 37, 76-85.	1.3	23

#	Article	lF	CITATIONS
19	Evaluating the Potential of Forest Species Under "Microbial Management―for the Restoration of Degraded Mining Areas. Water, Air, and Soil Pollution, 2010, 208, 79-89.	2.4	29
20	Isolation and screening for plant growth-promoting (PGP) actinobacteria from Araucaria angustifolia rhizosphere soil. Scientia Agricola, 2010, 67, 743-746.	1.2	25
21	Rhizospheric streptomycetes as potential biocontrol agents of Fusarium and Armillaria pine rot and as PGPR for Pinus taeda. BioControl, 2009, 54, 807-816.	2.0	66