

Frank Davis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11486182/frank-davis-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

3,190
citations

32
h-index

55
g-index

82
ext. papers

3,458
ext. citations

6.1
avg, IF

5.36
L-index

#	Paper	IF	Citations
81	Electrochemical Aptasensor for Detection of Dopamine. <i>Chemosensors</i> , 2020 , 8, 28	4	7
80	Calixarene-Based Gas Sensors. <i>Materials Horizons</i> , 2020 , 433-462	0.6	
79	Electrical properties of alternating acid and amino substituted calixarene Langmuir-Blodgett thin films. <i>Journal of Physics and Chemistry of Solids</i> , 2020 , 136, 109146	3.9	3
78	A facile optosensing protocol based on molecularly imprinted polymer coated on CdTe quantum dots for highly sensitive and selective amoxicillin detection. <i>Sensors and Actuators B: Chemical</i> , 2018 , 254, 255-263	8.5	80
77	A nanocomposite optosensor containing carboxylic functionalized multiwall carbon nanotubes and quantum dots incorporated into a molecularly imprinted polymer for highly selective and sensitive detection of ciprofloxacin. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 201, 382-391	4.4	39
76	Microband Sensor for As(III) Analysis: Reduced Matrix Interference. <i>Electroanalysis</i> , 2017 , 29, 2332-2339	3	2
75	General Introduction to Biosensors and Recognition Receptors 2017 , 1-15		
74	A hybrid molecularly imprinted polymer coated quantum dot nanocomposite optosensor for highly sensitive and selective determination of salbutamol in animal feeds and meat samples. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 4697-4707	4.4	17
73	Novel flexible enzyme laminate-based sensor for analysis of lactate in sweat. <i>Sensors and Actuators B: Chemical</i> , 2017 , 242, 502-510	8.5	46
72	Smart Nanomaterials 2017 , 219-276		1
71	Applications of Quantum Dots in Biosensors and Diagnostics 2017 , 183-199		5
70	Volatile Organic Compounds Sensing Using Optical Fibre Long Period Grating with Mesoporous Nano-Scale Coating. <i>Sensors</i> , 2017 , 17,	3.8	16
69	Characterisation of thin films of graphene-surfactant composites produced through a novel semi-automated method. <i>Beilstein Journal of Nanotechnology</i> , 2016 , 7, 209-19	3	8
68	Enhancement of electrode performance by a simple casting method using sonochemically exfoliated graphene. <i>Analytical Chemistry</i> , 2015 , 87, 9273-9	7.8	11
67	LangmuirBlodgett thin film for chloroform detection. <i>Applied Surface Science</i> , 2015 , 350, 129-134	6.7	17
66	A chemical sensor based on a photonic-crystal L3 nanocavity defined in a silicon-nitride membrane. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 8700-8706	7.1	7
65	Long period grating based toluene sensor for use with water contamination. <i>Sensors and Actuators B: Chemical</i> , 2014 , 203, 621-625	8.5	32

64	Electrical characterisation of stearic acid/calix[4]amine Langmuir-Blodgett thin film. <i>Materials Chemistry and Physics</i> , 2014 , 143, 1258-1264	4.4	1
63	Arrays of microelectrodes: technologies for environmental investigations. <i>Environmental Sciences: Processes and Impacts</i> , 2013 , 15, 1477-89	4.3	14
62	Label-free impedimetric immunosensors for psoriasis--increased reproducibility and sensitivity using an automated dispensing system. <i>Biosensors and Bioelectronics</i> , 2013 , 44, 198-203	11.8	10
61	Disposable screen-printed sensors for the electrochemical detection of TNT and DNT. <i>Analyst, The</i> , 2013 , 138, 346-52	5	44
60	Detection and imaging the expression of the trans-membrane protein CD44 in RT112 cells by use of enzyme-labeled antibodies and SECM. <i>Biosensors and Bioelectronics</i> , 2013 , 41, 282-8	11.8	15
59	Template and catalytic effects of DNA in the construction of polypyrrole/DNA composite macro and microelectrodes. <i>Biosensors and Bioelectronics</i> , 2013 , 41, 294-301	11.8	11
58	Electrochemical Detection of TNT at Cobalt Phthalocyanine Mediated Screen-Printed Electrodes and Application to Detection of Airborne Vapours. <i>Electroanalysis</i> , 2013 , 25, 2445-2452	3	11
57	Label-Free Impedimetric Immunosensor for Nerve Growth Factor Protein Constructed Using an Automated Dispensing System. <i>Electroanalysis</i> , 2013 , 25, 1675-1682	3	
56	Recent trends in antibody based sensors. <i>Biosensors and Bioelectronics</i> , 2012 , 34, 12-24	11.8	205
55	Current trends in explosive detection techniques. <i>Talanta</i> , 2012 , 88, 14-29	6.2	355
54	Monolayer behavior of calix-4-resorcinarenes and their surfactant complexes. <i>Thin Solid Films</i> , 2012 , 520, 6989-6993	2.2	1
53	Layer-by-layer immobilization of carbon dots fluorescent nanomaterials on single optical fiber. <i>Analytica Chimica Acta</i> , 2012 , 735, 90-5	6.6	42
52	A new application of scanning electrochemical microscopy for the label-free interrogation of antibody-antigen interactions: Part 2. <i>Analytica Chimica Acta</i> , 2012 , 741, 1-8	6.6	12
51	A Membrane-Based ELISA Assay for the Herbicide Isoproturon in Soil Samples. <i>Analytical Letters</i> , 2012 , 45, 99-109	2.2	2
50	Lactate in human sweat: a critical review of research to the present day. <i>Journal of Physiological Sciences</i> , 2012 , 62, 429-40	2.3	120
49	Calixarenes 2011 , 77-125		
48	Conjugated Polymers with Pendant Iniferter Units: Versatile Materials for Grafting. <i>Macromolecules</i> , 2011 , 44, 1856-1865	5.5	20
47	2011 ,		84

46	A membrane-based immunosensor for the analysis of the herbicide isoproturon. <i>Analytica Chimica Acta</i> , 2011 , 699, 223-31	6.6	28
45	Electrochemical Detection of Uric Acid in Mixed and Clinical Samples: A Review. <i>Electroanalysis</i> , 2011 , 23, 305-320	3	132
44	Construction and interrogation of enzyme microarrays using scanning electrochemical microscopy - optimisation of adsorption and determination of enzymatic activity. <i>Analyst, The</i> , 2011 , 136, 5287-93	5	8
43	A new application of scanning electrochemical microscopy for the label-free interrogation of antibody-antigen interactions. <i>Analytica Chimica Acta</i> , 2011 , 689, 206-11	6.6	15
42	Sonochemically fabricated microelectrode arrays for use as sensing platforms. <i>Sensors</i> , 2010 , 10, 5090-1328	3.2	6
41	Label-free immunochemistry approach to detect and identify antibiotics in milk. <i>Pediatric Research</i> , 2010 , 67, 476-80	3.2	18
40	Labelless Immunosensor Assay for the Stroke Marker Protein S-100 β Based Upon an AC Impedance Protocol. <i>Analytical Letters</i> , 2010 , 43, 2160-2170	2.2	4
39	Sol-gel based sensor for selective formaldehyde determination. <i>Analytica Chimica Acta</i> , 2010 , 659, 251-76.6	3.2	89
38	Labelless AC impedimetric antibody-based sensors with pgml(-1) sensitivities for point-of-care biomedical applications. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 1090-5	11.8	44
37	Hybridization of genomic DNA adsorbed electrostatically onto cationic surfaces. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 7897-902	3.4	10
36	Glucose Biosensors Recent Advances in the Field of Diabetes Management 2009 , 243-292	3.2	1
35	Scanning electrochemical microscopy of genomic DNA microarrays--study of adsorption and subsequent interactions. <i>Analyst, The</i> , 2009 , 134, 1302-8	5	15
34	Chimeric polymers formed from a monomer capable of free radical, oxidative and electrochemical polymerisation. <i>Chemical Communications</i> , 2009 , 2759-61	5.8	22
33	Calix[4]resorcinarene-surfactant complexes: formulation, structure and potential sensor applications. <i>Soft Matter</i> , 2009 , 5, 2746	3.6	15
32	Detection of fluoroquinolone antibiotics in milk via a labelless immunoassay based upon an alternating current impedance protocol. <i>Analytical Chemistry</i> , 2008 , 80, 9233-9	7.8	36
31	Label-less immunosensor assay for myelin basic protein based upon an ac impedance protocol. <i>Analytical Chemistry</i> , 2008 , 80, 2058-62	7.8	51
30	Labelless immunosensor assay for the stroke marker protein neuron specific enolase based upon an alternating current impedance protocol. <i>Analytical Chemistry</i> , 2008 , 80, 9411-6	7.8	58
29	Labelless immunosensor assay for prostate specific antigen with picogram per milliliter limits of detection based upon an ac impedance protocol. <i>Analytical Chemistry</i> , 2008 , 80, 6198-205	7.8	60

28	Single gene differentiation by DNA-modified carbon electrodes using an AC impedimetric approach. <i>Analytical Chemistry</i> , 2007 , 79, 1153-7	7.8	40
27	Biofuel cells--recent advances and applications. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 1224-35	11.8	445
26	The study of genomic DNA adsorption and subsequent interactions using total internal reflection ellipsometry. <i>Biosensors and Bioelectronics</i> , 2007 , 23, 377-83	11.8	31
25	Calix[4]arene based molecules for amino-acid detection. <i>Sensors and Actuators B: Chemical</i> , 2007 , 124, 38-45	8.5	56
24	Chapter 15 Ultra-sensitive determination of pesticides via cholinesterase-based sensors for environmental analysis. <i>Comprehensive Analytical Chemistry</i> , 2007 , 49, 311-330	1.9	4
23	Procedure 24 Construction of an enzyme-containing microelectrode array and use for detection of low levels of pesticides. <i>Comprehensive Analytical Chemistry</i> , 2007 , e169-e176	1.9	1
22	Species differentiation by DNA-modified carbon electrodes using an ac impedimetric approach. <i>Biosensors and Bioelectronics</i> , 2005 , 20, 1531-8	11.8	46
21	Structured thin films as functional components within biosensors. <i>Biosensors and Bioelectronics</i> , 2005 , 21, 1-20	11.8	155
20	Sonochemically fabricated microelectrode arrays for biosensors. Part III. AC impedimetric study of aerobic and anaerobic response of alcohol oxidase within polyaniline. <i>Biosensors and Bioelectronics</i> , 2005 , 21, 666-71	11.8	13
19	Label-free and reversible immunosensor based upon an ac impedance interrogation protocol. <i>Analytica Chimica Acta</i> , 2005 , 537, 163-168	6.6	53
18	Sonochemically fabricated microelectrode arrays for biosensors offering widespread applicability: Part I. <i>Biosensors and Bioelectronics</i> , 2004 , 20, 328-37	11.8	62
17	Changing surface hydro- and oleophobicity with resorcinarene multilayers-a simple water/oil proofing process. <i>Langmuir</i> , 2004 , 20, 9075-9	4	6
16	Labelless and reversible immunosensor assay based upon an electrochemical current-transient protocol. <i>Analytica Chimica Acta</i> , 2003 , 495, 21-32	6.6	43
15	The electrochemistry of the ferri/ferrocyanide couple at a calix[4]resorcinarenetetrathiol-modified gold electrode as a study of novel electrode modifying coatings for use within electro-analytical sensors. <i>Journal of Electroanalytical Chemistry</i> , 2003 , 549, 119-127	4.1	28
14	Order and Structure in LangmuirBlodgett Mono- and Multilayers of Resorcarenes. <i>Langmuir</i> , 1998 , 14, 4180-4185	4	25
13	Cadmium Sulfide Nanoparticles in LangmuirBlodgett Films of Calixarenes. <i>Langmuir</i> , 1997 , 13, 3198-3204	4	54
12	Structures and binding of LB films of calix-8-arenes. <i>Supramolecular Science</i> , 1997 , 4, 201-206		5
11	Calix-4-resorcinarene Monolayers and Multilayers: Formation, Structure, and Differential Adsorption1. <i>Langmuir</i> , 1996 , 12, 5365-5374	4	47

10	Selective Ion Binding by Langmuir-Blodgett Films of Calix(8)arenes. <i>Langmuir</i> , 1996 , 12, 1892-1894	4	32
9	Examples of amphitropic polymers: monolayer film, Langmuir-Blodgett film and liquid-crystalline properties of some polymeric amphiphiles containing cholesterol moieties and those of some closely related non-polymeric amphiphiles. <i>Journal of Materials Chemistry</i> , 1996 , 6, 15-22		8
8	Spontaneous multilayering of calix-4-resorcinarenes. <i>Journal of the American Chemical Society</i> , 1995 , 117, 10385-10386	16.4	34
7	Pyroelectric Molecular Baskets: Temperature-Dependent Polarization from Substituted Calix(8)arene Langmuir-Blodgett Films. <i>Langmuir</i> , 1995 , 11, 4623-4625	4	33
6	An n.m.r. study of a polymeric Langmuir-Blodgett multilayer film. <i>Polymer</i> , 1994 , 35, 885-887	3.9	1
5	Selective adsorption in gold-thiol monolayers of calix-4-resorcinarenes. <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 2527-2529		56
4	Stereoselective adsorption on a gold-thiol monolayer with an enantiopure surface. <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 1199-1200		4
3	Langmuir and Langmuir-Blodgett Films of Poly(vinylpyridine)s Quaternized with Long-Chain Alkyl Halides. <i>Macromolecules</i> , 1994 , 27, 1957-1963	5.5	20
2	Langmuir and Langmuir-Blodgett films of derivatives of alternating copolymers of straight-chain olefins and maleic anhydride. <i>Macromolecules</i> , 1991 , 24, 5695-5703	5.5	38
1	Advances and applications in biofuel cells	202-214	