
## Ya-Nan Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1149467/publications.pdf Version: 2024-02-01



YA-NAN WANC

#	Article	IF	CITATIONS
1	A Systemic Inflammation Response Index (SIRI)-Based Nomogram for Predicting the Recurrence of Early Stage Hepatocellular Carcinoma After Radiofrequency Ablation. CardioVascular and Interventional Radiology, 2022, 45, 43-53.	2.0	11
2	13,13a-seco-protoberberines from the tubers of Corydalis yanhusuo and their anti-inflammatory activity. Phytochemistry, 2022, 194, 113023.	2.9	9
3	Polyhydroxylated bergamotane-type sesquiterpenoids from cultures of Paraconiothyrium sporulosum YK-03 and their absolute configurations. Phytochemistry, 2022, 194, 113000.	2.9	8
4	<i>Seco</i> and Nor- <i>seco</i> Isodhilarane-Type Meroterpenoids from <i>Penicillium purpurogenum</i> and the Configuration Revisions of Related Compounds. Journal of Natural Products, 2022, 85, 248-255.	3.0	8
5	From metabolomic analysis to quality assessment and biosynthetic insight in traditional Chinese medicine: Mulberry tree as a case study. Phytochemical Analysis, 2022, 33, 644-653.	2.4	4
6	Bioactive neolignans and lignans from the roots of Paeonia lactiflora. Chinese Journal of Natural Medicines, 2022, 20, 210-214.	1.3	2
7	Xenoacremones D–H, Bioactive Tyrosine-decahydrofluorene Analogues from the Plant-Derived Fungus Xenoacremonium sinensis. Marine Drugs, 2022, 20, 375.	4.6	3
8	Chlorahupetenes A–D, Four Eudesmane-Type Sesquiterpenoid Dimer Enantiomers with Two Unusual Carbon Skeletons from <i>Chloranthus henryi</i> Var. <i>hupehensis</i> . Journal of Organic Chemistry, 2022, 87, 8623-8632.	3.2	9
9	Three-dimensional bioprinted hepatorganoids prolong survival of mice with liver failure. Gut, 2021, 70, 567-574.	12.1	108
10	Late recurrence of hepatocellular carcinoma after radiofrequency ablation: a multicenter study of risk factors, patterns, and survival. European Radiology, 2021, 31, 3053-3064.	4.5	32
11	Insight into Medicinal Chemistry Behind Traditional Chinese Medicines: p-Hydroxybenzyl Alcohol-Derived Dimers and Trimers from Gastrodia elata. Natural Products and Bioprospecting, 2021, 11, 31-50.	4.3	5
12	Xanthanoltrimer A–C: three xanthanolide sesquiterpene trimers from the fruits of <i>Xanthium italicum</i> Moretti isolated by HPLC-MS-SPE-NMR. Organic Chemistry Frontiers, 2021, 8, 1288-1293.	4.5	17
13	Nine sesquiterpenoid dimers with four unprecedented types of carbon skeleton from <i>Chloranthus henryi</i> var. <i>hupehensis</i> . Organic Chemistry Frontiers, 2021, 8, 4374-4386.	4.5	24
14	Early recurrence after radiofrequency ablation for hepatocellular carcinoma: aÂmulticenter retrospective study on definition, patterns and risk factors. International Journal of Hyperthermia, 2021, 38, 437-446.	2.5	11
15	Pilomatrixoma misdiagnosed as dermatofibrosarcoma protuberans. Chinese Medical Journal, 2021, 134, 2011-2012.	2.3	1
16	Prognostic significance of systemic immune-inflammation index- based nomogram for early stage hepatocellular carcinoma after radiofrequency ablation. Journal of Gastrointestinal Oncology, 2021, 12, 735-750.	1.4	9
17	Nomogram Based on Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio to Predict Recurrence in Patients with Hepatocellular Carcinoma after Radiofrequency Ablation. CardioVascular and Interventional Radiology, 2021, 44, 1551-1560.	2.0	13
18	Predictors and patterns of recurrence after radiofrequency ablation for hepatocellular carcinoma within up-to-seven criteria: A multicenter retrospective study. European Journal of Radiology, 2021, 138, 109623.	2.6	16

YA-NAN WANG

#	Article	IF	CITATIONS
19	Paeonone A, a novel nonanortriterpenoid from the roots of Paeonia lactiflora. Bioorganic Chemistry, 2021, 110, 104783.	4.1	2
20	A multicenter, hospital-based and non-inferiority study for diagnostic efficacy of automated whole breast ultrasound for breast cancerÂin China. Scientific Reports, 2021, 11, 13902.	3.3	3
21	Bioactive sesquineolignans from the twigs of Litsea cubeba. Chinese Journal of Natural Medicines, 2021, 19, 796-800.	1.3	3
22	Secoyanhusamine A, an Oxidatively Ring-Opened Isoquinoline Inner Salt From Corydalis yanhusuo. Frontiers in Chemistry, 2021, 9, 831173.	3.6	2
23	Prediction of late recurrence after radiofrequency ablation of HBV-related hepatocellular carcinoma with the age-male-albumin-bilirubin-platelets (aMAP) risk score: a multicenter study. Journal of Gastrointestinal Oncology, 2021, 12, 2930-2942.	1.4	6
24	Three new polyketides from the endophytic fungus <i>Penicillium purpurogenum</i> . Journal of Asian Natural Products Research, 2020, 22, 233-240.	1.4	8
25	Prognostic significance of controlling nutritional status score- based nomogram for hepatocellular carcinoma within Milan criteria after radiofrequency ablation. Journal of Gastrointestinal Oncology, 2020, 11, 1024-1039.	1.4	10
26	Safety and efficacy of ultrasound-guided percutaneous coaxial core biopsy of pancreatic lesions: a retrospective study. Journal of Ultrasound, 2020, 24, 269-277.	1.3	6
27	Trichodestruxins A–D: Cytotoxic Cyclodepsipeptides from the Endophytic Fungus <i>Trichoderma harzianum</i> . Journal of Natural Products, 2020, 83, 3635-3641.	3.0	21
28	Clinical application of interventional embolization in tumor-associated hemorrhage. Annals of Translational Medicine, 2020, 8, 394-394.	1.7	7
29	Application of a 3D Bioprinted Hepatocellular Carcinoma Cell Model in Antitumor Drug Research. Frontiers in Oncology, 2020, 10, 878.	2.8	52
30	Improving the Oral Bioavailability of an Anti-Glioma Prodrug CAT3 Using Novel Solid Lipid Nanoparticles Containing Oleic Acid-CAT3 Conjugates. Pharmaceutics, 2020, 12, 126.	4.5	19
31	Three new polyoxygenated bergamotanes from the endophytic fungus Penicillium purpurogenum IMM 003 and their inhibitory activity against pancreatic lipase. Chinese Journal of Natural Medicines, 2020, 18, 75-80.	1.3	15
32	Using the Controlling Nutritional Status (CONUT) Score for Evaluating Patients with Early-Stage Hepatocellular Carcinoma After Radiofrequency Ablation: A Two-Center Retrospective Study. CardioVascular and Interventional Radiology, 2020, 43, 1294-1304.	2.0	10
33	Characterization, crystal structure and cytotoxic activity of a rare iridoid glycoside from <i>Lonicera saccata</i> . Acta Crystallographica Section C, Structural Chemistry, 2020, 76, 269-275.	0.5	3
34	Gastrodin Derivatives from Gastrodia elata. Natural Products and Bioprospecting, 2019, 9, 393-404.	4.3	13
35	Degradation Characteristics of a Novel PAF Receptor Antagonist, SY0916, in Aqueous Solution. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-8.	1.6	0
36	New glycosides from the twigs and leaves of Rhododendron latoucheae. Journal of Asian Natural Products Research, 2019, 21, 299-307.	1.4	3

YA-NAN WANG

#	Article	IF	CITATIONS
37	Anti-BP180 Autoantibodies Are Present in Stroke and Recognize Human Cutaneous BP180 and BP180-NC16A. Frontiers in Immunology, 2019, 10, 236.	4.8	10
38	Crystal structure of dimethyl 3,12-dibenzyl-6,10-diphenyl-3,12-diazapentacyclo [6.3.1.02.7.04.11.05.9]-dodecane-7,11-dicarboxylate — acetone (2/1), C40H38N2O2 ⋠0.5C3H6O. Zeitschrift Kristallographie - New Crystal Structures, 2019, 234, 1163-1166.	t Ður	2
39	Effects of probiotics and prebiotics on intestinal microbiota in mice with acute colitis based on 16S rRNA gene sequencing. Chinese Medical Journal, 2019, 132, 1833-1842.	2.3	50
40	Similarities and differences in clinical and pathologic features of inflammatory bowel disease-associated colorectal cancer in China and Canada. Chinese Medical Journal, 2019, 132, 2664-2669.	2.3	1
41	Phosphoglyceric acid mutase-1 contributes to oncogenic mTOR-mediated tumor growth and confers non-small cell lung cancer patients with poor prognosis. Cell Death and Differentiation, 2018, 25, 1160-1173.	11.2	51
42	Diphenyl Ethers from a Marine-Derived Aspergillus sydowii. Marine Drugs, 2018, 16, 451.	4.6	24
43	A new cytotoxic 12-membered macrolactone from the endophytic fungus <i>Exserohilum rostratum</i> LPC-001. Journal of Asian Natural Products Research, 2018, 20, 1093-1100.	1.4	10
44	Purification, characterization, crystal structure and NO production inhibitory activity of three new sesquiterpenoids from <i>homalomena occulta</i> . Acta Crystallographica Section C, Structural Chemistry, 2018, 74, 1440-1446.	0.5	5
45	Validated 1H and 13C Nuclear Magnetic Resonance Methods for the Quantitative Determination of Glycerol in Drug Injections. Molecules, 2018, 23, 1177.	3.8	10
46	Purpurolide A, 5/5/5 Spirocyclic Sesquiterpene Lactone in Nature from the Endophytic Fungus <i>Penicillium purpurogenum</i> . Organic Letters, 2018, 20, 7341-7344.	4.6	35
47	Isolation, identification and in silico toxicity predictions of two isomers from cefotiam hydrochloride. Journal of Pharmaceutical and Biomedical Analysis, 2018, 158, 425-430.	2.8	2
48	Transcriptome-Wide Identification of an Aurone Glycosyltransferase with Glycosidase Activity from Ornithogalum saundersiae. Genes, 2018, 9, 327.	2.4	5
49	Quantitative 1H-NMR Spectroscopy for Profiling Primary Metabolites in Mulberry Leaves. Molecules, 2018, 23, 554.	3.8	11
50	Chemical Constituents from the Flowers of Wild <i>Gardenia jasminoides</i> J. <scp>Ellis</scp> . Chemistry and Biodiversity, 2017, 14, e1600437.	2.1	13
51	Rhodoterpenoids A‒C, Three New Rearranged Triterpenoids from Rhododendron latoucheae by HPLC‒MS‒SPE‒NMR. Scientific Reports, 2017, 7, 7944.	3.3	9
52	Bioactive Benzofuran Derivatives from Cortex Mori Radicis, and Their Neuroprotective and Analgesic Activities Mediated by mGluR1. Molecules, 2017, 22, 236.	3.8	29
53	Up-regulation of brain-expressed X-linked 2 is critical for hepatitis B virus X protein-induced hepatocellular carcinoma development. Oncotarget, 2017, 8, 65789-65799.	1.8	4
54	Wild-type p53-induced Phosphatase 1 Deficiency Exacerbates Myocardial Infarction-induced Ischemic Injury. Chinese Medical Journal, 2017, 130, 1333-1341.	2.3	8

YA-NAN WANG

#	Article	IF	CITATIONS
55	Probing Steroidal Substrate Specificity of Cytochrome P450 BM3 Variants. Molecules, 2016, 21, 760.	3.8	10
56	20C, a bibenzyl compound isolated from Gastrodia elata, protects PC12 cells against rotenone-induced apoptosis via activation of the Nrf2/ARE/HO-1 signaling pathway. Acta Pharmacologica Sinica, 2016, 37, 731-740.	6.1	48
57	New sesquiterpenes from the rhizomes of homalomena occulta. Fìtoterapìâ, 2016, 109, 113-118.	2.2	11
58	A Newp-Terphenyl Derivative from the MushroomThelephora vialis. Helvetica Chimica Acta, 2015, 98, 1075-1078.	1.6	6
59	Ardipusilloside-I Metabolites from Human Intestinal Bacteria and Their Antitumor Activity. Molecules, 2015, 20, 20569-20581.	3.8	9
60	Golgi protein 73 activation of MMP-13 promotes hepatocellular carcinoma cell invasion. Oncotarget, 2015, 6, 33523-33533.	1.8	40
61	4-Hydroxybenzyl-substituted amino acid derivatives from Gastrodia elata. Acta Pharmaceutica Sinica B, 2015, 5, 350-357.	12.0	32
62	Structural elucidation of in vivo metabolites of isobavachalcone in rat by LC–ESI-MSn and LC–NMR. Journal of Pharmaceutical and Biomedical Analysis, 2015, 104, 38-46.	2.8	15
63	Two new norâ€seco isodhilaraneâ€type meroterpenoids from the endophytic fungus Penicillium purpurogenum. Chemistry and Biodiversity, 0, , .	2.1	1