

Angele Consoli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11495574/publications.pdf>

Version: 2024-02-01

54
papers

2,580
citations

218677

26
h-index

223800

46
g-index

57
all docs

57
docs citations

57
times ranked

1920
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508. | 27.8 | 929 |
| 2 | Missing the forest for the trees? A high rate of motor and language impairments in Disruptive Mood Dysregulation Disorder in a chart review of inpatient adolescents. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1579-1590. | 4.7 | 5 |
| 3 | Psychiatric autoimmune conditions in children and adolescents: Is catatonia a severity marker?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 104, 110028. | 4.8 | 11 |
| 4 | Relevance of Brain 18F-FDG PET Imaging in Probable Seronegative Encephalitis With Catatonia: A Case Report. <i>Frontiers in Psychiatry</i> , 2021, 12, 685711. | 2.6 | 3 |
| 5 | Education and mental health: good reasons to vaccinate children. <i>Lancet, The</i> , 2021, 398, 387. | 13.7 | 12 |
| 6 | Effective use of atomoxetine to treat six inpatient youths with disruptive mood dysregulation disorder without attention deficit disorder. <i>CNS Spectrums</i> , 2020, 25, 455-457. | 1.2 | 7 |
| 7 | High diagnostic value of plasma Niemann-Pick type C biomarkers in adults with selected neurological and/or psychiatric disorders. <i>Journal of Neurology</i> , 2020, 267, 3371-3377. | 3.6 | 8 |
| 8 | Effect of topiramate on eating behaviours in Prader-Willi syndrome: TOPRADER double-blind randomised placebo-controlled study. <i>Translational Psychiatry</i> , 2019, 9, 274. | 4.8 | 35 |
| 9 | Clinical Management of Children and Adolescents with Neurofibromatosis Type 1 Like Phenotypes and Complex Behavioural Manifestations: A Multidisciplinary and Dimensional Approach. <i>Case Reports in Psychiatry</i> , 2019, 2019, 1-12. | 0.5 | 0 |
| 10 | Suicidal behaviors and irritability in children and adolescents: a systematic review of the nature and mechanisms of the association. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 667-683. | 4.7 | 37 |
| 11 | Maternal depression symptoms and internalising problems in the offspring: the role of maternal and family factors. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 921-932. | 4.7 | 38 |
| 12 | An overview of medical risk factors for childhood psychosis: Implications for research and treatment. <i>Schizophrenia Research</i> , 2018, 192, 39-49. | 2.0 | 67 |
| 13 | A causality algorithm to guide diagnosis and treatment of catatonia due to autoimmune conditions in children and adolescents. <i>Schizophrenia Research</i> , 2018, 200, 68-76. | 2.0 | 19 |
| 14 | Catatonia in children and adolescents: New perspectives. <i>Schizophrenia Research</i> , 2018, 200, 56-67. | 2.0 | 56 |
| 15 | Hormonal Risk Factors for Osteoporosis: Different Profile Among Antipsychotics. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2018, 28, 719-726. | 1.3 | 7 |
| 16 | Catatonia in Children and Adolescents: A High Rate of Genetic Conditions. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2018, 57, 518-525.e1. | 0.5 | 22 |
| 17 | Disentangling Tourette syndrome heterogeneity through hierarchical ascendant clustering. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 942-950. | 2.1 | 14 |
| 18 | Catatonia and Autoimmune Conditions in Children and Adolescents: Should We Consider a Therapeutic Challenge?. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017, 27, 167-176. | 1.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Adverse Childhood Experiences Among Inpatient Youths with Severe and Early-Onset Psychiatric Disorders: Prevalence and Clinical Correlates. <i>Child Psychiatry and Human Development</i> , 2017, 48, 248-259. | 1.9 | 24 |
| 20 | Evidence-based treatments for youths with severely dysregulated mood: a qualitative systematic review of trials for SMD and DMDD. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 5-23. | 4.7 | 28 |
| 21 | Management of Severe Developmental Regression in an Autistic Child with a 1q21.3 Microdeletion and Self-Injurious Blindness. <i>Case Reports in Psychiatry</i> , 2017, 2017, 1-8. | 0.5 | 9 |
| 22 | Cornelia de Lange and Ehlers-Danlos: comorbidity of two rare syndromes. <i>BMJ Case Reports</i> , 2016, 2016, bcr2015210925. | 0.5 | 9 |
| 23 | Ecological Momentary Assessment and Smartphone Application Intervention in Adolescents with Substance Use and Comorbid Severe Psychiatric Disorders: Study Protocol. <i>Frontiers in Psychiatry</i> , 2016, 7, 157. | 2.6 | 30 |
| 24 | Validation of the Pediatric Catatonia Rating Scale (PCRS). <i>Schizophrenia Research</i> , 2016, 176, 378-386. | 2.0 | 42 |
| 25 | Bipolar Disorder Type 1 in a 17-Year-Old Girl with Wolfram Syndrome. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016, 26, 750-755. | 1.3 | 6 |
| 26 | Early interventions for youths at high risk for bipolar disorder: a developmental approach. <i>European Child and Adolescent Psychiatry</i> , 2016, 25, 217-233. | 4.7 | 28 |
| 27 | Do girls with depressive symptoms exhibit more physical aggression than boys? A cross sectional study in a national adolescent sample. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2015, 9, 41. | 2.5 | 14 |
| 28 | A Systematic Review of the Evidence for Impaired Cognitive Theory of Mind in Maltreated Children. <i>Frontiers in Psychiatry</i> , 2015, 6, 108. | 2.6 | 33 |
| 29 | Acute behavioral crises in psychiatric inpatients with autism spectrum disorder (ASD): Recognition of concomitant medical or non-ASD psychiatric conditions predicts enhanced improvement. <i>Research in Developmental Disabilities</i> , 2015, 38, 242-255. | 2.2 | 71 |
| 30 | Treatment use in a prospective naturalistic cohort of children and adolescents with catatonia. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 441-449. | 4.7 | 50 |
| 31 | Management of Adverse Effects of Second-generation Antipsychotics in Youth. <i>Current Treatment Options in Psychiatry</i> , 2014, 1, 84-105. | 1.9 | 12 |
| 32 | Diagnostic transition towards schizophrenia in adolescents with severe bipolar disorder type I: An 8-year follow-up study. <i>Schizophrenia Research</i> , 2014, 159, 284-291. | 2.0 | 21 |
| 33 | Electroconvulsive therapy in adolescents with intellectual disability and severe self-injurious behavior and aggression: a retrospective study. <i>European Child and Adolescent Psychiatry</i> , 2013, 22, 55-62. | 4.7 | 57 |
| 34 | Risperidone or aripiprazole in children and adolescents with autism and/or intellectual disability: A Bayesian meta-analysis of efficacy and secondary effects. <i>Research in Autism Spectrum Disorders</i> , 2013, 7, 167-175. | 1.5 | 43 |
| 35 | Adverse Effects of Second-Generation Antipsychotics in Children and Adolescents. <i>Journal of Clinical Psychopharmacology</i> , 2012, 32, 309-316. | 1.4 | 167 |
| 36 | Medical and developmental risk factors of catatonia in children and adolescents: A prospective case-control study. <i>Schizophrenia Research</i> , 2012, 137, 151-158. | 2.0 | 72 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Malignant catatonia due to anti-NMDA-receptor encephalitis in a 17-year-old girl: case report. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2011, 5, 15. | 2.5 | 52 |
| 38 | Psychodynamic-oriented psychological assessment predicts evolution to schizophrenia at 8-year follow-up in adolescents hospitalized for a manic/mixed episode: Interest of an overall subjective rating. <i>Journal of Physiology (Paris)</i> , 2010, 104, 257-262. | 2.1 | 15 |
| 39 | Lorazepam, fluoxetine and packing therapy in an adolescent with pervasive developmental disorder and catatonia. <i>Journal of Physiology (Paris)</i> , 2010, 104, 309-314. | 2.1 | 19 |
| 40 | Commentary on "Pharmacotherapy for anxiety disorders in children and adolescents" with a response from the review authors. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2010, 5, 631-633. | 2.0 | 0 |
| 41 | Electroconvulsive Therapy in Adolescents With the Catatonia Syndrome. <i>Journal of ECT</i> , 2010, 26, 259-265. | 0.6 | 57 |
| 42 | Predictors of Placebo Response in Randomized Controlled Trials of Psychotropic Drugs for Children and Adolescents with Internalizing Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2010, 20, 39-47. | 1.3 | 46 |
| 43 | Risk factors of acute behavioral regression in psychiatrically hospitalized adolescents with autism. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2010, 19, 100-8. | 0.6 | 17 |
| 44 | Phenomenology, socio-demographic factors and outcome upon discharge of manic and mixed episodes in hospitalized adolescents. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 185-193. | 4.7 | 26 |
| 45 | Moderate clinical improvement with maintenance ECT in a 17-year-old boy with intractable catatonic schizophrenia. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 250-254. | 4.7 | 45 |
| 46 | Association of adolescent catatonia with increased mortality and morbidity: Evidence from a prospective follow-up study. <i>Schizophrenia Research</i> , 2009, 113, 233-240. | 2.0 | 73 |
| 47 | Medication use in adolescents treated in a French psychiatric setting for acute manic or mixed episode. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2009, 18, 231-8. | 0.6 | 9 |
| 48 | Does catatonia influence the phenomenology of childhood onset schizophrenia beyond motor symptoms?. <i>Psychiatry Research</i> , 2008, 158, 356-362. | 3.3 | 24 |
| 49 | Multidisciplinary approach of organic catatonia in children and adolescents may improve treatment decision making. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1393-1398. | 4.8 | 54 |
| 50 | Plasma Exchange in Patients with Stuporous Catatonia and Systemic Lupus Erythematosus. <i>Psychotherapy and Psychosomatics</i> , 2008, 77, 195-196. | 8.8 | 31 |
| 51 | Comorbidity with ADHD Decreases Response to Pharmacotherapy in Children and Adolescents with Acute Mania: Evidence from a Metaanalysis. <i>Canadian Journal of Psychiatry</i> , 2007, 52, 323-328. | 1.9 | 40 |
| 52 | Cotard's syndrome in adolescents and young adults is associated with an increased risk of bipolar disorder. <i>Bipolar Disorders</i> , 2007, 9, 665-668. | 1.9 | 31 |
| 53 | Treatments in child and adolescent bipolar disorders. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 187-198. | 4.7 | 32 |
| 54 | Production of supernatural beliefs during Cotard's syndrome, a rare psychotic depression. <i>Behavioral and Brain Sciences</i> , 2006, 29, 468-470. | 0.7 | 8 |