

Gretchen E Hofmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11496663/publications.pdf>

Version: 2024-02-01

79
papers

11,257
citations

61984
43
h-index

69250
77
g-index

80
all docs

80
docs citations

80
times ranked

9696
citing authors

#	ARTICLE	IF	CITATIONS
1	Gene expression patterns of red sea urchins (<i>Mesocentrotus franciscanus</i>) exposed to different combinations of temperature and pCO ₂ during early development. <i>BMC Genomics</i> , 2021, 22, 32.	2.8	6
2	Changes in Genome-Wide Methylation and Gene Expression in Response to Future pCO ₂ Extremes in the Antarctic Pteropod <i>Limacina helicina antarctica</i> . <i>Frontiers in Marine Science</i> , 2020, 6, .	2.5	26
3	Ocean acidification promotes broad transcriptomic responses in marine metazoans: a literature survey. <i>Frontiers in Zoology</i> , 2020, 17, 7.	2.0	68
4	Examining the Role of DNA Methylation in Transcriptomic Plasticity of Early Stage Sea Urchins: Developmental and Maternal Effects in a Kelp Forest Herbivore. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	25
5	Transgenerational effects in an ecological context: Conditioning of adult sea urchins to upwelling conditions alters maternal provisioning and progeny phenotype. <i>Journal of Experimental Marine Biology and Ecology</i> , 2019, 517, 65-77.	1.5	37
6	Variability of Seawater Chemistry in a Kelp Forest Environment Is Linked to in situ Transgenerational Effects in the Purple Sea Urchin, <i>Strongylocentrotus purpuratus</i> . <i>Frontiers in Marine Science</i> , 2019, 6, .	2.5	38
7	Transcriptomics reveal transgenerational effects in purple sea urchin embryos: Adult acclimation to upwelling conditions alters the response of their progeny to differential <i>p</i> CO ₂ levels. <i>Molecular Ecology</i> , 2018, 27, 1120-1137.	3.9	67
8	Host and Symbionts in <i>Pocillopora damicornis</i> Larvae Display Different Transcriptomic Responses to Ocean Acidification and Warming. <i>Frontiers in Marine Science</i> , 2018, 5, .	2.5	20
9	Transcriptomic responses to seawater acidification among sea urchin populations inhabiting a natural pH mosaic. <i>Molecular Ecology</i> , 2017, 26, 2257-2275.	3.9	62
10	Sensitivity of sea urchin fertilization to pH varies across a natural pH mosaic. <i>Ecology and Evolution</i> , 2017, 7, 1737-1750.	1.9	26
11	Lipid consumption in coral larvae differs among sites: a consideration of environmental history in a global ocean change scenario. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20162825.	2.6	32
12	Additive effects of pCO ₂ and temperature on respiration rates of the Antarctic pteropod <i>Limacina helicina antarctica</i> . , 2017, 5, cox064.		19
13	Transcriptomic response of the Antarctic pteropod <i>Limacina helicina antarctica</i> to ocean acidification. <i>BMC Genomics</i> , 2017, 18, 812.	2.8	43
14	Interacting environmental mosaics drive geographic variation in mussel performance and predation vulnerability. <i>Ecology Letters</i> , 2016, 19, 771-779.	6.4	118
15	Ocean pH time-series and drivers of variability along the northern <i>C</i> hannel <i>I</i> slands, <i>C</i> alifornia, <i>USA</i> . <i>Limnology and Oceanography</i> , 2016, 61, 953-968.	3.1	84
16	Physiological plasticity and local adaptation to elevated <i>p</i> CO ₂ in calcareous algae: an ontogenetic and geographic approach. <i>Evolutionary Applications</i> , 2016, 9, 1043-1053.	3.1	38
17	Beyond the benchtop and the benthos: Dataset management planning and design for time series of ocean carbonate chemistry associated with Durafet®-based pH sensors. <i>Ecological Informatics</i> , 2016, 36, 209-220.	5.2	29
18	Long-term, high frequency in situ measurements of intertidal mussel bed temperatures using biomimetic sensors. <i>Scientific Data</i> , 2016, 3, 160087.	5.3	69

#	ARTICLE	IF	CITATIONS
19	High pCO ₂ affects body size, but not gene expression in larvae of the California mussel (<i>Mytilus</i>) TJ ETQq1 1 0.784314 rgBT /Overlock 1	2.5	32
20	Near-shore Antarctic pH variability has implications for the design of ocean acidification experiments. Scientific Reports, 2015, 5, .	3.3	53
21	Effects of temperature and pCO ₂ on lipid use and biological parameters of planulae of <i>Pocillopora damicornis</i> . Journal of Experimental Marine Biology and Ecology, 2015, 473, 43-52.	1.5	27
22	Ocean acidification research in the "post-genomic" era: Roadmaps from the purple sea urchin <i>Strongylocentrotus purpuratus</i> . Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology, 2015, 185, 33-42.	1.8	18
23	Responses of the Metabolism of the Larvae of <i>Pocillopora damicornis</i> to Ocean Acidification and Warming. PLoS ONE, 2014, 9, e96172.	2.5	68
24	Abiotic versus Biotic Drivers of Ocean pH Variation under Fast Sea Ice in McMurdo Sound, Antarctica. PLoS ONE, 2014, 9, e107239.	2.5	26
25	Ocean Acidification and Fertilization in the Antarctic Sea Urchin <i>Stereochinus neumayeri</i> : the Importance of Polyspermy. Environmental Science & Technology, 2014, 48, 713-722.	10.0	34
26	Signals of resilience to ocean change: high thermal tolerance of early stage Antarctic sea urchins (<i>Stereochinus neumayeri</i>) reared under present-day and future pCO ₂ and temperature. Polar Biology, 2014, 37, 967-980.	1.2	38
27	Interactive effects of elevated temperature and pCO ₂ on early-life-history stages of the giant kelp <i>Macrocystis pyrifera</i> . Journal of Experimental Marine Biology and Ecology, 2014, 457, 51-58.	1.5	64
28	Natural variation and the capacity to adapt to ocean acidification in the keystone sea urchin <i>Strongylocentrotus purpuratus</i> . Global Change Biology, 2013, 19, 2536-2546.	9.5	177
29	Adaptation and the physiology of ocean acidification. Functional Ecology, 2013, 27, 980-990.	3.6	153
30	Temperature and CO ₂ additively regulate physiology, morphology and genomic responses of larval sea urchins, <i>Strongylocentrotus purpuratus</i> . Proceedings of the Royal Society B: Biological Sciences, 2013, 280, 20130155.	2.6	98
31	Transcriptomic responses to ocean acidification in larval sea urchins from a naturally variable pH environment. Molecular Ecology, 2013, 22, 1609-1625.	3.9	118
32	Growth Attenuation with Developmental Schedule Progression in Embryos and Early Larvae of <i>Stereochinus neumayeri</i> Raised under Elevated CO ₂ . PLoS ONE, 2013, 8, e52448.	2.5	33
33	Politics: The long shadow of the shutdown. Nature, 2013, 502, 431-432.	27.8	1
34	Early developmental gene regulation in <i>Strongylocentrotus purpuratus</i> embryos in response to elevated CO ₂ seawater conditions. Journal of Experimental Biology, 2012, 215, 2445-2454.	1.7	57
35	Development Under Elevated pCO ₂ Conditions Does Not Affect Lipid Utilization and Protein Content in Early Life-History Stages of the Purple Sea Urchin, <i>Strongylocentrotus purpuratus</i> . Biological Bulletin, 2012, 223, 312-327.	1.8	40
36	Defining the limits of physiological plasticity: how gene expression can assess and predict the consequences of ocean change. Philosophical Transactions of the Royal Society B: Biological Sciences, 2012, 367, 1733-1745.	4.0	145

#	ARTICLE	IF	CITATIONS
37	Transcriptome profiles link environmental variation and physiological response of <i>Mytilus californianus</i> between Pacific tides. <i>Functional Ecology</i> , 2012, 26, 144-155.	3.6	61
38	High-Frequency Dynamics of Ocean pH: A Multi-Ecosystem Comparison. <i>PLoS ONE</i> , 2011, 6, e28983.	2.5	782
39	High-frequency observations of pH under Antarctic sea ice in the southern Ross Sea. <i>Antarctic Science</i> , 2011, 23, 607-613.	0.9	30
40	Antarctic echinoids and climate change: a major impact on the brooding forms. <i>Global Change Biology</i> , 2011, 17, 734-744.	9.5	45
41	The ocean acidification seascape and its relationship to the performance of calcifying marine invertebrates: Laboratory experiments on the development of urchin larvae framed by environmentally-relevant pCO ₂ /pH. <i>Journal of Experimental Marine Biology and Ecology</i> , 2011, 400, 288-295.	1.5	105
42	A laboratory-based, experimental system for the study of ocean acidification effects on marine invertebrate larvae. <i>Limnology and Oceanography: Methods</i> , 2010, 8, 441-452.	2.0	89
43	Thermal tolerance of <i>Strongylocentrotus purpuratus</i> early life history stages: mortality, stress-induced gene expression and biogeographic patterns. <i>Marine Biology</i> , 2010, 157, 2677-2687.	1.5	48
44	The Effect of Ocean Acidification on Calcifying Organisms in Marine Ecosystems: An Organism-to-Ecosystem Perspective. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2010, 41, 127-147.	8.3	434
45	Effect of pH on Gene Expression and Thermal Tolerance of Early Life History Stages of Red Abalone (<i>Haliotis rufescens</i>). <i>Journal of Shellfish Research</i> , 2010, 29, 429-439.	0.9	79
46	Living in the Now: Physiological Mechanisms to Tolerate a Rapidly Changing Environment. <i>Annual Review of Physiology</i> , 2010, 72, 127-145.	13.1	497
47	Transcriptomic response of sea urchin larvae <i>Strongylocentrotus purpuratus</i> to CO ₂ -driven seawater acidification. <i>Journal of Experimental Biology</i> , 2009, 212, 2579-2594.	1.7	276
48	Biogeographic variation in <i>Mytilus galloprovincialis</i> heat shock gene expression across the eastern Pacific range. <i>Journal of Experimental Marine Biology and Ecology</i> , 2009, 376, 37-42.	1.5	30
49	Predicted impact of ocean acidification on a marine invertebrate: elevated CO ₂ alters response to thermal stress in sea urchin larvae. <i>Marine Biology</i> , 2009, 156, 439-446.	1.5	115
50	Differing patterns of hsp70 gene expression in invasive and native kelp species: evidence for acclimation-induced variation. <i>Journal of Applied Phycology</i> , 2008, 20, 915-924.	2.8	42
51	Spatial and temporal variation in distribution and protein ubiquitination for <i>Mytilus</i> congeners in the California hybrid zone. <i>Marine Biology</i> , 2008, 154, 1067-1075.	1.5	21
52	Thermal ecophysiology of gametophytes cultured from invasive <i>Undaria pinnatifida</i> (Harvey) Suringar in coastal California harbors. <i>Journal of Experimental Marine Biology and Ecology</i> , 2008, 367, 164-173.	1.5	21
53	New Tools to Meet New Challenges: Emerging Technologies for Managing Marine Ecosystems for Resilience. <i>BioScience</i> , 2008, 58, 43-52.	4.9	37
54	Morphological and genetic variation in <i>Egregia menziesii</i> over a latitudinal gradient. <i>Botanica Marina</i> , 2007, 50, 159-170.	1.2	11

#	ARTICLE	IF	CITATIONS
55	Marine macrophysiology: Studying physiological variation across large spatial scales in marine systems. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2007, 147, 821-827.	1.8	62
56	Differing patterns of hsp70 gene expression in invasive and native kelp species: evidence for acclimation-induced variation. , 2007, , 465-474.		1
57	MOSAIC PATTERNS OF THERMAL STRESS IN THE ROCKY INTERTIDAL ZONE: IMPLICATIONS FOR CLIMATE CHANGE. <i>Ecological Monographs</i> , 2006, 76, 461-479.	5.4	392
58	Turning up the heat: The effects of thermal acclimation on the kinetics of hsp70 gene expression in the eurythermal goby, <i>Gillichthys mirabilis</i> . <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2006, 143, 435-446.	1.8	41
59	Some like it hot, some like it cold: the heat shock response is found in New Zealand but not Antarctic notothenioid fishes. <i>Journal of Experimental Marine Biology and Ecology</i> , 2005, 316, 79-89.	1.5	77
60	Thermal history-dependent expression of the hsp70 gene in purple sea urchins: Biogeographic patterns and the effect of temperature acclimation. <i>Journal of Experimental Marine Biology and Ecology</i> , 2005, 327, 134-143.	1.5	81
61	Thermotolerance and heat-shock protein expression in Northeastern Pacific <i>Nucella</i> species with different biogeographical ranges. <i>Marine Biology</i> , 2005, 146, 985-993.	1.5	79
62	Comparison of Hsc70 orthologs from polar and temperate notothenioid fishes: differences in prevention of aggregation and refolding of denatured proteins. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2005, 288, R1195-R1202.	1.8	39
63	Patterns of Hsp gene expression in ectothermic marine organisms on small to large biogeographic scales. <i>Integrative and Comparative Biology</i> , 2005, 45, 247-255.	2.0	115
64	Genomics-fueled approaches to current challenges in marine ecology. <i>Trends in Ecology and Evolution</i> , 2005, 20, 305-311.	8.7	52
65	Temperature differentially affects adenosine triphosphatase activity in Hsc70 orthologs from Antarctic and New Zealand notothenioid fishes. <i>Cell Stress and Chaperones</i> , 2005, 10, 104.	2.9	3
66	Constitutive roles for inducible genes: evidence for the alteration in expression of the inducible hsp70 gene in Antarctic notothenioid fishes. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004, 287, R429-R436.	1.8	106
67	Regulation of heat shock genes in isolated hepatocytes from an Antarctic fish, <i>Trematomus bernacchii</i> . <i>Journal of Experimental Biology</i> , 2004, 207, 3649-3656.	1.7	115
68	Magnitude and Duration of Thermal Stress Determine Kinetics of hsp Gene Regulation in the Goby <i>Gillichthys mirabilis</i> . <i>Physiological and Biochemical Zoology</i> , 2004, 77, 570-581.	1.5	48
69	The molecular chaperone Hsc70 from a eurythermal marine goby exhibits temperature insensitivity during luciferase refolding assays. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2004, 138, 1-7.	1.8	11
70	Molecular Chaperones in Ectothermic Marine Animals: Biochemical Function and Gene Expression. <i>Integrative and Comparative Biology</i> , 2002, 42, 808-814.	2.0	76
71	Patterns of Variation in Levels of Hsp70 in Natural Rocky Shore Populations from Microscales to Mesoscales. <i>Integrative and Comparative Biology</i> , 2002, 42, 815-824.	2.0	70
72	Climate Change and Latitudinal Patterns of Intertidal Thermal Stress. <i>Science</i> , 2002, 298, 1015-1017.	12.6	603

#	ARTICLE	IF	CITATIONS
73	Thermal acclimation changes DNA-binding activity of heat shock factor 1 (HSF1) in the goby <i>Gillichthys mirabilis</i> : implications for plasticity in the heat-shock response in natural populations. <i>Journal of Experimental Biology</i> , 2002, 205, 3231-3240.	1.7	75
74	Microhabitats, Thermal Heterogeneity, and Patterns of Physiological Stress in the Rocky Intertidal Zone. <i>Biological Bulletin</i> , 2001, 201, 374-384.	1.8	447
75	Temperature interactions of the molecular chaperone Hsc70 from the eurythermal marine goby <i>Gillichthys mirabilis</i> . <i>Journal of Experimental Biology</i> , 2001, 204, 2675-2682.	1.7	26
76	Adjusting the thermostat: the threshold induction temperature for the heat-shock response in intertidal mussels (genus <i>Mytilus</i>) changes as a function of thermal history. <i>Journal of Experimental Biology</i> , 2001, 204, 3571-3579.	1.7	261
77	Expression of 70 kDa heat shock proteins in antarctic and New Zealand notothenioid fish. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2000, 125, 229-238.	1.8	40
78	Ecologically Relevant Variation in Induction and Function of Heat Shock Proteins in Marine Organisms. <i>American Zoologist</i> , 1999, 39, 889-900.	0.7	97
79	HEAT-SHOCK PROTEINS, MOLECULAR CHAPERONES, AND THE STRESS RESPONSE: Evolutionary and Ecological Physiology. <i>Annual Review of Physiology</i> , 1999, 61, 243-282.	13.1	3,624