

Frank G Shellock

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/11502063/frank-g-shellock-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168 papers	7,559 citations	43 h-index	82 g-index
178 ext. papers	8,427 ext. citations	5.5 avg, IF	6.13 L-index

#	Paper	IF	Citations
168	Breast Tissue Expander With Radiofrequency Identification Port: Assessment of MRI Issues. <i>American Journal of Roentgenology</i> , 2020 , 215, 159-164	5.4	0
167	MRI Evaluation of an Atrial-Anchored Transcatheter Mitral Valve Replacement Implant. <i>American Journal of Roentgenology</i> , 2020 , 214, 524-528	5.4	0
166	Evaluation of MRI Issues for a New Wirelessly Powered, Spinal Cord Stimulation Lead With Receiver. <i>American Journal of Roentgenology</i> , 2020 , 214, 406-412	5.4	0
165	MRI safety and imaging artifacts evaluated for a cannulated screw used for guided growth surgery. <i>Magnetic Resonance Imaging</i> , 2020 , 66, 219-225	3.3	1
164	ACR guidance document on MR safe practices: Updates and critical information 2019. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 51, 331-338	5.6	33
163	Safety Considerations of 7-T MRI in Clinical Practice. <i>Radiology</i> , 2019 , 292, 509-518	20.5	33
162	Reconsidering the "MR Unsafe" breast tissue expander with magnetic infusion port: A case report and literature review. <i>Archives of Plastic Surgery</i> , 2019 , 46, 375-380	1.6	7
161	Assessment of metallic patient support devices and other items at 7-Tesla: Findings applied to 46 additional devices. <i>Magnetic Resonance Imaging</i> , 2019 , 57, 250-253	3.3	3
160	7-Tesla MRI of the brain in a research subject with bilateral, total knee replacement implants: Case report and proposed safety guidelines. <i>Magnetic Resonance Imaging</i> , 2019 , 57, 313-316	3.3	3
159	Assessment of MRI issues at 1.5 T for the Temperature Logger Implant. <i>Journal of Thermal Biology</i> , 2018 , 74, 249-255	2.9	
158	Evaluation of Magnetic Resonance Imaging Safety and Imaging Issues Associated with the Occlusion Balloon Used during Fetoscopic Endoluminal Tracheal Occlusion. <i>Fetal Diagnosis and Therapy</i> , 2018 , 44, 179-183	2.4	3
157	In Vitro Magnetic Resonance Imaging Evaluation of Fragmented, Open-Coil, Percutaneous Peripheral Nerve Stimulation Leads. <i>Neuromodulation</i> , 2018 , 21, 276-283	3.1	16
156	MRI Safety and Neuromodulation Systems 2018 , 315-337		3
155	Gadolinium deposition in the brain: summary of evidence and recommendations. <i>Lancet Neurology, The</i> , 2017 , 16, 564-570	24.1	390
154	Assessment of MRI issues for a new cerebral spinal fluid shunt, gravitational valve (GV). <i>Magnetic Resonance Imaging</i> , 2017 , 44, 8-14	3.3	4
153	Chelated or dechelated gadolinium deposition - AuthorsReply. <i>Lancet Neurology, The</i> , 2017 , 16, 955-956	24.1	5
152	Evaluation of MRI issues at 3-Tesla for a transcatheter aortic valve replacement (TAVR) bioprosthesis. <i>Magnetic Resonance Imaging</i> , 2015 , 33, 497-501	3.3	13

151	Assessment of MRI Issues at 3 Tesla for a New Metallic Tissue Marker. <i>International Journal of Breast Cancer</i> , 2015 , 2015, 823759	2.3	3
150	Evaluation of a power injection system in the 7-Tesla MRI environment. <i>International Journal of Imaging Systems and Technology</i> , 2015 , 25, 50-55	2.5	1
149	Standardized MR terminology and reporting of implants and devices as recommended by the American College of Radiology Subcommittee on MR Safety. <i>Radiology</i> , 2015 , 274, 866-70	20.5	16
148	Evaluation of magnetic resonance imaging issues for implantable microfabricated magnetic actuators. <i>Biomedical Microdevices</i> , 2014 , 16, 153-61	3.7	10
147	Assessment of MRI issues at 7 T for 28 implants and other objects. <i>American Journal of Roentgenology</i> , 2014 , 202, 401-5	5.4	42
146	Low-intensity focused ultrasound pulsation device used during magnetic resonance imaging: evaluation of magnetic resonance imaging-related heating at 3 Tesla/128 MHz. <i>Neuromodulation</i> , 2014 , 17, 236-41; discussion 241	3.1	6
145	In vitro assessment of 3-T MRI issues for a bioabsorbable, coronary artery scaffold with metallic markers. <i>Magnetic Resonance Imaging</i> , 2014 , 32, 163-7	3.3	8
144	In vitro assessment of MRI issues at 3-Tesla for a breast tissue expander with a remote port. <i>Magnetic Resonance Imaging</i> , 2014 , 32, 297-302	3.3	6
143	MRI information for commonly used otologic implants: review and update. <i>Otolaryngology - Head and Neck Surgery</i> , 2014 , 150, 512-9	5.5	32
142	Evaluation of magnetic resonance imaging issues for a wirelessly powered lead used for epidural, spinal cord stimulation. <i>Neuromodulation</i> , 2014 , 17, 334-9; discussion 339	3.1	14
141	Reply to "Assessment of MRI issues at 7 T". <i>American Journal of Roentgenology</i> , 2014 , 203, W561	5.4	1
140	Evaluation of MR safety for a new liquid embolic device. <i>Journal of NeuroInterventional Surgery</i> , 2014 , 6, 624-9	7.8	1
139	A new vascular coupling device: assessment of MRI issues at 3-tesla. <i>Magnetic Resonance Imaging</i> , 2014 , 32, 585-9	3.3	4
138	Computational and experimental studies of an orthopedic implant: MRI-related heating at 1.5-T/64-MHz and 3-T/128-MHz. <i>Journal of Magnetic Resonance Imaging</i> , 2013 , 37, 491-7	5.6	43
137	MRI issues for ballistic objects: information obtained at 1.5-, 3- and 7-Tesla. <i>Spine Journal</i> , 2013 , 13, 815-22	42	55
136	Undisclosed and undetected foreign bodies during MRI screening resulting in a potentially serious outcome. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 630-3	3.3	4
135	Evaluation of MRI issues for a new neurological implant, the Sensor Reservoir. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 1245-50	3.3	13
134	Evaluation of MRI issues for an access port with a radiofrequency identification (RFID) tag. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 1439-44	3.3	13

133	Evaluation of MRI artifacts at 3 Tesla for 38 commonly used cosmetics. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 778-82	3.3	8
132	A next-generation, flow-diverting implant used to treat brain aneurysms: in vitro evaluation of magnetic field interactions, heating and artifacts at 3-T. <i>Magnetic Resonance Imaging</i> , 2013 , 31, 145-9	3.3	8
131	In vitro assessment of a fiducial marker for lung lesions: MRI issues at 3 T. <i>American Journal of Roentgenology</i> , 2013 , 200, 1234-7	5.4	8
130	Detection of implants and other objects using a ferromagnetic detection system: implications for patient screening before MRI. <i>American Journal of Roentgenology</i> , 2013 , 201, 720-5	5.4	22
129	Armor-piercing bullet: 3-T MRI findings and identification by a ferromagnetic detection system. <i>Military Medicine</i> , 2013 , 178, e380-5	1.3	15
128	Evaluation of MRI issues at 3-Tesla for a hospital identification (ID) wristband. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 299-303	3.3	
127	Assessment of MRI issues for the Argus II retinal prosthesis. <i>Magnetic Resonance Imaging</i> , 2012 , 30, 382-9	3.3	34
126	Assessment of MRI issues at 3-Tesla for metallic surgical implants: findings applied to 61 additional skin closure staples and vessel ligation clips. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012 , 14, 3	6.9	36
125	MR imaging in patients with pacemakers and other devices: engineering the future. <i>JACC: Cardiovascular Imaging</i> , 2012 , 5, 332-3	8.4	10
124	In vitro magnetic resonance imaging evaluation of ossicular implants at 3 T. <i>Otology and Neurotology</i> , 2012 , 33, 871-7	2.6	9
123	"MR conditional" respiratory ventilator system incident in a 3-T MRI environment. <i>Magnetic Resonance Imaging</i> , 2011 , 29, 1150-4	3.3	4
122	Magnetic resonance imaging in patients with cardiac pacemakers: era of "MR Conditional" designs. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011 , 13, 63	6.9	68
121	Assessment of MRI issues for a 3-T "immune" programmable CSF shunt valve. <i>American Journal of Roentgenology</i> , 2011 , 197, 202-7	5.4	16
120	"MR-conditional" pacemakers: the radiologist's role in multidisciplinary management. <i>American Journal of Roentgenology</i> , 2011 , 197, W457-9	5.4	13
119	Regarding the value reported for the term "spatial gradient magnetic field" and how this information is applied to labeling of medical implants and devices. <i>American Journal of Roentgenology</i> , 2011 , 196, 142-5	5.4	45
118	Cervical external immobilization devices: evaluation of magnetic resonance imaging issues at 3.0 Tesla. <i>Spine</i> , 2010 , 35, 411-5	3.3	7
117	Excessive temperature increases in pacemaker leads at 3-T MR imaging with a transmit-receive head coil. <i>Radiology</i> , 2009 , 251, 948-9; author reply 949-50	20.5	1
116	MRI Safety and Neuromodulation Systems 2009 , 243-281		4

115	Programmable infusion pump and catheter: evaluation using 3-tesla magnetic resonance imaging. <i>Neuromodulation</i> , 2008 , 11, 163-70	3.1	19
114	MRI safety update 2008: part 2, screening patients for MRI. <i>American Journal of Roentgenology</i> , 2008 , 191, 1140-9	5.4	114
113	MRI safety update 2008: part 1, MRI contrast agents and nephrogenic systemic fibrosis. <i>American Journal of Roentgenology</i> , 2008 , 191, 1129-39	5.4	168
112	Ironman triathletes: MRI assessment of the shoulder. <i>Skeletal Radiology</i> , 2008 , 37, 737-41	2.7	15
111	Ventricular assist device implant (AB 5000) prototype cannula: in vitro assessment of MRI issues at 3-Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2008 , 10, 23	6.9	5
110	Bioeffects and Safety of Radiofrequency Electromagnetic Fields 2007 ,		1
109	Magnetically programmable shunt valve: MRI at 3-Tesla. <i>Magnetic Resonance Imaging</i> , 2007 , 25, 1116-21	3.3	24
108	Cardiac pacemakers and implantable cardioverter defibrillators: in vitro magnetic resonance imaging evaluation at 1.5-tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007 , 9, 21-31	6.9	35
107	MR in patients with pacemakers and ICDs: Defining the issues. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007 , 9, 5-13	6.9	40
106	Safety characteristics of gadobenate dimeglumine: clinical experience from intra- and interindividual comparison studies with gadopentetate dimeglumine. <i>Journal of Magnetic Resonance Imaging</i> , 2006 , 24, 1378-85	5.6	37
105	Cardiac pacemaker: in vitro assessment at 1.5 T. <i>American Heart Journal</i> , 2006 , 151, 436-43	4.9	33
104	Safety of gadobenate dimeglumine (MultiHance): Summary of findings from clinical studies and postmarketing surveillance. <i>Investigative Radiology</i> , 2006 , 41, 500-9	10.1	52
103	Vagus nerve stimulation therapy system: in vitro evaluation of magnetic resonance imaging-related heating and function at 1.5 and 3 tesla. <i>Neuromodulation</i> , 2006 , 9, 204-13	3.1	27
102	Reduction of magnetic resonance imaging-related heating in deep brain stimulation leads using a lead management device. <i>Operative Neurosurgery</i> , 2005 , 57, 392-7; discussion 392-7	1.6	43
101	Is magnetic resonance imaging safe for patients with neurostimulation systems used for deep brain stimulation?. <i>Neurosurgery</i> , 2005 , 57, 1056-62; discussion 1056-62	3.2	82
100	Permanent neurological deficit related to magnetic resonance imaging in a patient with implanted deep brain stimulation electrodes for Parkinson's disease: case report. <i>Neurosurgery</i> , 2005 , 57, E1063; discussion E1063	3.2	202
99	Simple design changes to wires to substantially reduce MRI-induced heating at 1.5 T: implications for implanted leads. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 887-91	3.3	46
98	Bilateral neurostimulation systems used for deep brain stimulation: in vitro study of MRI-related heating at 1.5 T and implications for clinical imaging of the brain. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 549-55	3.3	43

97	Neurostimulation systems: assessment of magnetic field interactions associated with 1.5- and 3-Tesla MR systems. <i>Journal of Magnetic Resonance Imaging</i> , 2005 , 21, 72-7	5.6	56
96	Effects of coil dimensions and field polarization on RF heating inside a head phantom. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 53-60	3.3	26
95	Septal repair implants: evaluation of magnetic resonance imaging safety at 3 T. <i>Magnetic Resonance Imaging</i> , 2005 , 23, 1021-5	3.3	16
94	Drug eluting coronary stent: in vitro evaluation of magnet resonance safety at 3 Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2005 , 7, 415-9	6.9	45
93	Detachable coil for cerebral aneurysms: in vitro evaluation of magnetic field interactions, heating, and artifacts at 3T. <i>American Journal of Neuroradiology</i> , 2005 , 26, 363-6	4.4	27
92	MR procedures: biologic effects, safety, and patient care. <i>Radiology</i> , 2004 , 232, 635-52	20.5	426
91	Assessment of the rotator cuff and glenoid labrum using an extremity MR system: MR results compared to surgical findings from a multi-center study. <i>Journal of Magnetic Resonance Imaging</i> , 2004 , 19, 623-31	5.6	34
90	Evaluation of specific absorption rate as a dosimeter of MRI-related implant heating. <i>Journal of Magnetic Resonance Imaging</i> , 2004 , 20, 315-20	5.6	178
89	Magnetic resonance imaging and cardiac pacemaker safety at 1.5-Tesla. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1315-24	15.1	318
88	Implantable microstimulator: magnetic resonance safety at 1.5 Tesla. <i>Investigative Radiology</i> , 2004 , 39, 591-9	10.1	29
87	Neurostimulation system used for deep brain stimulation (DBS): MR safety issues and implications of failing to follow safety recommendations. <i>Investigative Radiology</i> , 2004 , 39, 300-3	10.1	148
86	Functional assessment of the joints using kinematic magnetic resonance imaging. <i>Seminars in Musculoskeletal Radiology</i> , 2003 , 7, 249-76	1.8	15
85	Screening Forms for Patients for MR Procedures and Individuals for the MR Environment. <i>Current Protocols in Magnetic Resonance Imaging</i> , 2003 , 11, A1.1		
84	Knees of Ironman triathletes: magnetic resonance imaging assessment of older (>35 years old) competitors. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 17, 122-30	5.6	14
83	8.0-Tesla human MR system: temperature changes associated with radiofrequency-induced heating of a head phantom. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 17, 220-6	5.6	39
82	Patellofemoral kinematics during weight-bearing and non-weight-bearing knee extension in persons with lateral subluxation of the patella: a preliminary study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2003 , 33, 677-85	4.2	266
81	Aneurysm clips: evaluation of magnetic field interactions and translational attraction by use of "long-bore" and "short-bore" 3.0-T MR imaging systems. <i>American Journal of Neuroradiology</i> , 2003 , 24, 463-71	4.4	29
80	Cardiac pacemakers, ICDs, and loop recorder: evaluation of translational attraction using conventional ("long-bore") and "short-bore" 1.5- and 3.0-Tesla MR systems. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2003 , 5, 387-97	6.9	72

79	Magnetic resonance imaging and permanent cosmetics (tattoos): survey of complications and adverse events. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 15, 180-4	5.6	63
78	Neurostimulation systems for deep brain stimulation: in vitro evaluation of magnetic resonance imaging-related heating at 1.5 tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 15, 241-50	5.6	226
77	Assessment of patellofemoral relationships using kinematic MRI: comparison between qualitative and quantitative methods. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 16, 69-74	5.6	36
76	Magnetic resonance safety testing of a newly-developed fiber-optic cardiac pacing lead. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 16, 97-103	5.6	28
75	Magnetic resonance safety update 2002: implants and devices. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 16, 485-96	5.6	160
74	Biomedical implants and devices: assessment of magnetic field interactions with a 3.0-Tesla MR system. <i>Journal of Magnetic Resonance Imaging</i> , 2002 , 16, 721-32	5.6	170
73	MR Safety and the American College of Radiology White Paper. <i>American Journal of Roentgenology</i> , 2002 , 178, 1349-52	5.4	63
72	New metallic implant used for permanent contraception in women: evaluation of MR safety. <i>American Journal of Roentgenology</i> , 2002 , 178, 1513-6	5.4	15
71	In-office MR imaging. <i>Clinics in Sports Medicine</i> , 2002 , 21, 261-87, vii	2.6	5
70	MR imaging-related heating of deep brain stimulation electrodes: in vitro study. <i>American Journal of Neuroradiology</i> , 2002 , 23, 1795-802	4.4	86
69	Radiofrequency energy-induced heating of bovine articular cartilage: evaluation of a new temperature-controlled, bipolar radiofrequency system used at different settings. <i>Journal of Knee Surgery</i> , 2002 , 15, 90-6	2.4	6
68	Radiofrequency energy induced heating of bovine articular cartilage: comparison between temperature-controlled, monopolar, and bipolar systems. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2001 , 9, 392-7	5.5	12
67	Evaluation of the rotator cuff and glenoid labrum using a 0.2-Tesla extremity magnetic resonance (MR) system: MR results compared to surgical findings. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 14, 763-70	5.6	50
66	Metallic neurosurgical implants: evaluation of magnetic field interactions, heating, and artifacts at 1.5-Tesla. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 14, 295-9	5.6	66
65	Neurostimulators: potential for excessive heating of deep brain stimulation electrodes during magnetic resonance imaging. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 14, 488-9	5.6	27
64	Metallic surgical instruments for interventional MRI procedures: evaluation of MR safety. <i>Journal of Magnetic Resonance Imaging</i> , 2001 , 13, 152-7	5.6	23
63	MR imaging and electronically activated devices. <i>Radiology</i> , 2001 , 219, 294-5	20.5	17
62	Radiofrequency energy-induced heating of bovine capsular tissue: Temperature changes produced by bipolar versus monopolar electrodes. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2001 , 17, 124-31	5.4	12

61	Magnetic resonance imaging safety: implications for cardiovascular patients. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2001 , 3, 171-82	6.9	51
60	Prosthetic heart valves and annuloplasty rings: assessment of magnetic field interactions, heating, and artifacts at 1.5 Tesla. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2001 , 3, 317-24	6.9	36
59	Radiofrequency energy-induced heating of bovine articular cartilage using a bipolar radiofrequency electrode. <i>American Journal of Sports Medicine</i> , 2000 , 28, 720-4	6.8	38
58	Prosthetic heart valves: evaluation of magnetic field interactions, heating, and artifacts at 1.5 T. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 363-9	5.6	59
57	Pre-MRI procedure screening: recommendations and safety considerations for biomedical implants and devices. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 510	5.6	16
56	Aneurysm clips: evaluation of magnetic field interactions with an 8.0 T MR system. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 107-11	5.6	34
55	Radiofrequency energy-induced heating during MR procedures: a review. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 30-6	5.6	247
54	Auditory noise associated with MR procedures: a review. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 37-45	5.6	150
53	Pre-MRI procedure screening: recommendations and safety considerations for biomedical implants and devices. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 92-106	5.6	82
52	Implantable spinal fusion stimulator: assessment of MR safety and artifacts. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 214-23	5.6	28
51	Association between the menstrual cycle and anterior cruciate ligament injuries in female athletes. <i>American Journal of Sports Medicine</i> , 2000 , 28, 131	6.8	11
50	Temperature changes associated with radiofrequency energy-induced heating of bovine capsular tissue: evaluation of bipolar RF electrodes. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2000 , 16, 348-58	5.4	27
49	Radiofrequency Energy-Induced Heating During MR Procedures: A Review 2000 , 12, 30		1
48	Aneurysm clips: effects of long-term and multiple exposures to a 1.5-T MR system. <i>Radiology</i> , 1999 , 210, 563-5	20.5	26
47	MR imaging in patients with intraspinal bullets. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 10, 107	5.6	3
46	Safety of magnetic resonance imaging contrast agents. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 10, 477-84	5.6	265
45	Development and clinical application of kinematic MRI of the patellofemoral joint using an extremity MR system. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, 788-91	1.2	21
44	Magnetic resonance imaging evaluation of muscle usage associated with three exercises for rotator cuff rehabilitation. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, 1361-6	1.2	23

43	Effect of bracing on patellar kinematics in patients with patellofemoral joint pain. <i>Medicine and Science in Sports and Exercise</i> , 1999 , 31, 1714-20	1.2	41
42	Quantification of patellar tracking using kinematic MRI. <i>Journal of Magnetic Resonance Imaging</i> , 1998 , 8, 724-32	5.6	119
41	Determination of gradient magnetic field-induced acoustic noise associated with the use of echo planar and three-dimensional, fast spin echo techniques. <i>Journal of Magnetic Resonance Imaging</i> , 1998 , 8, 1154-7	5.6	67
40	Cardiovascular catheters and accessories: ex vivo testing of ferromagnetism, heating, and artifacts associated with MRI. <i>Journal of Magnetic Resonance Imaging</i> , 1998 , 8, 1338-42	5.6	32
39	MRI interaction with tattoo pigments. <i>Plastic and Reconstructive Surgery</i> , 1998 , 101, 1150-1	2.7	9
38	Peroneal tendons: use of kinematic MR imaging of the ankle to determine subluxation. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 451-4	5.6	43
37	MRI of cervical fixation devices: sensation of heating caused by vibration of metallic components. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 771-2	5.6	10
36	The effect of mechanical deformation on magnetic properties and MRI artifacts of type 304 and type 316L stainless steel. <i>Journal of Magnetic Resonance Imaging</i> , 1997 , 7, 1170-3	5.6	20
35	MRI of the shoulder: a rational approach to the reporting of findings. <i>Journal of Magnetic Resonance Imaging</i> , 1996 , 6, 268-70	5.6	6
34	Burns associated with the use of monitoring equipment during MR procedures. <i>Journal of Magnetic Resonance Imaging</i> , 1996 , 6, 271-2	5.6	35
33	Additional information pertaining to the MR-compatibility of biopsy needles and devices. <i>Journal of Magnetic Resonance Imaging</i> , 1996 , 6, 411	5.6	3
32	Ceramic surgical instruments: ex vivo evaluation of compatibility with MR imaging at 1.5 T. <i>Journal of Magnetic Resonance Imaging</i> , 1996 , 6, 954-6	5.6	15
31	Vascular access ports and catheters: ex vivo testing of ferromagnetism, heating, and artifacts associated with MR imaging. <i>Magnetic Resonance Imaging</i> , 1996 , 14, 443-7	3.3	24
30	MR imaging and cervical fixation devices: evaluation of ferromagnetism, heating, and artifacts at 1.5 Tesla. <i>Magnetic Resonance Imaging</i> , 1996 , 14, 1093-8	3.3	21
29	Biopsy needles and devices: assessment of ferromagnetism and artifacts during exposure to a 1.5-T MR system. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 369-72	5.6	23
28	MR imaging and vascular access ports: ex vivo evaluation of ferromagnetism, heating, and artifacts at 1.5 T. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 481-4	5.6	17
27	Ex vivo evaluation of ferromagnetism, heating, and artifacts of breast tissue expanders exposed to a 1.5-T MR system. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 614-6	5.6	17
26	Screening adolescents for metallic foreign bodies before MR procedures. <i>Journal of Magnetic Resonance Imaging</i> , 1995 , 5, 784-5	5.6	7

25	Ex vivo evaluation of ferromagnetism and artifacts of cardiac occluders exposed to a 1.5-T MR system. <i>Journal of Magnetic Resonance Imaging</i> , 1994 , 4, 213-5	5.6	34
24	Effect of a patellar realignment brace on patellofemoral relationships: evaluation with kinematic MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1994 , 4, 590-4	5.6	33
23	Guidelines and recommendations for MR imaging safety and patient management. III. Questionnaire for screening patients before MR procedures. The SMRI Safety Committee. <i>Journal of Magnetic Resonance Imaging</i> , 1994 , 4, 749-51	5.6	39
22	Ex vivo evaluation of ferromagnetism, heating, and artifacts produced by heart valve prostheses exposed to a 1.5-T MR system. <i>Journal of Magnetic Resonance Imaging</i> , 1994 , 4, 756-8	5.6	49
21	Sedation, anesthesia, and physiologic monitoring during MR imaging: evaluation of procedures and equipment. <i>Journal of Magnetic Resonance Imaging</i> , 1993 , 3, 553-8	5.6	22
20	Metallic clips used for scleral buckling: ex vivo evaluation of ferromagnetism at 1.5 T. <i>Journal of Magnetic Resonance Imaging</i> , 1993 , 3, 559	5.6	5
19	Thermal responses in human subjects exposed to magnetic resonance imaging. <i>Annals of the New York Academy of Sciences</i> , 1992 , 649, 260-72	6.5	23
18	Dynamic study of the upper airway with ultrafast spoiled GRASS MR imaging. <i>Journal of Magnetic Resonance Imaging</i> , 1992 , 2, 103-7	5.6	14
17	Phantom limb pain induced in amputee by strong magnetic fields. <i>Journal of Magnetic Resonance Imaging</i> , 1992 , 2, 221-3	5.6	9
16	MR imaging and metallic implants for anterior cruciate ligament reconstruction: assessment of ferromagnetism and artifact. <i>Journal of Magnetic Resonance Imaging</i> , 1992 , 2, 225-8	5.6	101
15	Policies, guidelines, and recommendations for MR imaging safety and patient management. SMRI Safety Committee. <i>Journal of Magnetic Resonance Imaging</i> , 1992 , 2, 247-8	5.6	43
14	MR imaging of temporomandibular joint abnormalities associated with cervical hyperextension/hyperflexion (whiplash) injuries. <i>Journal of Magnetic Resonance Imaging</i> , 1992 , 2, 569-74	5.6	35
13	Exertional muscle injuries. <i>Topics in Magnetic Resonance Imaging</i> , 1991 , 3, 50-70	2.3	43
12	Policies, guidelines, and recommendations for MR imaging safety and patient management. SMRI Safety Committee. <i>Journal of Magnetic Resonance Imaging</i> , 1991 , 1, 97-101	5.6	193
11	Extrusion of eye socket magnetic implant after MR imaging: potential hazard to patient with eye prosthesis. <i>Journal of Magnetic Resonance Imaging</i> , 1991 , 1, 711-3	5.6	15
10	Alterations in body and skin temperatures caused by MRI. <i>British Journal of Radiology</i> , 1990 , 63, 317	3.4	1
9	Short-term exposure to a 1.5 tesla static magnetic field does not affect somato-sensory-evoked potentials in man. <i>Magnetic Resonance Imaging</i> , 1990 , 8, 65-9	3.3	23
8	Evaluation of patients with persistent symptoms after lateral retinacular release by kinematic magnetic resonance imaging of the patellofemoral joint. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 1990 , 6, 226-34	5.4	71

7	Exposure to a 1.5-T static magnetic field does not alter body and skin temperatures in man. <i>Magnetic Resonance in Medicine</i> , 1989 , 11, 371-5	4.4	27
6	Alterations in body and skin temperatures caused by magnetic resonance imaging: is the recommended exposure for radiofrequency radiation too conservative?. <i>British Journal of Radiology</i> , 1989 , 62, 904-9	3.4	50
5	Thermoregulatory consequences of NMR imaging. <i>Magnetic Resonance Imaging</i> , 1987 , 5, 505,507	3.3	1
4	Effect of a 1.5 T static magnetic field on body temperature of man. <i>Magnetic Resonance in Medicine</i> , 1986 , 3, 644-7	4.4	31
3	Changes in corneal temperature associated with high-field (1.5 Tesla) magnetic resonance imaging: Experience in 118 patients. <i>Magnetic Resonance Imaging</i> , 1986 , 4, 95	3.3	2
2	Thermal responses to different levels of radiofrequency power deposition during clinical magnetic resonance imaging at 1.5 Tesla. <i>Magnetic Resonance Imaging</i> , 1986 , 4, 94	3.3	5
1	Sustained benefits of oral pentaerythritol tetranitrate on ventricular function in chronic congestive heart failure. <i>Clinical Pharmacology and Therapeutics</i> , 1980 , 28, 436-40	6.1	12