

# Jeffrey A Kline

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/11508336/jeffrey-a-kline-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121  
papers

9,657  
citations

47  
h-index

97  
g-index

130  
ext. papers

11,073  
ext. citations

3.3  
avg, IF

6.03  
L-index

#	Paper	IF	Citations
121	Management of massive and submassive pulmonary embolism, iliofemoral deep vein thrombosis, and chronic thromboembolic pulmonary hypertension: a scientific statement from the American Heart Association. <i>Circulation</i> , <b>2011</b> , 123, 1788-830	16.7	1448
120	Lactate clearance vs central venous oxygen saturation as goals of early sepsis therapy: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2010</b> , 303, 739-46	27.4	686
119	The Sequential Organ Failure Assessment score for predicting outcome in patients with severe sepsis and evidence of hypoperfusion at the time of emergency department presentation. <i>Critical Care Medicine</i> , <b>2009</b> , 37, 1649-54	1.4	469
118	Randomized, controlled trial of immediate versus delayed goal-directed ultrasound to identify the cause of nontraumatic hypotension in emergency department patients. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 1703-8	1.4	331
117	Clinical characteristics, management, and outcomes of patients diagnosed with acute pulmonary embolism in the emergency department: initial report of EMPEROR (Multicenter Emergency Medicine Pulmonary Embolism in the Real World Registry). <i>Journal of the American College of Emergency Medicine</i> , <b>2014</b> , 21, 702-11	15.1	316
116	2-Hour accelerated diagnostic protocol to assess patients with chest pain symptoms using contemporary troponins as the only biomarker: the ADAPT trial. <i>Journal of the American College of Cardiology</i> , <b>2012</b> , 59, 2091-8	15.1	298
115	Association between timing of antibiotic administration and mortality from septic shock in patients treated with a quantitative resuscitation protocol. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 2066-71	1.4	265
114	Prospective external validation of the clinical effectiveness of an emergency department-based early goal-directed therapy protocol for severe sepsis and septic shock. <i>Chest</i> , <b>2007</b> , 132, 425-32	5.3	212
113	Prospective evaluation of right ventricular function and functional status 6 months after acute submassive pulmonary embolism: frequency of persistent or subsequent elevation in estimated pulmonary artery pressure. <i>Chest</i> , <b>2009</b> , 136, 1202-1210	5.3	193
112	Incidence of contrast-induced nephropathy after contrast-enhanced computed tomography in the outpatient setting. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2010</b> , 5, 4-9	6.9	187
111	The chest pain choice decision aid: a randomized trial. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2012</b> , 5, 251-9	5.8	183
110	Determination of left ventricular function by emergency physician echocardiography of hypotensive patients. <i>Academic Emergency Medicine</i> , <b>2002</b> , 9, 186-93	3.4	183
109	High discordance of chest x-ray and computed tomography for detection of pulmonary opacities in ED patients: implications for diagnosing pneumonia. <i>American Journal of Emergency Medicine</i> , <b>2013</b> , 31, 401-5	2.9	175
108	Nontraumatic out-of-hospital hypotension predicts in-hospital mortality. <i>Annals of Emergency Medicine</i> , <b>2004</b> , 43, 106-13	2.1	164
107	D-dimer concentrations in normal pregnancy: new diagnostic thresholds are needed. <i>Clinical Chemistry</i> , <b>2005</b> , 51, 825-9	5.5	160
106	Insulin-glucose as adjunctive therapy for severe calcium channel antagonist poisoning. <i>Journal of Toxicology: Clinical Toxicology</i> , <b>1999</b> , 37, 463-74		148
105	Procalcitonin test in the diagnosis of bacteremia: a meta-analysis. <i>Annals of Emergency Medicine</i> , <b>2007</b> , 50, 34-41	2.1	146

104	Serial Procalcitonin Predicts Mortality in Severe Sepsis Patients: Results From the Multicenter Procalcitonin MONitoring SEpsis (MOSES) Study. <i>Critical Care Medicine</i> , <b>2017</b> , 45, 781-789	1.4	142
103	Emergency echocardiography to detect pericardial effusion in patients in PEA and near-PEA states. <i>Resuscitation</i> , <b>2003</b> , 59, 315-8	4	139
102	The effect of a quantitative resuscitation strategy on mortality in patients with sepsis: a meta-analysis. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 2734-9	1.4	138
101	Assessment of cardiac stress from massive pulmonary embolism with 12-lead ECG. <i>Chest</i> , <b>2001</b> , 120, 474-81	5.3	132
100	Emergency Department Hypotension Predicts Sudden Unexpected In-hospital Mortality. <i>Chest</i> , <b>2006</b> , 130, 941-946	5.3	118
99	Echocardiographic and functional cardiopulmonary problems 6 months after first-time pulmonary embolism in previously healthy patients. <i>European Heart Journal</i> , <b>2007</b> , 28, 2517-24	9.5	116
98	Factors associated with positive D-dimer results in patients evaluated for pulmonary embolism. <i>Academic Emergency Medicine</i> , <b>2010</b> , 17, 589-97	3.4	109
97	Whole blood lactate kinetics in patients undergoing quantitative resuscitation for severe sepsis and septic shock. <i>Chest</i> , <b>2013</b> , 143, 1548-1553	5.3	103
96	Outcomes of patients undergoing early sepsis resuscitation for cryptic shock compared with overt shock. <i>Resuscitation</i> , <b>2011</b> , 82, 1289-93	4	97
95	Prospective study of the incidence of contrast-induced nephropathy among patients evaluated for pulmonary embolism by contrast-enhanced computed tomography. <i>Academic Emergency Medicine</i> , <b>2012</b> , 19, 618-25	3.4	93
94	Diagnostic accuracy of left ventricular function for identifying sepsis among emergency department patients with nontraumatic symptomatic undifferentiated hypotension. <i>Shock</i> , <b>2005</b> , 24, 513-7	3.4	92
93	Surrogate markers for adverse outcomes in normotensive patients with pulmonary embolism. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 2773-80	1.4	90
92	Use of goal-directed therapy for severe sepsis and septic shock in academic emergency departments. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 1888-9; author reply 1889-90	1.4	90
91	One year mortality of patients treated with an emergency department based early goal directed therapy protocol for severe sepsis and septic shock: a before and after study. <i>Critical Care</i> , <b>2009</b> , 13, R167	10.8	85
90	Cardiac inflammation contributes to right ventricular dysfunction following experimental pulmonary embolism in rats. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2006</b> , 41, 296-307	5.8	83
89	Pretest probability assessment derived from attribute matching. <i>BMC Medical Informatics and Decision Making</i> , <b>2005</b> , 5, 26	3.6	82
88	Comprehensive standardized data definitions for acute coronary syndrome research in emergency departments in Australasia. <i>EMA - Emergency Medicine Australasia</i> , <b>2010</b> , 22, 35-55	1.5	81
87	Systematic review of emergency physician-performed ultrasonography for lower-extremity deep vein thrombosis. <i>Academic Emergency Medicine</i> , <b>2008</b> , 15, 493-8	3.4	80

86	Severity of emergency department hypotension predicts adverse hospital outcome. <i>Shock</i> , <b>2004</b> , 22, 410-4	3.4	78
85	Shared decision making in patients with low risk chest pain: prospective randomized pragmatic trial. <i>BMJ, The</i> , <b>2016</b> , 355, i6165	5.9	75
84	Focused training of emergency medicine residents in goal-directed echocardiography: a prospective study. <i>Academic Emergency Medicine</i> , <b>2003</b> , 10, 1054-8	3.4	69
83	Persistent right ventricular dysfunction, functional capacity limitation, exercise intolerance, and quality of life impairment following pulmonary embolism: Systematic review with meta-analysis. <i>Vascular Medicine</i> , <b>2017</b> , 22, 37-43	3.3	68
82	Prognostic value and agreement of achieving lactate clearance or central venous oxygen saturation goals during early sepsis resuscitation. <i>Academic Emergency Medicine</i> , <b>2012</b> , 19, 252-8	3.4	65
81	Impact of a rapid rule-out protocol for pulmonary embolism on the rate of screening, missed cases, and pulmonary vascular imaging in an urban US emergency department. <i>Annals of Emergency Medicine</i> , <b>2004</b> , 44, 490-502	2.1	63
80	The frequency and significance of postintubation hypotension during emergency airway management. <i>Journal of Critical Care</i> , <b>2012</b> , 27, 417.e9-13	4	58
79	Right ventricular heart failure from pulmonary embolism: key distinctions from chronic pulmonary hypertension. <i>Journal of Cardiac Failure</i> , <b>2010</b> , 16, 250-9	3.3	57
78	Emergency department hypotension predicts sudden unexpected in-hospital mortality: a prospective cohort study. <i>Chest</i> , <b>2006</b> , 130, 941-6	5.3	54
77	Findings From 12-lead Electrocardiography That Predict Circulatory Shock From Pulmonary Embolism: Systematic Review and Meta-analysis. <i>Academic Emergency Medicine</i> , <b>2015</b> , 22, 1127-37	3.4	53
76	Prospective multicenter study of quantitative pretest probability assessment to exclude acute coronary syndrome for patients evaluated in emergency department chest pain units. <i>Annals of Emergency Medicine</i> , <b>2006</b> , 47, 447	2.1	53
75	Performance of the Mortality in Emergency Department Sepsis score for predicting hospital mortality among patients with severe sepsis and septic shock. <i>American Journal of Emergency Medicine</i> , <b>2008</b> , 26, 689-92	2.9	51
74	Therapy and outcomes in massive pulmonary embolism from the Emergency Medicine Pulmonary Embolism in the Real World Registry. <i>American Journal of Emergency Medicine</i> , <b>2012</b> , 30, 1774-81	2.9	47
73	Randomized trial of computerized quantitative pretest probability in low-risk chest pain patients: effect on safety and resource use. <i>Annals of Emergency Medicine</i> , <b>2009</b> , 53, 727-35.e1	2.1	47
72	Operational performance of validated physiologic scoring systems for predicting in-hospital mortality among critically ill emergency department patients. <i>Critical Care Medicine</i> , <b>2005</b> , 33, 974-8	1.4	47
71	Clinical features from the history and physical examination that predict the presence or absence of pulmonary embolism in symptomatic emergency department patients: results of a prospective, multicenter study. <i>Annals of Emergency Medicine</i> , <b>2010</b> , 55, 307-315.e1	2.1	46
70	Prospective study of the diagnostic accuracy of the simplify D-dimer assay for pulmonary embolism in emergency department patients. <i>Chest</i> , <b>2006</b> , 129, 1417-23	5.3	46
69	Use of pulse oximetry to predict in-hospital complications in normotensive patients with pulmonary embolism. <i>American Journal of Medicine</i> , <b>2003</b> , 115, 203-8	2.4	46

68	Emergency clinician-performed compression ultrasonography for deep venous thrombosis of the lower extremity. <i>Annals of Emergency Medicine</i> , <b>2008</b> , 52, 437-45	2.1	45
67	Cost-effectiveness of an emergency department-based early sepsis resuscitation protocol. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 1306-12	1.4	44
66	Derivation and validation of a multivariate model to predict mortality from pulmonary embolism with cancer: The POMPE-C tool. <i>Thrombosis Research</i> , <b>2012</b> , 129, e194-9	8.2	43
65	Major Adverse Events One Year After Acute Kidney Injury After Contrast-Enhanced Computed Tomography. <i>Annals of Emergency Medicine</i> , <b>2015</b> , 66, 267-274.e4	2.1	42
64	Comparison of 8 biomarkers for prediction of right ventricular hypokinesis 6 months after submassive pulmonary embolism. <i>American Heart Journal</i> , <b>2008</b> , 156, 308-14	4.9	42
63	Prospective study of the clinical features and outcomes of emergency department patients with delayed diagnosis of pulmonary embolism. <i>Academic Emergency Medicine</i> , <b>2007</b> , 14, 592-8	3.4	40
62	Systematic review and meta-analysis of pregnant patients investigated for suspected pulmonary embolism in the emergency department. <i>Academic Emergency Medicine</i> , <b>2014</b> , 21, 949-59	3.4	36
61	Clinician gestalt estimate of pretest probability for acute coronary syndrome and pulmonary embolism in patients with chest pain and dyspnea. <i>Annals of Emergency Medicine</i> , <b>2014</b> , 63, 275-80	2.1	35
60	Risk of thromboembolism varies, depending on category of immobility in outpatients. <i>Annals of Emergency Medicine</i> , <b>2009</b> , 54, 147-52	2.1	35
59	Outpatient treatment of low-risk venous thromboembolism with monotherapy oral anticoagulation: patient quality of life outcomes and clinician acceptance. <i>Patient Preference and Adherence</i> , <b>2016</b> , 10, 561-9	2.4	35
58	Over-Testing for Suspected Pulmonary Embolism in American Emergency Departments: The Continuing Epidemic. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2020</b> , 13, e005753	5.8	34
57	Prospective Study of the Clinical Features and Outcomes of Emergency Department Patients with Delayed Diagnosis of Pulmonary Embolism. <i>Academic Emergency Medicine</i> , <b>2007</b> , 14, 592-598	3.4	34
56	Electronic medical record review as a surrogate to telephone follow-up to establish outcome for diagnostic research studies in the emergency department. <i>Academic Emergency Medicine</i> , <b>2005</b> , 12, 1127-33	3.4	33
55	Preliminary safety and efficacy of L-carnitine infusion for the treatment of vasopressor-dependent septic shock: a randomized control trial. <i>Journal of Parenteral and Enteral Nutrition</i> , <b>2014</b> , 38, 736-43	4.2	32
54	Bench to bedside: the role of mitochondrial medicine in the pathogenesis and treatment of cellular injury. <i>Academic Emergency Medicine</i> , <b>2003</b> , 10, 985-97	3.4	32
53	Multicenter, randomized trial of quantitative pretest probability to reduce unnecessary medical radiation exposure in emergency department patients with chest pain and dyspnea. <i>Circulation: Cardiovascular Imaging</i> , <b>2014</b> , 7, 66-73	3.9	31
52	Prospective study of clinician-entered research data in the Emergency Department using an Internet-based system after the HIPAA Privacy Rule. <i>BMC Medical Informatics and Decision Making</i> , <b>2004</b> , 4, 17	3.6	30
51	Diagnosis and Exclusion of Pulmonary Embolism. <i>Thrombosis Research</i> , <b>2018</b> , 163, 207-220	8.2	29

50	Outcomes and radiation exposure of emergency department patients with chest pain and shortness of breath and ultralow pretest probability: a multicenter study. <i>Annals of Emergency Medicine</i> , <b>2014</b> , 63, 281-8	2.1	26
49	Characteristics and outcomes of patients with vasoplegic versus tissue dysoxic septic shock. <i>Shock</i> , <b>2013</b> , 40, 11-4	3.4	25
48	Emergency Evaluation for Pulmonary Embolism, Part 2: Diagnostic Approach. <i>Journal of Emergency Medicine</i> , <b>2015</b> , 49, 104-17	1.5	24
47	Emergency Evaluation for Pulmonary Embolism, Part 1: Clinical Factors that Increase Risk. <i>Journal of Emergency Medicine</i> , <b>2015</b> , 48, 771-80	1.5	23
46	Immediate complications of intravenous contrast for computed tomography imaging in the outpatient setting are rare. <i>Academic Emergency Medicine</i> , <b>2011</b> , 18, 1005-9	3.4	22
45	The Chest Pain Choice trial: a pilot randomized trial of a decision aid for patients with chest pain in the emergency department. <i>Trials</i> , <b>2010</b> , 11, 57	2.8	22
44	Prevalence and Significance of Nonthromboembolic Findings on Chest Computed Tomography Angiography Performed to Rule Out Pulmonary Embolism: A Multicenter Study of 1,025 Emergency Department Patients. <i>Academic Emergency Medicine</i> , <b>2004</b> , 11, 642-647	3.4	22
43	Effectiveness of the Chest Pain Choice decision aid in emergency department patients with low-risk chest pain: study protocol for a multicenter randomized trial. <i>Trials</i> , <b>2014</b> , 15, 166	2.8	21
42	Development, validation, and comparison of four methods to simultaneously quantify l-arginine, citrulline, and ornithine in human plasma using hydrophilic interaction liquid chromatography and electrospray tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2015</b> , 1005, 47-55	3.2	20
41	Pilot study of a protocol to administer inhaled nitric oxide to treat severe acute submassive pulmonary embolism. <i>Emergency Medicine Journal</i> , <b>2014</b> , 31, 459-62	1.5	20
40	Research Priorities in Submassive Pulmonary Embolism: Proceedings from a Multidisciplinary Research Consensus Panel. <i>Journal of Vascular and Interventional Radiology</i> , <b>2016</b> , 27, 787-94	2.4	19
39	Contribution of fibrinolysis to the physical component summary of the SF-36 after acute submassive pulmonary embolism. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2015</b> , 40, 161-6	5.1	18
38	Association of body mass index with increased cost of care and length of stay for emergency department patients with chest pain and dyspnea. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2014</b> , 7, 292-8	5.8	18
37	Prognostic value of incremental lactate elevations in emergency department patients with suspected infection. <i>Academic Emergency Medicine</i> , <b>2012</b> , 19, 983-5	3.4	16
36	12-lead ECG findings of pulmonary hypertension occur more frequently in emergency department patients with pulmonary embolism than in patients without pulmonary embolism. <i>Annals of Emergency Medicine</i> , <b>2010</b> , 55, 331-5	2.1	16
35	Systematic bias introduced by the informed consent process in a diagnostic research study. <i>Academic Emergency Medicine</i> , <b>2008</b> , 15, 225-30	3.4	16
34	Elevated brain natriuretic peptide in septic patients without heart failure. <i>Annals of Emergency Medicine</i> , <b>2003</b> , 42, 714-5	2.1	16
33	Randomized trial of inhaled nitric oxide to treat acute pulmonary embolism: The iNOPE trial. <i>American Heart Journal</i> , <b>2017</b> , 186, 100-110	4.9	15

32	Detection of microRNAs in patients with sepsis. <i>Journal of Acute Disease</i> , <b>2015</b> , 4, 101-106	0.9	13
31	Lactate Clearance in Septic Shock Is Not a Surrogate for Improved Microcirculatory Flow. <i>Academic Emergency Medicine</i> , <b>2016</b> , 23, 690-3	3.4	13
30	Clinical features of patients with pulmonary embolism and a negative PERC rule result. <i>Annals of Emergency Medicine</i> , <b>2013</b> , 61, 122-4	2.1	12
29	Frequency of thrombophilia-related genetic variations in patients with idiopathic pulmonary embolism in an urban emergency department. <i>Clinical Chemistry</i> , <b>2006</b> , 52, 1026-32	5.5	11
28	Comparison of isoflurane and Etchloralose in an anesthetized swine model of acute pulmonary embolism producing right ventricular dysfunction. <i>Comparative Medicine</i> , <b>2015</b> , 65, 54-61	1.6	11
27	Comparison of acute and convalescent biomarkers of inflammation in patients with acute pulmonary embolism treated with systemic fibrinolysis vs. placebo. <i>Blood Coagulation and Fibrinolysis</i> , <b>2017</b> , 28, 675-680	1	10
26	Clinical utility of an age-adjusted D-dimer in the diagnosis of venous thromboembolism. <i>Annals of Emergency Medicine</i> , <b>2014</b> , 64, 232-4	2.1	10
25	Decreased facial expression variability in patients with serious cardiopulmonary disease in the emergency care setting. <i>Emergency Medicine Journal</i> , <b>2015</b> , 32, 3-8	1.5	9
24	Rationale and methodology for a multicentre randomised trial of fibrinolysis for pulmonary embolism that includes quality of life outcomes. <i>EMA - Emergency Medicine Australasia</i> , <b>2013</b> , 25, 515-26	1.5	9
23	Further illumination of the test threshold approach in the care of emergency department patients with symptoms of pulmonary embolism. <i>Annals of Emergency Medicine</i> , <b>2010</b> , 55, 327-30	2.1	9
22	Role of the peripheral intravenous catheter in false-positive D-dimer testing. <i>Academic Emergency Medicine</i> , <b>2001</b> , 8, 103-6	3.4	9
21	Metabolic syndrome increases risk of venous thromboembolism recurrence after acute deep vein thrombosis. <i>Blood Advances</i> , <b>2020</b> , 4, 127-135	7.8	9
20	Research priorities for the influence of gender on diagnostic imaging choices in the emergency department setting. <i>Academic Emergency Medicine</i> , <b>2014</b> , 21, 1431-7	3.4	7
19	Risk stratification for acute pulmonary embolism. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , <b>2011</b> , 9, 800-10	7.3	7
18	Impact of a Shared Decision Making Intervention on Health Care Utilization: A Secondary Analysis of the Chest Pain Choice Multicenter Randomized Trial. <i>Academic Emergency Medicine</i> , <b>2018</b> , 25, 293-300	3.4	7
17	Effectiveness of a Decision Aid in Potentially Vulnerable Patients: A Secondary Analysis of the Chest Pain Choice Multicenter Randomized Trial. <i>Medical Decision Making</i> , <b>2018</b> , 38, 69-78	2.5	6
16	Contrast-induced nephropathy: doubts and certainties. <i>Academic Emergency Medicine</i> , <b>2012</b> , 19, 1294-6	3.4	6
15	Leukocyte expression of heme oxygenase-1 [hmox1] varies inversely with severity of tricuspid regurgitation in acute pulmonary embolism. <i>Thrombosis Research</i> , <b>2015</b> , 136, 769-74	8.2	5

14	Cost-effectiveness of quantitative pretest probability intended to reduce unnecessary medical radiation exposure in emergency department patients with chest pain and dyspnea. <i>Academic Emergency Medicine</i> , <b>2015</b> , 22, 525-35	3.4	5
13	Emergency Physicians Are Able to Detect Right Ventricular Dilation With Good Agreement Compared to Cardiology. <i>Academic Emergency Medicine</i> , <b>2017</b> , 24, 867-874	3.4	4
12	Fibrinolytics for the treatment of pulmonary embolism. <i>Translational Research</i> , <b>2020</b> , 225, 82-94	11	4
11	Urinary metabolomic analysis to detect changes after intravenous, non-ionic, low osmolar iodinated radiocontrast for computerized tomographic imaging. <i>Western Journal of Emergency Medicine</i> , <b>2014</b> , 15, 152-7	3.3	3
10	Acute Right Ventricular Failure. <i>Respiratory Medicine</i> , <b>2015</b> , 161-205	0.2	2
9	Effect of an Educational Intervention on Medical Student Scripting and Patient Satisfaction: A Randomized Trial. <i>Western Journal of Emergency Medicine</i> , <b>2018</b> , 19, 585-592	3.3	2
8	Impact of Patient Affect on Physician Estimate of Probability of Serious Illness and Test Ordering. <i>Academic Medicine</i> , <b>2017</b> , 92, 1607-1616	3.9	1
7	Pulmonary Embolism and Deep Vein Thrombosis <b>2010</b> , 1124-1136		1
6	Modulation of soluble guanylate cyclase ameliorates pulmonary hypertension in a rat model of chronic thromboembolic pulmonary hypertension by stimulating angiogenesis.. <i>Physiological Reports</i> , <b>2022</b> , 10, e15156	2.6	0
5	Resource Utilization in Patients Undergoing Early Goal-Directed Therapy for Severe Sepsis and Septic Shock: Response. <i>Chest</i> , <b>2008</b> , 133, 316	5.3	
4	Clinical Effectiveness and Early Goal-Directed Therapy for Severe Sepsis and Septic Shock. <i>Chest</i> , <b>2008</b> , 133, 584-585	5.3	
3	Indications for Systemic Thrombolysis Over Anticoagulation. <i>Respiratory Medicine</i> , <b>2020</b> , 85-102	0.2	
2	Acceptability of Contraceptive Services in the Emergency Department: A Cross-sectional Survey. <i>Western Journal of Emergency Medicine</i> , <b>2021</b> , 22, 769-774	3.3	
1	Acceptability of Exercise in Urban Emergency Department Patients With Metabolic Syndrome, Including a Subset With Venous Thromboembolism.. <i>Journal of Patient Experience</i> , <b>2022</b> , 9, 23743735221083165	1.3	