

Wei Ouyang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11511867/wei-ouyang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

160
papers

3,272
citations

33
h-index

48
g-index

161
ext. papers

4,318
ext. citations

7.8
avg, IF

5.75
L-index

#	Paper	IF	Citations
160	Properties comparison of biochars from corn straw with different pretreatment and sorption behaviour of atrazine. <i>Bioresource Technology</i> , 2013 , 147, 338-344	11	130
159	Heavy metal loss from agricultural watershed to aquatic system: A scientometrics review. <i>Science of the Total Environment</i> , 2018 , 637-638, 208-220	10.2	107
158	Identification of sources of heavy metals in agricultural soils using multivariate analysis and GIS. <i>Journal of Soils and Sediments</i> , 2013 , 13, 720-729	3.4	100
157	Soil erosion dynamics response to landscape pattern. <i>Science of the Total Environment</i> , 2010 , 408, 1358-66	10.2	97
156	Long-term vegetation landscape pattern with non-point source nutrient pollution in upper stream of Yellow River basin. <i>Journal of Hydrology</i> , 2010 , 389, 373-380	6	90
155	Combined impacts of land use and soil property changes on soil erosion in a mollisol area under long-term agricultural development. <i>Science of the Total Environment</i> , 2018 , 613-614, 798-809	10.2	89
154	The washing effect of precipitation on particulate matter and the pollution dynamics of rainwater in downtown Beijing. <i>Science of the Total Environment</i> , 2015 , 505, 306-14	10.2	88
153	Soil erosion and sediment yield and their relationships with vegetation cover in upper stream of the Yellow River. <i>Science of the Total Environment</i> , 2010 , 409, 396-403	10.2	87
152	Cascade Dam-Induced Hydrological Disturbance and Environmental Impact in the Upper Stream of the Yellow River. <i>Water Resources Management</i> , 2011 , 25, 913-927	3.7	65
151	Vegetation NDVI Linked to Temperature and Precipitation in the Upper Catchments of Yellow River. <i>Environmental Modeling and Assessment</i> , 2012 , 17, 389-398	2	60
150	Effects of land use changes on the ecosystem service values of a reclamation farm in northeast China. <i>Environmental Management</i> , 2012 , 50, 888-99	3.1	59
149	Non-point source pollution dynamics under long-term agricultural development and relationship with landscape dynamics. <i>Ecological Indicators</i> , 2014 , 45, 579-589	5.8	56
148	Evaluating spatial interaction of soil property with non-point source pollution at watershed scale: the phosphorus indicator in Northeast China. <i>Science of the Total Environment</i> , 2012 , 432, 412-21	10.2	52
147	Molecular Structure of Corncob-Derived Biochars and the Mechanism of Atrazine Sorption. <i>Agronomy Journal</i> , 2013 , 105, 773-782	2.2	49
146	An integrated package for drought monitoring, prediction and analysis to aid drought modeling and assessment. <i>Environmental Modelling and Software</i> , 2017 , 91, 199-209	5.2	48
145	Synergistic impacts of land-use change and soil property variation on non-point source nitrogen pollution in a freeze-thaw area. <i>Journal of Hydrology</i> , 2013 , 495, 126-134	6	48
144	Spatial and seasonal variations of antibiotics in river waters in the Haihe River Catchment in China and ecotoxicological risk assessment. <i>Environment International</i> , 2019 , 130, 104919	12.9	46

143	Nanofluidic crystal: a facile, high-efficiency and high-power-density scaling up scheme for energy harvesting based on nanofluidic reverse electro dialysis. <i>Nanotechnology</i> , 2013 , 24, 345401	3.4	45
142	Effect of long-term agricultural cultivation and land use conversion on soil nutrient contents in the Sanjiang Plain. <i>Catena</i> , 2013 , 104, 243-250	5.8	45
141	The influence of land-use change on the forms of phosphorus in soil profiles from the Sanjiang Plain of China. <i>Geoderma</i> , 2012 , 189-190, 207-214	6.7	42
140	Nonpoint source pollution responses simulation for conversion cropland to forest in mountains by SWAT in China. <i>Environmental Management</i> , 2008 , 41, 79-89	3.1	42
139	Assessment of soil erosion characteristics in response to temperature and precipitation in a freeze-thaw watershed. <i>Geoderma</i> , 2018 , 328, 56-65	6.7	41
138	Catalytic oxidation of contaminants by Fe0 activated peroxy monosulfate process: Fe(IV) involvement, degradation intermediates and toxicity evaluation. <i>Chemical Engineering Journal</i> , 2020 , 382, 123013	14.7	40
137	Temporal-spatial dynamics of vegetation variation on non-point source nutrient pollution. <i>Ecological Modelling</i> , 2009 , 220, 2702-2713	3	39
136	Typical agricultural diffuse herbicide sorption with agricultural waste-derived biochars amended soil of high organic matter content. <i>Water Research</i> , 2016 , 92, 156-63	12.5	37
135	A review of diffuse pollution modeling and associated implications for watershed management in China. <i>Journal of Soils and Sediments</i> , 2017 , 17, 1527-1536	3.4	36
134	Using river sediments to analyze the driving force difference for non-point source pollution dynamics between two scales of watersheds. <i>Water Research</i> , 2018 , 139, 311-320	12.5	35
133	The non-point source pollution in livestock-breeding areas of the Heihe River basin in Yellow River. <i>Stochastic Environmental Research and Risk Assessment</i> , 2007 , 21, 213-221	3.5	35
132	The effect on soil nutrients resulting from land use transformations in a freeze-thaw agricultural ecosystem. <i>Soil and Tillage Research</i> , 2013 , 132, 30-38	6.5	34
131	Occurrence, spatiotemporal variation, and ecological risk of antibiotics in the water of the semi-enclosed urbanized Jiaozhou Bay in eastern China. <i>Water Research</i> , 2020 , 184, 116187	12.5	34
130	A theoretical drought classification method for the multivariate drought index based on distribution properties of standardized drought indices. <i>Advances in Water Resources</i> , 2016 , 92, 240-247	4.7	34
129	Deciphering ion concentration polarization-based electrokinetic molecular concentration at the micro-nanofluidic interface: theoretical limits and scaling laws. <i>Nanoscale</i> , 2018 , 10, 15187-15194	7.7	34
128	Temporal-spatial loss of diffuse pesticide and potential risks for water quality in China. <i>Science of the Total Environment</i> , 2016 , 541, 551-558	10.2	33
127	Modeling urban storm rainfall runoff from diverse underlying surfaces and application for control design in Beijing. <i>Journal of Environmental Management</i> , 2012 , 113, 467-73	7.9	32
126	In situ remediation of cadmium-polluted soil reusing four by-products individually and in combination. <i>Journal of Soils and Sediments</i> , 2014 , 14, 451-461	3.4	31

125	Activation of peroxymonosulfate by magnetic catalysts derived from drinking water treatment residuals for the degradation of atrazine. <i>Journal of Hazardous Materials</i> , 2019 , 366, 402-412	12.8	31
124	Temporal-spatial patterns of three types of pesticide loadings in a middle-high latitude agricultural watershed. <i>Water Research</i> , 2017 , 122, 377-386	12.5	30
123	Anthropogenic impact on diffuse trace metal accumulation in river sediments from agricultural reclamation areas with geochemical and isotopic approaches. <i>Science of the Total Environment</i> , 2015 , 536, 609-615	10.2	30
122	Direct numerical simulation of continuous lithium extraction from high Mg/Li ratio brines using microfluidic channels with ion concentration polarization. <i>Journal of Membrane Science</i> , 2018 , 556, 34-41	9.6	30
121	Snowmelt water drives higher soil erosion than rainfall water in a mid-high latitude upland watershed. <i>Journal of Hydrology</i> , 2018 , 556, 438-448	6	30
120	Combine the soil water assessment tool (SWAT) with sediment geochemistry to evaluate diffuse heavy metal loadings at watershed scale. <i>Journal of Hazardous Materials</i> , 2014 , 280, 252-9	12.8	28
119	Differences in soil organic carbon dynamics in paddy fields and drylands in northeast China using the CENTURY model. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 194, 38-47	5.7	28
118	Watershed soil Cd loss after long-term agricultural practice and biochar amendment under four rainfall levels. <i>Water Research</i> , 2017 , 122, 692-700	12.5	27
117	Long-term agricultural non-point source pollution loading dynamics and correlation with outlet sediment geochemistry. <i>Journal of Hydrology</i> , 2016 , 540, 379-385	6	26
116	Accumulated effects on landscape pattern by hydroelectric cascade exploitation in the Yellow River basin from 1977 to 2006. <i>Landscape and Urban Planning</i> , 2009 , 93, 163-171	7.7	26
115	Characteristics and secondary formation of water-soluble organic acids in PM ₁₀ , PM _{2.5} and PM ₁ in Beijing during haze episodes. <i>Science of the Total Environment</i> , 2019 , 669, 175-184	10.2	25
114	Integration of multi-sensor data to assess grassland dynamics in a Yellow River sub-watershed. <i>Ecological Indicators</i> , 2012 , 18, 163-170	5.8	25
113	Occurrence, transportation, and distribution difference of typical herbicides from estuary to bay. <i>Environment International</i> , 2019 , 130, 104858	12.9	24
112	Quantitative risk assessment of the effects of drought on extreme temperature in eastern China. <i>Journal of Geophysical Research D: Atmospheres</i> , 2017 , 122, 9050-9059	4.4	24
111	Combined impacts of freeze-thaw processes on paddy land and dry land in Northeast China. <i>Science of the Total Environment</i> , 2013 , 456-457, 24-33	10.2	24
110	A Statistical Method for Categorical Drought Prediction Based on NLDAS-2. <i>Journal of Applied Meteorology and Climatology</i> , 2016 , 55, 1049-1061	2.7	23
109	Soil respiration and carbon loss relationship with temperature and land use conversion in freeze-thaw agricultural area. <i>Science of the Total Environment</i> , 2015 , 533, 215-22	10.2	22
108	Changing runoff due to temperature and precipitation variations in the dammed Jinsha River. <i>Journal of Hydrology</i> , 2020 , 582, 124500	6	22

107	Effects of soil moisture content on upland nitrogen loss. <i>Journal of Hydrology</i> , 2017 , 546, 71-80	6	21
106	Impact of crop patterns and cultivation on carbon sequestration and global warming potential in an agricultural freeze zone. <i>Ecological Modelling</i> , 2013 , 252, 228-237	3	21
105	Combined impacts of precipitation and temperature on diffuse phosphorus pollution loading and critical source area identification in a freeze-thaw area. <i>Science of the Total Environment</i> , 2016 , 553, 607-616	10.2	20
104	Long-term cultivation impact on the heavy metal behavior in a reclaimed wetland, Northeast China. <i>Journal of Soils and Sediments</i> , 2014 , 14, 567-576	3.4	19
103	Temporal rainfall patterns with water partitioning impacts on maize yield in a freeze-thaw zone. <i>Journal of Hydrology</i> , 2013 , 486, 412-419	6	19
102	Temporal-spatial variation analysis of agricultural biomass and its policy implication as an alternative energy in northeastern China. <i>Energy Policy</i> , 2017 , 109, 337-349	7.2	19
101	Airborne bacterial communities and antibiotic resistance gene dynamics in PM during rainfall. <i>Environment International</i> , 2020 , 134, 105318	12.9	19
100	Farmland shift due to climate warming and impacts on temporal-spatial distributions of water resources in a middle-high latitude agricultural watershed. <i>Journal of Hydrology</i> , 2017 , 547, 156-167	6	18
99	Uptake, translocation and phytotoxicity of antimonite in wheat (<i>Triticum aestivum</i>). <i>Science of the Total Environment</i> , 2019 , 669, 421-430	10.2	18
98	Seasonal relevance of agricultural diffuse pollutant with microplastic in the bay. <i>Journal of Hazardous Materials</i> , 2020 , 396, 122602	12.8	18
97	Exposure inequality assessment for PM and the potential association with environmental health in Beijing. <i>Science of the Total Environment</i> , 2018 , 635, 769-778	10.2	18
96	Watershed water circle dynamics during long term farmland conversion in freeze-thawing area. <i>Journal of Hydrology</i> , 2015 , 523, 555-562	6	17
95	Force fields of charged particles in micro-nanofluidic preconcentration systems. <i>AIP Advances</i> , 2017 , 7, 125020	1.5	17
94	Occurrence, migration, and allocation of arsenic in multiple media of a typical semi-enclosed bay. <i>Journal of Hazardous Materials</i> , 2020 , 384, 121313	12.8	17
93	Modified control strategies for critical source area of nitrogen (CSAN) in a typical freeze-thaw watershed. <i>Journal of Hydrology</i> , 2017 , 551, 518-531	6	16
92	Assessing the Relationship Between Landscape Patterns and Nonpoint-Source Pollution in the Danjiangkou Reservoir Basin in China ¹ . <i>Journal of the American Water Resources Association</i> , 2012 , 48, 1162-1177	2.1	16
91	Regional Non point Source Organic Pollution Modeling and Critical Area Identification for Watershed Best Environmental Management. <i>Water, Air, and Soil Pollution</i> , 2007 , 187, 251-261	2.6	16
90	Changes in fertilizer categories significantly altered the estimates of ammonia volatilizations induced from increased synthetic fertilizer application to Chinese rice fields. <i>Agriculture, Ecosystems and Environment</i> , 2018 , 265, 112-122	5.7	16

89	Toward a categorical drought prediction system based on U.S. Drought Monitor (USDM) and climate forecast. <i>Journal of Hydrology</i> , 2017 , 551, 300-305	6	15
88	Long-term diffuse phosphorus pollution dynamics under the combined influence of land use and soil property variations. <i>Science of the Total Environment</i> , 2017 , 579, 1894-1903	10.2	15
87	Heavy metal accumulation, geochemical fractions, and loadings in two agricultural watersheds with distinct climate conditions. <i>Journal of Hazardous Materials</i> , 2020 , 389, 122125	12.8	15
86	Vertical and horizontal distribution of soil parameters in intensive agricultural zone and effect on diffuse nitrogen pollution. <i>Soil and Tillage Research</i> , 2014 , 144, 32-40	6.5	15
85	Long-term soil nutrient dynamics comparison under smallholding land and farmland policy in northeast of China. <i>Science of the Total Environment</i> , 2013 , 450-451, 129-39	10.2	15
84	Toxicity and bioavailability of antimony in edible amaranth (<i>Amaranthus tricolor</i> Linn.) cultivated in two agricultural soil types. <i>Environmental Pollution</i> , 2020 , 257, 113642	9.3	15
83	Optimization of typical diffuse herbicide pollution control by soil amendment configurations under four levels of rainfall intensities. <i>Journal of Environmental Management</i> , 2016 , 175, 1-8	7.9	15
82	Vertical difference of climate change impacts on vegetation at temporal-spatial scales in the upper stream of the Mekong River Basin. <i>Science of the Total Environment</i> , 2020 , 701, 134782	10.2	14
81	Distribution, sources, and ecological risks of potentially toxic elements in the Laizhou Bay, Bohai Sea: Under the long-term impact of the Yellow River input. <i>Journal of Hazardous Materials</i> , 2021 , 413, 125429	12.8	14
80	Rainwater characteristics and interaction with atmospheric particle matter transportation analyzed by remote sensing around Beijing. <i>Science of the Total Environment</i> , 2019 , 651, 532-540	10.2	14
79	Enabling electrical biomolecular detection in high ionic concentrations and enhancement of the detection limit thereof by coupling a nanofluidic crystal with reconfigurable ion concentration polarization. <i>Lab on A Chip</i> , 2017 , 17, 3772-3784	7.2	13
78	Optimisation of corn straw biochar treatment with catalytic pyrolysis in intensive agricultural area. <i>Ecological Engineering</i> , 2015 , 84, 278-286	3.9	13
77	Activation of peroxymonosulfate using drinking water treatment residuals modified by hydrothermal treatment for imidacloprid degradation. <i>Chemosphere</i> , 2020 , 254, 126820	8.4	13
76	Occurrence, spatiotemporal distribution, and ecological risks of organophosphate esters in the water of the Yellow River to the Laizhou Bay, Bohai Sea. <i>Science of the Total Environment</i> , 2021 , 787, 147528	10.2	13
75	A Supply-Chain Analysis Framework for Assessing Densified Biomass Solid Fuel Utilization Policies in China. <i>Energies</i> , 2015 , 8, 7122-7139	3.1	12
74	Dynamic flow and pollution of antimony from polyethylene terephthalate (PET) fibers in China. <i>Science of the Total Environment</i> , 2021 , 771, 144643	10.2	12
73	Geochemical variability of heavy metals in soil after land use conversions in Northeast China and its environmental applications. <i>Environmental Sciences: Processes and Impacts</i> , 2014 , 16, 924-31	4.3	11
72	Nanofluidic crystals: nanofluidics in a close-packed nanoparticle array. <i>Lab on A Chip</i> , 2017 , 17, 3006-3025.2	7.2	11

71	Watershed diffuse pollution dynamics and response to land development assessment with riverine sediments. <i>Science of the Total Environment</i> , 2019 , 659, 283-292	10.2	11
70	A comparison of general circulation models and their application to temperature change assessments in a high-latitude agricultural area in northeastern China. <i>Climate Dynamics</i> , 2016 , 47, 651-666	4.2	10
69	Paddy rice ecohydrology pattern and influence on nitrogen dynamics in middle-to-high latitude area. <i>Journal of Hydrology</i> , 2015 , 529, 1901-1908	6	10
68	Farmland-atmosphere feedbacks amplify decreases in diffuse nitrogen pollution in a freeze-thaw agricultural area under climate warming conditions. <i>Science of the Total Environment</i> , 2017 , 579, 484-494	10.2	9
67	LUCC and landscape pattern variation of wetlands in warm-rainy Southern China over two decades. <i>Procedia Environmental Sciences</i> , 2010 , 2, 1296-1306		9
66	Assessment of cadmium pollution and subsequent ecological and health risks in Jiaozhou Bay of the Yellow Sea. <i>Science of the Total Environment</i> , 2021 , 774, 145016	10.2	9
65	Satellite-based estimation of watershed groundwater storage dynamics in a freeze-thaw area under intensive agricultural development. <i>Journal of Hydrology</i> , 2016 , 537, 96-105	6	9
64	Accumulated impact assessment of river buffer zone after 30 years of dam disturbance in the Yellow River Basin. <i>Stochastic Environmental Research and Risk Assessment</i> , 2013 , 27, 1069-1079	3.5	8
63	Mechanism of birnessite-promoted oxidative dissolution of antimony trioxide. <i>Environmental Chemistry</i> , 2020 , 17, 345	3.2	8
62	Higher Fine Particle Fraction in Sediment Increased Phosphorus Flux to Estuary in Restored Yellow River Basin. <i>Environmental Science & Technology</i> , 2021 , 55, 6783-6790	10.3	8
61	Occurrence and risk assessment of total mercury and methylmercury in surface seawater and sediments from the Jiaozhou Bay, Yellow Sea. <i>Science of the Total Environment</i> , 2020 , 714, 136539	10.2	7
60	Diffuse nitrogen pollution in a forest-dominated watershed: Source, transport and removal. <i>Journal of Hydrology</i> , 2020 , 585, 124833	6	7
59	Soil respiration characteristics in different land uses and response of soil organic carbon to biochar addition in high-latitude agricultural area. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 2279-87	5.1	7
58	Role of freeze-thaw cycles and chlorpyrifos insecticide use on diffuse Cd loss and sediment accumulation. <i>Scientific Reports</i> , 2016 , 6, 27302	4.9	7
57	Influences of Particles and Aquatic Colloids on the Oxidation of Sb(III) in Natural Water. <i>ACS Earth and Space Chemistry</i> , 2020 , 4, 661-671	3.2	7
56	Increased ammonia emissions from synthetic fertilizers and land degradation associated with reduction in arable land area in China. <i>Land Degradation and Development</i> , 2018 , 29, 3928-3939	4.4	7
55	Effects of antimony (III/V) on microbial activities and bacterial community structure in soil. <i>Science of the Total Environment</i> , 2021 , 789, 148073	10.2	7
54	SWAT-N2O coupler: An integration tool for soil N2O emission modeling. <i>Environmental Modelling and Software</i> , 2019 , 115, 86-97	5.2	6

53	Multivariate interactions of natural and anthropogenic factors on Cd behavior in arable soil. <i>RSC Advances</i> , 2015 , 5, 41238-41247	3.7	6
52	Optimization of SWAT-Paddy for modeling hydrology and diffuse pollution of large rice paddy fields. <i>Environmental Modelling and Software</i> , 2020 , 130, 104736	5.2	6
51	Typical pesticides diffuse loading and degradation pattern differences under the impacts of climate and land-use variations. <i>Environment International</i> , 2020 , 139, 105717	12.9	6
50	Influence of Fe(II) on Sb(III) oxidation and adsorption by MnO under acidic conditions. <i>Science of the Total Environment</i> , 2020 , 724, 138209	10.2	6
49	Phosphorus Fractions and Availability in an Albic Bleached Meadow Soil. <i>Agronomy Journal</i> , 2013 , 105, 1451-1457	2.2	6
48	Sources, trophodynamics, contamination and risk assessment of toxic metals in a coastal ecosystem by using a receptor model and Monte Carlo simulation. <i>Journal of Hazardous Materials</i> , 2022 , 424, 127482	12.8	6
47	Trophodynamics of arsenic for different species in coastal regions of the Northwest Pacific Ocean: In situ evidence and a meta-analysis. <i>Water Research</i> , 2020 , 184, 116186	12.5	6
46	Drainage optimization of paddy field watershed for diffuse phosphorus pollution control and sustainable agricultural development. <i>Agriculture, Ecosystems and Environment</i> , 2021 , 308, 107238	5.7	6
45	Anthropogenic and lithogenic fluxes of atmospheric lead deposition over the past 3600 years from a peat bog, Changbai Mountains, China. <i>Chemosphere</i> , 2019 , 227, 225-236	8.4	5
44	A comprehensive assessment of anthropogenic impacts, contamination, and ecological risks of toxic elements in sediments of urban rivers: A case study in Qingdao, East China. <i>Environmental Advances</i> , 2022 , 7, 100143	3.5	5
43	Trophic transfer and dietary exposure risk of mercury in aquatic organisms from urbanized coastal ecosystems. <i>Chemosphere</i> , 2021 , 281, 130836	8.4	5
42	Activation of peroxymonosulfate by WTRs-based iron-carbon composites for atrazine removal: Performance evaluation, mechanism insight and byproduct analysis. <i>Chemical Engineering Journal</i> , 2021 , 421, 127811	14.7	5
41	Interactions between rainfall and fine particulate matter investigated by simultaneous chemical composition measurements in downtown Beijing. <i>Atmospheric Environment</i> , 2019 , 218, 117000	5.3	4
40	Considering atmospheric NO dynamic in SWAT model avoids the overestimation of NO emissions in river networks. <i>Water Research</i> , 2020 , 174, 115624	12.5	4
39	Vertical Distribution of Lead and Mercury in the Wetland Argialbolls of the Sanjiang Plain in Northeastern China. <i>PLoS ONE</i> , 2015 , 10, e0124294	3.7	4
38	Integrating hydrological, landscape ecological, and economic assessment during hydropower exploitation in the upper Yangtze River. <i>Science of the Total Environment</i> , 2021 , 767, 145496	10.2	4
37	Substance flow analysis and environmental release of antimony in the life cycle of polyethylene terephthalate products. <i>Journal of Cleaner Production</i> , 2021 , 291, 125252	10.3	4
36	Endocrine-disrupting chemicals in a typical urbanized bay of Yellow Sea, China: Distribution, risk assessment, and identification of priority pollutants. <i>Environmental Pollution</i> , 2021 , 287, 117588	9.3	4

35	Facile co-removal of As(V) and Sb(V) from aqueous solution using Fe-Cu binary oxides: Structural modification and self-driven force field of copper oxides. <i>Science of the Total Environment</i> , 2022 , 803, 150084	10.2	4
34	Differences in soil water content and movement drivers of runoff under climate variations in a high-altitude catchment. <i>Journal of Hydrology</i> , 2020 , 587, 125024	6	3
33	Dryland soil hydrological processes and their impacts on the nitrogen balance in a soil-maize system of a freeze-thawing agricultural area. <i>PLoS ONE</i> , 2014 , 9, e101282	3.7	3
32	Metabolic process and spatial partition dynamics of Atrazine in an estuary-to-bay system, Jiaozhou bay. <i>Journal of Hazardous Materials</i> , 2021 , 414, 125530	12.8	3
31	Predictive ability of climate change with the automated statistical downscaling method in a freeze-thaw agricultural area. <i>Climate Dynamics</i> , 2019 , 52, 7013-7028	4.2	3
30	Baseline, enrichment, and ecological risk of arsenic and antimony in the Jiaozhou Bay, a semi-enclosed bay of the Yellow Sea, China. <i>Marine Pollution Bulletin</i> , 2021 , 168, 112431	6.7	3
29	Quantify phosphorus transport distinction of different reaches to estuary under long-term anthropogenic perturbation. <i>Science of the Total Environment</i> , 2021 , 780, 146647	10.2	3
28	Seasonal variations in atrazine degradation in a typical semienclosed bay of the northwest Pacific ocean. <i>Environmental Pollution</i> , 2021 , 283, 117072	9.3	3
27	Vanadium pollution and health risks in marine ecosystems: Anthropogenic sources over natural contributions. <i>Water Research</i> , 2021 , 207, 117838	12.5	2
26	Diffuse nutrient export dynamics from accumulated litterfall in forested watersheds with remote sensing data coupled model.. <i>Water Research</i> , 2021 , 209, 117948	12.5	2
25	Insights into the spatiotemporal occurrence and mixture risk assessment of household and personal care products in the waters from rivers to Laizhou Bay, southern Bohai Sea.. <i>Science of the Total Environment</i> , 2021 , 810, 152290	10.2	2
24	Organophosphate esters in surface waters of Shandong Peninsula in eastern China: Levels, profile, source, spatial distribution, and partitioning.. <i>Environmental Pollution</i> , 2022 , 297, 118792	9.3	2
23	Impact of Regional Management Alternatives and Land Conversion on the Net Primary Productivity in Heilongjiang Province, China. <i>Journal of Environmental Accounting and Management</i> , 2016 , 4, 45-58	2	2
22	Sorption dynamics, geochemical fraction and driving factors in phosphorus transport at large basin scale. <i>Journal of Cleaner Production</i> , 2021 , 294, 126111	10.3	2
21	Influence of atmospheric surface oxidation on the formation of H ₂ O ₂ and OH at pyrite-water interface: Mechanism and kinetic model. <i>Chemical Geology</i> , 2021 , 571, 120176	4.2	2
20	Seasonal occurrence, allocation and ecological risk of organophosphate esters in a typical urbanized semi-closed bay. <i>Environmental Pollution</i> , 2021 , 290, 118074	9.3	2
19	Chinese Strategic Environmental Assessment system and its application in water resources development plan of the Yellow River. <i>International Journal of Environment and Waste Management</i> , 2010 , 5, 181	0.9	1
18	Satellite Remote Sensing Drought Monitoring and Predictions over the Globe 2016 , 259-296		1

17	Profiling of the spatiotemporal distribution, risks, and prioritization of antibiotics in the waters of Laizhou Bay, northern China. <i>Journal of Hazardous Materials</i> , 2022 , 424, 127487	12.8	1
16	Spatial impacts of climate factors on regional agricultural and forestry biomass resources in north-eastern province of China. <i>Frontiers of Environmental Science and Engineering</i> , 2016 , 10, 1	5.8	1
15	Typical herbicide residues, trophic transfer, bioconcentration, and health risk of marine organisms. <i>Environment International</i> , 2021 , 152, 106500	12.9	1
14	Potential of paddy drainage optimization to water and food security in China. <i>Resources, Conservation and Recycling</i> , 2021 , 171, 105624	11.9	1
13	Rainfall stimulates large carbon dioxide emission during growing season in a forest wetland catchment. <i>Journal of Hydrology</i> , 2021 , 602, 126892	6	1
12	Interactions of antimony with biomolecules and its effects on human health.. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 233, 113317	7	1
11	Oxidation and adsorption of Sb(III) in the presence of iron (hydr)oxides and dissolved Mn(II). <i>Chemical Geology</i> , 2022 , 591, 120725	4.2	0
10	Historical records of trace metals in two sediment cores of Jiaozhou Bay, north China.. <i>Marine Pollution Bulletin</i> , 2022 , 175, 113400	6.7	0
9	Quantitative source identification and environmental assessment of trace elements in the water and sediment of rivers flowing into Laizhou Bay, Bohai Sea.. <i>Marine Pollution Bulletin</i> , 2022 , 174, 113313	6.7	0
8	Ammonia volatilization modeling optimization for rice watersheds under climatic differences. <i>Science of the Total Environment</i> , 2021 , 767, 144710	10.2	0
7	Synergetic loss of heavy metal and phosphorus: Evidence from geochemical fraction and estuary sedimentation. <i>Journal of Hazardous Materials</i> , 2021 , 416, 125710	12.8	0
6	Spatiotemporal variations in phosphorus concentrations in the water and sediment of Jiaozhou Bay and sediment phosphorus release potential. <i>Science of the Total Environment</i> , 2022 , 806, 150540	10.2	0
5	Deep insight into the Sb(III) and Sb(V) removal mechanism by Fe-Cu-chitosan material.. <i>Environmental Pollution</i> , 2022 , 303, 119160	9.3	0
4	Simultaneous stabilization of Sb and As co-contaminated soil by FeMg modified biochar.. <i>Science of the Total Environment</i> , 2022 , 154831	10.2	0
3	Distribution, partitioning, and health risk assessment of organophosphate esters in a major tributary of middle Yangtze River using Monte Carlo simulation.. <i>Water Research</i> , 2022 , 219, 118559	12.5	0
2	Enhanced release, export, and transport of diffuse nutrients from litter in forested watersheds with climate warming.. <i>Science of the Total Environment</i> , 2022 , 155897	10.2	0
1	Forest leaf litter nutrient discharge patterns in snowmelt surface runoff and watershed scale remote sensed simulation. <i>Science of the Total Environment</i> , 2022 , 839, 156356	10.2	