

W K Alfred Yung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11513917/publications.pdf>

Version: 2024-02-01

193
papers

20,507
citations

15001

68
h-index

12272

138
g-index

196
all docs

196
docs citations

196
times ranked

25562
citing authors

#	ARTICLE	IF	CITATIONS
1	Hypothetical generalized framework for a new imaging endpoint of therapeutic activity in early phase clinical trials in brain tumors. <i>Neuro-Oncology</i> , 2022, 24, 1219-1229.	0.6	9
2	EGFR suppresses p53 function by promoting p53 binding to DNA-PKcs: a noncanonical regulatory axis between EGFR and wild-type p53 in glioblastoma. <i>Neuro-Oncology</i> , 2022, 24, 1712-1725.	0.6	8
3	GBM AGILE: A global, phase 2/3 adaptive platform trial to evaluate multiple regimens in newly diagnosed and recurrent glioblastoma.. <i>Journal of Clinical Oncology</i> , 2022, 40, TPS2078-TPS2078.	0.8	3
4	Baseline tumor genomic and gut microbiota association with clinical outcomes in newly diagnosed glioblastoma (GBM) treated with atezolizumab in combination with temozolomide (TMZ) and radiation.. <i>Journal of Clinical Oncology</i> , 2022, 40, 2006-2006.	0.8	3
5	Radiographic read paradigms and the roles of the central imaging laboratory in neuro-oncology clinical trials. <i>Neuro-Oncology</i> , 2021, 23, 189-198.	0.6	11
6	PARP-mediated PARylation of MGMT is critical to promote repair of temozolomide-induced O6-methylguanine DNA damage in glioblastoma. <i>Neuro-Oncology</i> , 2021, 23, 920-931.	0.6	58
7	Integrated analysis of telomerase enzymatic activity unravels an association with cancer stemness and proliferation. <i>Nature Communications</i> , 2021, 12, 139.	5.8	39
8	The promise of DNA damage response inhibitors for the treatment of glioblastoma. <i>Neuro-Oncology Advances</i> , 2021, 3, vdab015.	0.4	16
9	Report of National Brain Tumor Society roundtable workshop on innovating brain tumor clinical trials: building on lessons learned from COVID-19 experience. <i>Neuro-Oncology</i> , 2021, 23, 1252-1260.	0.6	11
10	Molecular Mechanisms of Treatment Resistance in Glioblastoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 351.	1.8	106
11	Results of a phase I trial to assess the safety of macitentan in combination with temozolomide for the treatment of recurrent glioblastoma. <i>Neuro-Oncology Advances</i> , 2021, 3, vdab141.	0.4	3
12	Window-of-opportunity clinical trial of pembrolizumab in patients with recurrent glioblastoma reveals predominance of immune-suppressive macrophages. <i>Neuro-Oncology</i> , 2020, 22, 539-549.	0.6	98
13	A Phase Ib/II, open-label, multicenter study of INC280 (capmatinib) alone and in combination with buparlisib (BKM120) in adult patients with recurrent glioblastoma. <i>Journal of Neuro-Oncology</i> , 2020, 146, 79-89.	1.4	26
14	<i>EGFR</i> Amplification Induces Increased DNA Damage Response and Renders Selective Sensitivity to Talazoparib (PARP Inhibitor) in Glioblastoma. <i>Clinical Cancer Research</i> , 2020, 26, 1395-1407.	3.2	26
15	Phase I/II study of sorafenib in combination with erlotinib for recurrent glioblastoma as part of a 3-arm sequential accrual clinical trial: NABTC 05-02. <i>Neuro-Oncology Advances</i> , 2020, 2, vdaa124.	0.4	5
16	A Bayesian adaptive randomized phase II multicenter trial of bevacizumab with or without vorinostat in adults with recurrent glioblastoma. <i>Neuro-Oncology</i> , 2020, 22, 1505-1515.	0.6	27
17	Phase I/II study to evaluate the safety and clinical efficacy of atezolizumab (atezo; aPDL1) in combination with temozolomide (TMZ) and radiation in patients with newly diagnosed glioblastoma (GBM).. <i>Journal of Clinical Oncology</i> , 2020, 38, 2511-2511.	0.8	7
18	GBM AGILE: A global, phase II/III adaptive platform trial to evaluate multiple regimens in newly diagnosed and recurrent glioblastoma.. <i>Journal of Clinical Oncology</i> , 2020, 38, TPS2579-TPS2579.	0.8	5

#	ARTICLE	IF	CITATIONS
19	The Promise of Poly(ADP-Ribose) Polymerase (PARP) Inhibitors in Gliomas. <i>Journal of Immunotherapy and Precision Oncology</i> , 2020, 3, 157-164.	0.6	2
20	Tie2-FGFR1 Interaction Induces Adaptive PI3K Inhibitor Resistance by Upregulating Aurora A/PLK1/CDK1 Signaling in Glioblastoma. <i>Cancer Research</i> , 2019, 79, 5088-5101.	0.4	17
21	Buparlisib in Patients With Recurrent Glioblastoma Harboring Phosphatidylinositol 3-Kinase Pathway Activation: An Open-Label, Multicenter, Multi-Arm, Phase II Trial. <i>Journal of Clinical Oncology</i> , 2019, 37, 741-750.	0.8	103
22	Prospective Clinical Sequencing of Adult Glioma. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 991-1000.	1.9	15
23	Clinical trial participation of patients with glioblastoma at The University of Texas MD Anderson Cancer Center. <i>European Journal of Cancer</i> , 2019, 112, 83-93.	1.3	15
24	Longitudinal molecular trajectories of diffuse glioma in adults. <i>Nature</i> , 2019, 576, 112-120.	13.7	320
25	Phase 1 lead-in to a phase 2 factorial study of temozolomide plus memantine, mefloquine, and metformin as postradiation adjuvant therapy for newly diagnosed glioblastoma. <i>Cancer</i> , 2019, 125, 424-433.	2.0	46
26	EGFR amplification predicted selective sensitivity to PARP inhibitors with high PARP-DNA trapping potential in human GBM.. <i>Journal of Clinical Oncology</i> , 2019, 37, 2047-2047.	0.8	1
27	Wild-type defined gamma-secretase inhibitor sensitivity and synergistic activity with doxorubicin in GSCs. <i>American Journal of Cancer Research</i> , 2019, 9, 1734-1745.	1.4	3
28	Glioma through the looking GLASS: molecular evolution of diffuse gliomas and the Glioma Longitudinal Analysis Consortium. <i>Neuro-Oncology</i> , 2018, 20, 873-884.	0.6	119
29	Activation of WEE1 confers resistance to PI3K inhibition in glioblastoma. <i>Neuro-Oncology</i> , 2018, 20, 78-91.	0.6	24
30	Phase I study of sorafenib and tipifarnib for recurrent glioblastoma: NABTC 05-02. <i>Journal of Neuro-Oncology</i> , 2018, 136, 79-86.	1.4	21
31	Adaptive Global Innovative Learning Environment for Glioblastoma: GBM AGILE. <i>Clinical Cancer Research</i> , 2018, 24, 737-743.	3.2	154
32	DDIS-03. EGFR AMPLIFICATION INDUCED INCREASED DNA DAMAGE RESPONSE AND PREDICTED SELECTIVE SENSITIVITY TO TALAZOPARIB (PARP INHIBITOR) IN GLIOBLASTOMA STEM-LIKE CELLS. <i>Neuro-Oncology</i> , 2018, 20, vi69-vi69.	0.6	0
33	Phase I Study of DNX-2401 (Delta-24-RGD) Oncolytic Adenovirus: Replication and Immunotherapeutic Effects in Recurrent Malignant Glioma. <i>Journal of Clinical Oncology</i> , 2018, 36, 1419-1427.	0.8	477
34	ACTR-13. A BAYESIAN ADAPTIVE RANDOMIZED PHASE II TRIAL OF BEVACIZUMAB VERSUS BEVACIZUMAB PLUS VORINOSTAT IN ADULTS WITH RECURRENT GLIOBLASTOMA FINAL RESULTS. <i>Neuro-Oncology</i> , 2018, 20, vi13-vi13.	0.6	1
35	EXTH-11. GLIOBLASTOMA STEM CELL GROWTH DEPENDENCE ON NUTRIENTS: MORE THAN BASAL METABOLIC ACTIVITIES. <i>Neuro-Oncology</i> , 2018, 20, vi87-vi87.	0.6	0
36	INNV-15. ANALYSIS OF CHALLENGES TO ACCRUAL IN CLINICAL TRIALS FOR NEWLY DIAGNOSED GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi141-vi141.	0.6	0

#	ARTICLE	IF	CITATIONS
37	ATIM-10. A PHASE I/II CLINICAL TRIAL OF AUTOLOGOUS CMV-SPECIFIC CYTOTOXIC T CELLS (CMV-TC) FOR GLIOBLASTOMA: DOSE ESCALATION AND CORRELATIVE RESULTS. <i>Neuro-Oncology</i> , 2018, 20, vi2-vi3.	0.6	4
38	DRES-05. MOLECULAR EVOLUTION OF DIFFUSE GLIOMAS AND THE GLIOMA LONGITUDINAL ANALYSIS CONSORTIUM. <i>Neuro-Oncology</i> , 2018, 20, vi76-vi76.	0.6	0
39	The natural course of hypermutator gliomas.. <i>Journal of Clinical Oncology</i> , 2018, 36, 2014-2014.	0.8	5
40	Phase I factorial study of temozolomide plus memantine, mefloquine, and metformin as post-radiation adjuvant therapy for newly diagnosed glioblastoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 2044-2044.	0.8	14
41	A phase I/II clinical trial of autologous CMV-specific cytotoxic T cells (CMV-TC) for glioblastoma: Dose escalation results.. <i>Journal of Clinical Oncology</i> , 2018, 36, 2035-2035.	0.8	6
42	Preclinical therapeutic efficacy of a novel blood-brain barrier-penetrant dual PI3K/mTOR inhibitor with preferential response in PI3K/PTEN mutant glioma. <i>Oncotarget</i> , 2017, 8, 21741-21753.	0.8	16
43	APOBEC3G acts as a therapeutic target in mesenchymal gliomas by sensitizing cells to radiation-induced cell death. <i>Oncotarget</i> , 2017, 8, 54285-54296.	0.8	15
44	MSK1-Mediated β -Catenin Phosphorylation Confers Resistance to PI3K/mTOR Inhibitors in Glioblastoma. <i>Molecular Cancer Therapeutics</i> , 2016, 15, 1656-1668.	1.9	25
45	A randomized phase II trial of standard dose bevacizumab versus low dose bevacizumab plus lomustine (CCNU) in adults with recurrent glioblastoma. <i>Journal of Neuro-Oncology</i> , 2016, 129, 487-494.	1.4	52
46	Prioritization schema for immunotherapy clinical trials in glioblastoma. <i>Oncolmmunology</i> , 2016, 5, e1145332.	2.1	13
47	Molecular Profiling Reveals Biologically Discrete Subsets and Pathways of Progression in Diffuse Glioma. <i>Cell</i> , 2016, 164, 550-563.	13.5	1,695
48	ATPS-46PRECLINICAL THERAPEUTIC EFFICACY OF A NOVEL BLOOD-BRAIN BARRIER-PENETRANT DUAL PI3K/MTOR INHIBITOR WITH PREFERENTIAL RESPONSE IN PI3K/PTEN MUTANT GLIOMA. <i>Neuro-Oncology</i> , 2015, 17, v28.2-v28.	0.6	0
49	Supratentorial extraventricular anaplastic ependymoma with extracranial metastasis. <i>Journal of Clinical Neuroscience</i> , 2015, 22, 605-607.	0.8	14
50	Randomized phase II adjuvant factorial study of dose-dense temozolomide alone and in combination with isotretinoin, celecoxib, and/or thalidomide for glioblastoma. <i>Neuro-Oncology</i> , 2015, 17, 266-273.	0.6	61
51	Comprehensive, Integrative Genomic Analysis of Diffuse Lower-Grade Gliomas. <i>New England Journal of Medicine</i> , 2015, 372, 2481-2498.	13.9	2,582
52	Genomically amplified Akt3 activates DNA repair pathway and promotes glioma progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 3421-3426.	3.3	104
53	Macitentan, a Dual Endothelin Receptor Antagonist, in Combination with Temozolomide Leads to Glioblastoma Regression and Long-term Survival in Mice. <i>Clinical Cancer Research</i> , 2015, 21, 4630-4641.	3.2	56
54	Genetic, epigenetic, and molecular landscapes of multifocal and multicentric glioblastoma. <i>Acta Neuropathologica</i> , 2015, 130, 587-597.	3.9	68

#	ARTICLE	IF	CITATIONS
55	Brain Malignancy Steering Committee clinical trials planning workshop: Report from the Targeted Therapies Working Group. <i>Neuro-Oncology</i> , 2015, 17, 180-188.	0.6	28
56	Phase I/II study of erlotinib and temsirolimus for patients with recurrent malignant gliomas: North American Brain Tumor Consortium trial 04-02. <i>Neuro-Oncology</i> , 2014, 16, 567-578.	0.6	140
57	Introduction. <i>Neuro-Oncology</i> , 2014, 16, vii1-vii1.	0.6	1
58	A High Notch Pathway Activation Predicts Response to \hat{I}^3 Secretase Inhibitors in Proneural Subtype of Glioma Tumor-Initiating Cells. <i>Stem Cells</i> , 2014, 32, 301-312.	1.4	117
59	Role of AKT signaling in DNA repair and clinical response to cancer therapy. <i>Neuro-Oncology</i> , 2014, 16, 1313-1323.	0.6	110
60	Survival outcome of early versus delayed bevacizumab treatment in patients with recurrent glioblastoma. <i>Journal of Neuro-Oncology</i> , 2014, 119, 135-140.	1.4	29
61	Tissue-specific isoform switch and DNA hypomethylation of the pyruvate kinase PKM gene in human cancers. <i>Oncotarget</i> , 2014, 5, 8202-8210.	0.8	127
62	Identification of prognostic gene signatures of glioblastoma: a study based on TCGA data analysis. <i>Neuro-Oncology</i> , 2013, 15, 829-839.	0.6	87
63	A phase II study of conventional radiation therapy and thalidomide for supratentorial, newly-diagnosed glioblastoma (RTOG 9806). <i>Journal of Neuro-Oncology</i> , 2013, 111, 33-39.	1.4	15
64	Year brings higher impact factor, more submissions for <i>Neuro-Oncology</i> . <i>Neuro-Oncology</i> , 2013, 15, 1-3.	0.6	54
65	Phase 1/1b study of lonafarnib and temozolomide in patients with recurrent or temozolomide refractory glioblastoma. <i>Cancer</i> , 2013, 119, 2747-2753.	2.0	31
66	Novel HSP90 Inhibitor NVP-HSP990 Targets Cell-Cycle Regulators to Ablate Olig2-Positive Glioma Tumor-Initiating Cells. <i>Cancer Research</i> , 2013, 73, 3062-3074.	0.4	21
67	A survey of intragenic breakpoints in glioblastoma identifies a distinct subset associated with poor survival. <i>Genes and Development</i> , 2013, 27, 1462-1472.	2.7	74
68	Gene therapy. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2012, 104, 331-338.	1.0	5
69	Current clinical development of PI3K pathway inhibitors in glioblastoma. <i>Neuro-Oncology</i> , 2012, 14, 819-829.	0.6	117
70	Phase I/II study of sorafenib in combination with temsirolimus for recurrent glioblastoma or gliosarcoma: North American Brain Tumor Consortium study 05-02. <i>Neuro-Oncology</i> , 2012, 14, 1511-1518.	0.6	95
71	Differential Sensitivity of Glioma- versus Lung Cancer-Specific EGFR Mutations to EGFR Kinase Inhibitors. <i>Cancer Discovery</i> , 2012, 2, 458-471.	7.7	304
72	PKM2 Phosphorylates Histone H3 and Promotes Gene Transcription and Tumorigenesis. <i>Cell</i> , 2012, 150, 685-696.	13.5	635

#	ARTICLE	IF	CITATIONS
73	The value of cell line validation. <i>Neuro-Oncology</i> , 2012, 14, 675-675.	0.6	4
74	Antitumor Activity of NVP-BKM120 A Selective Pan Class I PI3 Kinase Inhibitor Showed Differential Forms of Cell Death Based on p53 Status of Glioma Cells. <i>Clinical Cancer Research</i> , 2012, 18, 184-195.	3.2	148
75	Phase 2 trial of irinotecan and thalidomide in adults with recurrent anaplastic glioma. <i>Cancer</i> , 2012, 118, 3599-3606.	2.0	13
76	Phase I study of AEE788, a novel multitarget inhibitor of ErbB- and VEGF-receptor-family tyrosine kinases, in recurrent glioblastoma patients. <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 69, 1507-1518.	1.1	59
77	Pharmacokinetic drug interaction between AEE788 and RAD001 causing thrombocytopenia in patients with glioblastoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2012, 69, 281-287.	1.1	11
78	Neurocognitive function in patients with recurrent glioblastoma treated with bevacizumab. <i>Neuro-Oncology</i> , 2011, 13, 660-668.	0.6	94
79	Advances in Translational Research in Neuro-oncology. <i>Archives of Neurology</i> , 2011, 68, 303-8.	4.9	4
80	Combination of 6-thioguanine, capecitabine, and celecoxib with temozolomide or lomustine for recurrent high-grade glioma. <i>Journal of Neuro-Oncology</i> , 2011, 102, 273-280.	1.4	26
81	Age as an independent prognostic factor in patients with glioblastoma: a radiation therapy oncology group and American College of Surgeons National Cancer Data Base comparison. <i>Journal of Neuro-Oncology</i> , 2011, 104, 351-356.	1.4	40
82	Combined action of the dinuclear platinum compound BBR3610 with the PI3K inhibitor PX866 in glioblastoma. <i>International Journal of Cancer</i> , 2011, 128, 787-796.	2.3	21
83	Phase II Study of Aflibercept in Recurrent Malignant Glioma: A North American Brain Tumor Consortium Study. <i>Journal of Clinical Oncology</i> , 2011, 29, 2689-2695.	0.8	204
84	Is surgery at progression a prognostic marker for improved 6-month progression-free survival or overall survival for patients with recurrent glioblastoma?. <i>Neuro-Oncology</i> , 2011, 13, 1118-1124.	0.6	100
85	Response as a predictor of survival in patients with recurrent glioblastoma treated with bevacizumab. <i>Neuro-Oncology</i> , 2011, 13, 143-151.	0.6	69
86	Establishment and characterization of clinically relevant models of ependymoma: a true challenge for targeted therapy. <i>Neuro-Oncology</i> , 2011, 13, 748-758.	0.6	21
87	Identification of novel synergistic targets for rational drug combinations with PI3 kinase inhibitors using siRNA synthetic lethality screening against GBM. <i>Neuro-Oncology</i> , 2011, 13, 367-375.	0.6	27
88	AMPK/TSC2/mTOR-signaling intermediates are not necessary for LKB1-mediated nuclear retention of PTEN tumor suppressor. <i>Neuro-Oncology</i> , 2011, 13, 184-194.	0.6	9
89	A phase I/II trial of the histone deacetylase inhibitor romidepsin for adults with recurrent malignant glioma: North American Brain Tumor Consortium Study 03-03. <i>Neuro-Oncology</i> , 2011, 13, 509-516.	0.6	100
90	It Is Time to Include Patients With Brain Tumors in Phase I Trials in Oncology. <i>Journal of Clinical Oncology</i> , 2011, 29, 3211-3213.	0.8	21

#	ARTICLE	IF	CITATIONS
91	Phase II trials of erlotinib or gefitinib in patients with recurrent meningioma. <i>Journal of Neuro-Oncology</i> , 2010, 96, 211-217.	1.4	163
92	Review of the complexities of the PI3K/mTOR pathway presages similar handling of other critical topics. <i>Neuro-Oncology</i> , 2010, 12, 763-764.	0.6	2
93	Corticosteroid Use in Patients with Glioblastoma at First or Second Relapse Treated with Bevacizumab in the BRAIN Study. <i>Oncologist</i> , 2010, 15, 1329-1334.	1.9	98
94	A phase I trial of erlotinib in patients with nonprogressive glioblastoma multiforme postradiation therapy, and recurrent malignant gliomas and meningiomas. <i>Neuro-Oncology</i> , 2010, 12, 87-94.	0.6	46
95	A phase I factorial design study of dose-dense temozolomide alone and in combination with thalidomide, isotretinoin, and/or celecoxib as postchemoradiation adjuvant therapy for newly diagnosed glioblastoma. <i>Neuro-Oncology</i> , 2010, 12, 1167-1172.	0.6	28
96	Cellular and in vivo activity of a novel PI3K inhibitor, PX-866, against human glioblastoma. <i>Neuro-Oncology</i> , 2010, 12, 559-569.	0.6	100
97	A phase II trial of erlotinib in patients with recurrent malignant gliomas and nonprogressive glioblastoma multiforme postradiation therapy. <i>Neuro-Oncology</i> , 2010, 12, 95-103.	0.6	252
98	Safety and efficacy of erlotinib in first-relapse glioblastoma: a phase II open-label study. <i>Neuro-Oncology</i> , 2010, 12, 1061-1070.	0.6	112
99	Bevacizumab Alone and in Combination With Irinotecan in Recurrent Glioblastoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 4733-4740.	0.8	2,219
100	Two phase II trials of temozolomide with interferon- β (pegylated and non-pegylated) in patients with recurrent glioblastoma multiforme. <i>British Journal of Cancer</i> , 2009, 101, 615-620.	2.9	43
101	NVP-BEZ235, a novel dual phosphatidylinositol 3-kinase/mammalian target of rapamycin inhibitor, elicits multifaceted antitumor activities in human gliomas. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 2204-2210.	1.9	232
102	Phase II study of imatinib mesylate for recurrent meningiomas (North American Brain Tumor) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302	0.6	130
103	Biomarkers of disease: cerebrospinal fluid vascular endothelial growth factor (VEGF) and stromal cell derived factor (SDF)-1 levels in patients with neoplastic meningitis (NM) due to breast cancer, lung cancer and melanoma. <i>Journal of Neuro-Oncology</i> , 2009, 94, 229-234.	1.4	78
104	Inhibiting PI-3-K for glioma therapy. <i>Cell Cycle</i> , 2009, 8, 335-337.	1.3	5
105	Knockdown of GluR1 expression by RNA interference inhibits glioma proliferation. <i>Journal of Neuro-Oncology</i> , 2008, 88, 121-133.	1.4	77
106	VEGF Trap induces antiglioma effect at different stages of disease. <i>Neuro-Oncology</i> , 2008, 10, 940-945.	0.6	91
107	Bevacizumab – News from the Fast Lane?. <i>Neuro-Oncology</i> , 2008, 10, 647-647.	0.6	4
108	Phase II trial of irinotecan and thalidomide in adults with recurrent glioblastoma multiforme. <i>Neuro-Oncology</i> , 2008, 10, 216-222.	0.6	52

#	ARTICLE	IF	CITATIONS
109	Moving Toward the Next Steps in Angiogenesis Therapy?. <i>Neuro-Oncology</i> , 2008, 10, 939-939.	0.6	3
110	Progression-free survival: An important end point in evaluating therapy for recurrent high-grade gliomas. <i>Neuro-Oncology</i> , 2008, 10, 162-170.	0.6	362
111	Neurooncology clinical trial design for targeted therapies: Lessons learned from the North American Brain Tumor Consortium. <i>Neuro-Oncology</i> , 2008, 10, 631-642.	0.6	27
112	Exploratory Analysis of the Copy Number Alterations in Glioblastoma Multiforme. <i>PLoS ONE</i> , 2008, 3, e4076.	1.1	34
113	Inhibition of both focal adhesion kinase and insulin-like growth factor-I receptor kinase suppresses glioma proliferation in vitro and in vivo. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 1357-1367.	1.9	207
114	Epidermal Growth Factor Receptor Variant III Status Defines Clinically Distinct Subtypes of Glioblastoma. <i>Journal of Clinical Oncology</i> , 2007, 25, 2288-2294.	0.8	260
115	Mitogen-activated Protein Kinase Kinase-4 Promotes Cell Survival by Decreasing PTEN Expression through an NF- κ B-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2007, 282, 3507-3519.	1.6	87
116	Cell Cycle-Dependent Nuclear Export of Phosphatase and Tensin Homologue Tumor Suppressor Is Regulated by the Phosphoinositide-3-Kinase Signaling Cascade. <i>Cancer Research</i> , 2007, 67, 11054-11063.	0.4	45
117	Transgenic E2F1 Expression in the Mouse Brain Induces a Human-Like Bimodal Pattern of Tumors. <i>Cancer Research</i> , 2007, 67, 4005-4009.	0.4	29
118	Phase I Study of Temozolomide and Irinotecan for Recurrent Malignant Gliomas in Patients Receiving Enzyme-Inducing Antiepileptic Drugs: A North American Brain Tumor Consortium Study. <i>Clinical Cancer Research</i> , 2007, 13, 7133-7138.	3.2	23
119	Adenovirus-Based Strategies Overcome Temozolomide Resistance by Silencing the O6-Methylguanine-DNA Methyltransferase Promoter. <i>Cancer Research</i> , 2007, 67, 11499-11504.	0.4	130
120	c-Jun Downregulation by HDAC3-Dependent Transcriptional Repression Promotes Osmotic Stress-Induced Cell Apoptosis. <i>Molecular Cell</i> , 2007, 25, 219-232.	4.5	67
121	PTEN down regulates AP-1 and targets c-fos in human glioma cells Via PI3-kinase/Akt pathway. <i>Molecular and Cellular Biochemistry</i> , 2007, 300, 77-87.	1.4	31
122	A North American brain tumor consortium (NABTC 99-04) phase II trial of temozolomide plus thalidomide for recurrent glioblastoma multiforme. <i>Journal of Neuro-Oncology</i> , 2007, 81, 271-277.	1.4	61
123	Primary Neurological Tumors. , 2007, , 1053-1080.		1
124	Sustained Angiopoietin-2 Expression Disrupts Vessel Formation and Inhibits Glioma Growth. <i>Neoplasia</i> , 2006, 8, 419-428.	2.3	38
125	PTEN enhances TNF-induced apoptosis through modulation of nuclear factor- κ B signaling pathway in human glioma cells. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 463-471.	1.0	36
126	Phase II Radiation Therapy Oncology Group trial of conventional radiation therapy followed by treatment with recombinant interferon- β for supratentorial glioblastoma: Results of RTOG 9710. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, 818-824.	0.4	51

#	ARTICLE	IF	CITATIONS
127	Randomized, double-blind, placebo-controlled trial of marimastat in glioblastoma multiforme patients following surgery and irradiation~.... Journal of Neuro-Oncology, 2006, 78, 295-302.	1.4	111
128	Phase II trial of temozolomide plus marimastat for recurrent anaplastic gliomas: A relationship among efficacy, joint toxicity and anticonvulsant status. Journal of Neuro-Oncology, 2006, 80, 83-90.	1.4	53
129	E2F1 and Telomerase: Alliance in the Dark Side. Cell Cycle, 2006, 5, 930-935.	1.3	22
130	PAX6 Suppresses the Invasiveness of Glioblastoma Cells and the Expression of the Matrix Metalloproteinase-2 Gene. Cancer Research, 2006, 66, 9809-9817.	0.4	84
131	Phase I/II Study of Imatinib Mesylate for Recurrent Malignant Gliomas: North American Brain Tumor Consortium Study 99-08. Clinical Cancer Research, 2006, 12, 4899-4907.	3.2	404
132	Delta-24 Increases the Expression and Activity of Topoisomerase I and Enhances the Antiglioma Effect of Irinotecan. Clinical Cancer Research, 2006, 12, 556-562.	3.2	51
133	Phase II Trial of Tipifarnib in Patients With Recurrent Malignant Glioma Either Receiving or Not Receiving Enzyme-Inducing Antiepileptic Drugs: A North American Brain Tumor Consortium Study. Journal of Clinical Oncology, 2006, 24, 3651-3656.	0.8	151
134	Prognostic Associations of Activated Mitogen-Activated Protein Kinase and Akt Pathways in Glioblastoma. Clinical Cancer Research, 2006, 12, 3935-3941.	3.2	172
135	A novel CRM1â€dependent nuclear export signal in adenoviral E1A protein regulated by phosphorylation. FASEB Journal, 2006, 20, 2603-2605.	0.2	10
136	Phase II study of the combination of thalidomide and irinotecan in patients with recurrent anaplastic gliomas not on enzyme inducing anticonvulsants. Journal of Clinical Oncology, 2006, 24, 1564-1564.	0.8	2
137	Î²24-hyCD adenovirus suppresses glioma growth in vivo by combining oncolysis and chemosensitization. Cancer Gene Therapy, 2005, 12, 284-294.	2.2	62
138	PAX6 suppresses growth of human glioblastoma cells. Journal of Neuro-Oncology, 2005, 71, 223-229.	1.4	79
139	The Excitatory Amino Acid Transporter-2 Induces Apoptosis and Decreases Glioma Growth In vitro and In vivo. Cancer Research, 2005, 65, 1934-1940.	0.4	80
140	Modeling prognosis for patients with malignant astrocytic gliomas: Quantifying the expression of multiple genetic markers and clinical variables. Neuro-Oncology, 2005, 7, 485-494.	0.6	54
141	Nuclear PTEN-Mediated Growth Suppression Is Independent of Akt Down-Regulation. Molecular and Cellular Biology, 2005, 25, 6211-6224.	1.1	95
142	Integrated Array-Comparative Genomic Hybridization and Expression Array Profiles Identify Clinically Relevant Molecular Subtypes of Glioblastoma. Cancer Research, 2005, 65, 1678-1686.	0.4	296
143	Expression of Transcription Factor E2F1 and Telomerase in Glioblastomas: Mechanistic Linkage and Prognostic Significance. Journal of the National Cancer Institute, 2005, 97, 1589-1600.	3.0	57
144	Downmodulation of El A Protein Expression as a Novel Strategy to Design Cancer-Selective Adenoviruses. Neoplasia, 2005, 7, 723-729.	2.3	13

#	ARTICLE	IF	CITATIONS
145	Comparative Effect of Oncolytic Adenoviruses with E1 A or E113-55 kDa Deletions in Malignant Gliomas. <i>Neoplasia</i> , 2005, 7, 48-56.	2.3	35
146	Phase II Study of Fenretinide (NSC 374551) in Adults With Recurrent Malignant Gliomas: A North American Brain Tumor Consortium Study. <i>Journal of Clinical Oncology</i> , 2004, 22, 4282-4289.	0.8	79
147	Polymorphisms of DNA Repair Genes and Risk of Glioma. <i>Cancer Research</i> , 2004, 64, 5560-5563.	0.4	155
148	Phase 2 study of BCNU and temozolomide for recurrent glioblastoma multiforme: North American Brain Tumor Consortium study. <i>Neuro-Oncology</i> , 2004, 6, 33-37.	0.6	57
149	Genetically modified adenoviruses against gliomas. <i>Neurology</i> , 2004, 63, 418-426.	1.5	40
150	A novel E1A-E1B mutant adenovirus induces glioma regression in vivo. <i>Oncogene</i> , 2004, 23, 1821-1828.	2.6	60
151	Phase II study of neoadjuvant 1, 3-bis (2-chloroethyl)-1-nitrosourea and temozolomide for newly diagnosed anaplastic glioma. <i>Cancer</i> , 2004, 100, 1712-1716.	2.0	49
152	Differential activation of the Fas/CD95 pathway by Ad-p53 in human gliomas. <i>International Journal of Oncology</i> , 2004, 24, 409-17.	1.4	5
153	Current therapies for glioblastoma. <i>Clinical Advances in Hematology and Oncology</i> , 2004, 2, 572-3.	0.3	0
154	Mechanisms underlying PTEN regulation of vascular endothelial growth factor and angiogenesis. <i>Annals of Neurology</i> , 2003, 53, 109-117.	2.8	81
155	Src Family Protein-tyrosine Kinases Alter the Function of PTEN to Regulate Phosphatidylinositol 3-Kinase/AKT Cascades. <i>Journal of Biological Chemistry</i> , 2003, 278, 40057-40066.	1.6	218
156	Preclinical Characterization of the Antiglioma Activity of a Tropism-Enhanced Adenovirus Targeted to the Retinoblastoma Pathway. <i>Journal of the National Cancer Institute</i> , 2003, 95, 652-660.	3.0	314
157	Phase II Evaluation of Temozolomide and 13-cis-Retinoic Acid for the Treatment of Recurrent and Progressive Malignant Glioma: A North American Brain Tumor Consortium Study. <i>Journal of Clinical Oncology</i> , 2003, 21, 2305-2311.	0.8	151
158	Anaplastic Oligodendrogliomas: Prognostic Factors for Tumor Recurrence and Survival. <i>Oncology</i> , 2003, 65, 259-266.	0.9	72
159	Phase I Trial of Adenovirus-Mediated p53 Gene Therapy for Recurrent Glioma: Biological and Clinical Results. <i>Journal of Clinical Oncology</i> , 2003, 21, 2508-2518.	0.8	364
160	The expression of PAX6, PTEN, vascular endothelial growth factor, and epidermal growth factor receptor in gliomas: relationship to tumor grade and survival. <i>Clinical Cancer Research</i> , 2003, 9, 3369-75.	3.2	145
161	Toward better early-phase brain tumor clinical trials: A reappraisal of current methods and proposals for future strategies. <i>Neuro-Oncology</i> , 2002, 4, 268-277.	0.6	41
162	Promoter Analysis of Tumor Suppressor Gene PTEN: Identification of Minimum Promoter Region. <i>Biochemical and Biophysical Research Communications</i> , 2002, 292, 422-426.	1.0	37

#	ARTICLE	IF	CITATIONS
163	Phase II Trial of Temozolomide Plus the Matrix Metalloproteinase Inhibitor, Marimastat, in Recurrent and Progressive Glioblastoma Multiforme. <i>Journal of Clinical Oncology</i> , 2002, 20, 1383-1388.	0.8	184
164	Motif analysis of the tumor suppressor gene MMAC/PTEN identifies tyrosines critical for tumor suppression and lipid phosphatase activity. <i>Oncogene</i> , 2002, 21, 2357-2364.	2.6	54
165	A phase II trial of thymidine and carboplatin for recurrent malignant glioma: a North American Brain Tumor Consortium Study. <i>Neuro-Oncology</i> , 2002, 4, 109-14.	0.6	6
166	MMAC/PTEN tumor suppressor gene regulates vascular endothelial growth factor-mediated angiogenesis in prostate cancer. <i>International Journal of Oncology</i> , 2002, 21, 469-75.	1.4	15
167	Suppression of matrix metalloproteinase-2 gene expression and invasion in human glioma cells by MMAC/PTEN. <i>Oncogene</i> , 2001, 20, 6669-6678.	2.6	107
168	Tumor Suppressor MMAC/PTEN Inhibits Cytokine-induced NF κ B Activation without Interfering with the I κ B Degradation Pathway. <i>Journal of Biological Chemistry</i> , 2001, 276, 11402-11408.	1.6	81
169	Å-Radiation Sensitivity and Risk of Glioma. <i>Journal of the National Cancer Institute</i> , 2001, 93, 1553-1557.	3.0	92
170	A mutant oncolytic adenovirus targeting the Rb pathway produces anti-glioma effect in vivo. <i>Oncogene</i> , 2000, 19, 2-12.	2.6	679
171	Neurologic complications of cancer therapy. <i>Current Treatment Options in Neurology</i> , 1999, 1, 428-437.	0.7	24
172	Altered actin cytoskeleton and inhibition of matrix metalloproteinase expression by vanadate and phenylarsine oxide, inhibitors of phosphotyrosine phosphatases: Modulation of migration and invasion of human malignant glioma cells. <i>Molecular Carcinogenesis</i> , 1999, 26, 274-285.	1.3	28
173	Altered actin cytoskeleton and inhibition of matrix metalloproteinase expression by vanadate and phenylarsine oxide, inhibitors of phosphotyrosine phosphatases: Modulation of migration and invasion of human malignant glioma cells. , 1999, 26, 274.		1
174	Response and progression in recurrent malignant glioma. <i>Neuro-Oncology</i> , 1999, 1, 282-288.	0.6	34
175	Biological Response Modifiers in the Treatment of Malignant Brain Tumours. <i>CNS Drugs</i> , 1998, 10, 11-24.	2.7	0
176	The functional role of tumor suppressor genes in gliomas. <i>Neurology</i> , 1998, 51, 1250-1255.	1.5	40
177	Enhancement of radiosensitivity of wild-type p53 human glioma cells by adenovirus-mediated delivery of the p53 gene. <i>Journal of Neurosurgery</i> , 1998, 89, 125-132.	0.9	70
178	Tumor Suppressor Gene Therapy for Brain Tumors. , 1998, , 205-229.		0
179	Characterization of p53 and p21 Functional Interactions in Glioma Cells en Route to Apoptosis. <i>Journal of the National Cancer Institute</i> , 1997, 89, 1036-1044.	3.0	124
180	Suppression of transformed phenotype and tumorigenicity after transfer of chromosome 4 into U251 human glioma cells. <i>Genes Chromosomes and Cancer</i> , 1997, 20, 260-267.	1.5	6

#	ARTICLE	IF	CITATIONS
181	Modulation of Serine Proteinases and Metalloproteinases During Morphogenic Glial-Endothelial Interactions. <i>Journal of Neurochemistry</i> , 1996, 66, 1657-1664.	2.1	11
182	Two tumor suppressive loci on chromosome 10 involved in human glioblastomas. <i>Genes Chromosomes and Cancer</i> , 1995, 12, 255-261.	1.5	76
183	Use of [18F]fluorodeoxyglucose positron emission tomography in patients with primary malignant brain tumors. <i>Annals of Neurology</i> , 1993, 33, 540-548.	2.8	102
184	Delayed neurotoxicity of intraventricular interleukin-2: A case report. <i>Journal of Neuro-Oncology</i> , 1993, 15, 265-267.	1.4	29
185	The Treatment of Anaplastic Oligodendrogliomas and Mixed Gliomas. <i>Neurosurgery</i> , 1993, 32, 365-371.	0.6	97
186	Adjuvant chemotherapy with carmustine and cisplatin for patients with malignant gliomas. <i>Journal of Neuro-Oncology</i> , 1992, 12, 131-5.	1.4	22
187	A pilot study of recombinant interferon beta (IFN- β 2ser) in patients with recurrent glioma. <i>Journal of Neuro-Oncology</i> , 1990, 9, 29-34.	1.4	19
188	Inhibition of epidermal growth factor receptor activity by retinoic acid in glioma cells. <i>Journal of Cellular Biochemistry</i> , 1990, 42, 83-94.	1.2	24
189	Differential Amplification of the TGF- β Gene in Human Gliomas. <i>European Journal of Implant and Refractive Surgery</i> , 1990, 2, 201-205.	0.4	36
190	The modulation of astrocytic differentiation in cells derived from a medulloblastoma surgical specimen. <i>Journal of Neuro-Oncology</i> , 1989, 7, 329-338.	1.4	22
191	In vitro chemosensitivity testing and its clinical application in human gliomas. <i>Neurosurgical Review</i> , 1989, 12, 197-203.	1.2	28
192	Growth inhibitory effect of recombinant α and β interferon on human glioma cells. <i>Journal of Neuro-Oncology</i> , 1987, 5, 323-330.	1.4	26
193	Expression of epidermal growth factor receptor and associated glycoprotein on cultured human brain tumor cells. <i>Journal of Cellular Biochemistry</i> , 1986, 32, 1-10.	1.2	25