

Steffen Weber-Carstens

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1151405/steffen-weber-carstens-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

4,501
citations

27
h-index

65
g-index

129
ext. papers

5,915
ext. citations

5.9
avg. IF

5.32
L-index

#	Paper	IF	Citations
106	Impact of protocol-based physiotherapy on insulin sensitivity and peripheral glucose metabolism in critically ill patients.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022 ,	10.3	2
105	Observational study of changes in utilization and outcomes in mechanical ventilation in COVID-19.. <i>PLoS ONE</i> , 2022 , 17, e0262315	3.7	2
104	Creation of an Evidence-Based Implementation Framework for Digital Health Technology in the Intensive Care Unit: Qualitative Study.. <i>JMIR Formative Research</i> , 2022 , 6, e22866	2.5	
103	A Remote Patient-Monitoring System for Intensive Care Medicine: Mixed Methods Human-Centered Design and Usability Evaluation.. <i>JMIR Human Factors</i> , 2022 , 9, e30655	2.5	1
102	Stationäre Behandlung der Covid-19-Patienten in den ersten drei Pandemiewellen in Deutschland: Was hat sich verändert? 2022 , 63-74		1
101	The role of cell-free hemoglobin and haptoglobin in acute kidney injury in critically ill adults with ARDS and therapy with VV ECMO.. <i>Critical Care</i> , 2022 , 26, 50	10.8	2
100	COVID-19 Patients Require Prolonged Extracorporeal Membrane Oxygenation Support for Survival Compared With Non-COVID-19 Patients. 2022 , 4, e0671		3
99	Complete countrywide mortality in COVID patients receiving ECMO in Germany throughout the first three waves of the pandemic. <i>Critical Care</i> , 2021 , 25, 413	10.8	7
98	Sepsis induces interleukin 6, gp130/JAK2/STAT3, and muscle wasting. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 ,	10.3	7
97	Timing, Outcome, and Risk Factors of Intracranial Hemorrhage in Acute Respiratory Distress Syndrome Patients During Venovenous Extracorporeal Membrane Oxygenation. <i>Critical Care Medicine</i> , 2021 , 49, e120-e129	1.4	5
96	In vitro validation and characterization of pulsed inhaled nitric oxide administration during early inspiration. <i>Journal of Clinical Monitoring and Computing</i> , 2021 , 1	2	
95	Long-term outcomes after critical illness: recent insights. <i>Critical Care</i> , 2021 , 25, 108	10.8	23
94	Conservative management of COVID-19 associated hypoxaemia. <i>ERJ Open Research</i> , 2021 , 7,	3.5	2
93	Critical Illness and Systemic Inflammation Are Key Risk Factors of Severe Acute Kidney Injury in Patients With COVID-19. <i>Kidney International Reports</i> , 2021 , 6, 905-915	4.1	6
92	Dynamic thromboembolic left ventricular outflow tract obstruction after aggressive procoagulant treatment in hemorrhagic shock: a case report. <i>Journal of Medical Case Reports</i> , 2021 , 15, 269	1.2	0
91	Predicting lethal courses in critically ill COVID-19 patients using a machine learning model trained on patients with non-COVID-19 viral pneumonia. <i>Scientific Reports</i> , 2021 , 11, 13205	4.9	2
90	Critical illness myopathy precedes hyperglycaemia and high glucose variability. <i>Journal of Critical Care</i> , 2021 , 63, 32-39	4	2

89	Monitoring and parenteral administration of micronutrients, phosphate and magnesium in critically ill patients: The VITA-TRACE survey. <i>Clinical Nutrition</i> , 2021 , 40, 590-599	5.9	11
88	Instruments to measure outcomes of post-intensive care syndrome in outpatient care settings - Results of an expert consensus and feasibility field test. <i>Journal of the Intensive Care Society</i> , 2021 , 22, 159-174	1.6	11
87	Collapse induration of alveoli is an ultrastructural finding in a COVID-19 patient. <i>European Respiratory Journal</i> , 2021 , 57,	13.6	7
86	High In-Hospital Mortality Rate in Patients with COVID-19 Receiving Extracorporeal Membrane Oxygenation in Germany: A Critical Analysis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021 , 204, 991-994	10.2	13
85	Key summary of German national treatment guidance for hospitalized COVID-19 patients : Key pharmacologic recommendations from a national German living guideline using an Evidence to Decision Framework (last updated 17.05.2021). <i>Infection</i> , 2021 , 1	5.8	6
84	Assessment of magnetic flux density properties of electromagnetic noninvasive phrenic nerve stimulations for environmental safety in an ICU environment. <i>Scientific Reports</i> , 2021 , 11, 16317	4.9	0
83	6-month mortality and readmissions of hospitalized COVID-19 patients: A nationwide cohort study of 8,679 patients in Germany. <i>PLoS ONE</i> , 2021 , 16, e0255427	3.7	18
82	Clinical management and outcome of adult patients with extracorporeal life support device-associated intracerebral hemorrhage-a neurocritical perspective and grading. <i>Neurosurgical Review</i> , 2021 , 44, 2879-2888	3.9	3
81	Studying the pathophysiology of coronavirus disease 2019: a protocol for the Berlin prospective COVID-19 patient cohort (Pa-COVID-19). <i>Infection</i> , 2020 , 48, 619-626	5.8	40
80	Influence of quality of intensive care on quality of life/return to work in survivors of the acute respiratory distress syndrome: prospective observational patient cohort study (DACAPO). <i>BMC Public Health</i> , 2020 , 20, 861	4.1	6
79	Safety and Efficacy of a Novel Pneumatically Driven Extracorporeal Membrane Oxygenation Device. <i>Annals of Thoracic Surgery</i> , 2020 , 109, 1684-1691	2.7	9
78	Tracheostomy in patients with acute respiratory distress syndrome is not related to quality of life, symptoms of psychiatric disorders or return-to-work: the prospective DACAPO cohort study. <i>Annals of Intensive Care</i> , 2020 , 10, 52	8.9	4
77	The quality of acute intensive care and the incidence of critical events have an impact on health-related quality of life in survivors of the acute respiratory distress syndrome - a nationwide prospective multicenter observational study. <i>GMS German Medical Science</i> , 2020 , 18, Doc01	3.2	3
76	Invasive and Non-Invasive Ventilation in Patients With COVID-19. <i>Deutsches A&#x0308;rztblatt International</i> , 2020 , 117, 528-533	2.5	22
75	Neuromyopathy: Histological and Molecular Findings. <i>Lessons From the ICU</i> , 2020 , 61-72	0.1	
74	Perioperatively Acquired Weakness. <i>Anesthesia and Analgesia</i> , 2020 , 130, 341-351	3.9	4
73	Evaluation of PEEP and prone positioning in early COVID-19 ARDS. <i>EClinicalMedicine</i> , 2020 , 28, 100579	11.3	26
72	Case characteristics, resource use, and outcomes of 10 021 patients with COVID-19 admitted to 920 German hospitals: an observational study. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 853-862	35.1	354

71	Muscular weakness and muscle wasting in the critically ill. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 1399-1412	10.3	22
70	Prolonged Weaning: S2k Guideline Published by the German Respiratory Society. <i>Respiration</i> , 2020 , 1-102,7	3.7	8
69	Lower versus higher hemoglobin threshold for transfusion in ARDS patients with and without ECMO. <i>Critical Care</i> , 2020 , 24, 697	10.8	1
68	Serum amyloid A1 mediates myotube atrophy via Toll-like receptors. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 103-119	10.3	23
67	Clinical Guideline for Treating Acute Respiratory Insufficiency with Invasive Ventilation and Extracorporeal Membrane Oxygenation: Evidence-Based Recommendations for Choosing Modes and Setting Parameters of Mechanical Ventilation. <i>Respiration</i> , 2019 , 98, 357-372	3.7	15
66	Differential contractile response of critically ill patients to neuromuscular electrical stimulation. <i>Critical Care</i> , 2019 , 23, 308	10.8	13
65	Muscle wasting and function after muscle activation and early protocol-based physiotherapy: an explorative trial. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2019 , 10, 734-747	10.3	27
64	Association between potassium concentrations, variability and supplementation, and in-hospital mortality in ICU patients: a retrospective analysis. <i>Annals of Intensive Care</i> , 2019 , 9, 100	8.9	10
63	Clinical Requirements of Future Patient Monitoring in the Intensive Care Unit: Qualitative Study. <i>JMIR Medical Informatics</i> , 2019 , 7, e13064	3.6	27
62	Innovative ICU Solutions to Prevent and Reduce Delirium and Post-Intensive Care Unit Syndrome. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2019 , 40, 673-686	3.9	13
61	Severe infections of Panton-Valentine leukocidin positive Staphylococcus aureus in children. <i>Medicine (United States)</i> , 2019 , 98, e17185	1.8	16
60	German-wide prospective DACAPO cohort of survivors of the acute respiratory distress syndrome (ARDS): a cohort profile. <i>BMJ Open</i> , 2018 , 8, e019342	3	6
59	Nucleated red blood cells as predictors of mortality in patients with acute respiratory distress syndrome (ARDS): an observational study. <i>Annals of Intensive Care</i> , 2018 , 8, 42	8.9	20
58	Quality of inter-hospital transportation in 431 transport survivor patients suffering from acute respiratory distress syndrome referred to specialist centers. <i>Annals of Intensive Care</i> , 2018 , 8, 5	8.9	10
57	Measuring Energy Expenditure in extracorporeal lung support Patients (MEEP) - Protocol, feasibility and pilot trial. <i>Clinical Nutrition</i> , 2018 , 37, 301-307	5.9	24
56	Mechanical Ventilation and Extracorporeal Membrane Oxygenation in Acute Respiratory Insufficiency. <i>Deutsches A&#x0308;rztblatt International</i> , 2018 , 115, 840-847	2.5	18
55	Strategien in der Respiratorentw̉ffnung 2018 , 21-32		
54	Long-term outcome after the acute respiratory distress syndrome: different from general critical illness?. <i>Current Opinion in Critical Care</i> , 2018 , 24, 35-40	3.5	51

53	Whole-body vibration to prevent intensive care unit-acquired weakness: safety, feasibility, and metabolic response. <i>Critical Care</i> , 2017 , 21, 9	10.8	15
52	Secreted Frizzled-Related Protein 2 and Inflammation-Induced Skeletal Muscle Atrophy. <i>Critical Care Medicine</i> , 2017 , 45, e169-e183	1.4	16
51	Outcome of acute respiratory distress syndrome in university and non-university hospitals in Germany. <i>Critical Care</i> , 2017 , 21, 122	10.8	17
50	Efficacy and safety of argatroban in patients with acute respiratory distress syndrome and extracorporeal lung support. <i>Annals of Intensive Care</i> , 2017 , 7, 82	8.9	27
49	Characteristics and provision of care of patients with the acute respiratory distress syndrome: descriptive findings from the DACAPO cohort baseline and comparison with international findings. <i>Journal of Thoracic Disease</i> , 2017 , 9, 818-830	2.6	5
48	Accuracy, reliability, feasibility and nurse acceptance of a subcutaneous continuous glucose management system in critically ill patients: a prospective clinical trial. <i>Annals of Intensive Care</i> , 2016 , 6, 70	8.9	22
47	(13) C Breath Tests Are Feasible in Patients With Extracorporeal Membrane Oxygenation Devices. <i>Artificial Organs</i> , 2016 , 40, 692-8	2.6	6
46	Predictors of survival in critically ill patients with acute respiratory distress syndrome (ARDS): an observational study. <i>BMC Anesthesiology</i> , 2016 , 16, 108	2.4	22
45	Critical illness polyneuropathy in ICU patients is related to reduced motor nerve excitability caused by reduced sodium permeability. <i>Intensive Care Medicine Experimental</i> , 2016 , 4, 10	3.7	15
44	Associations between ventilator settings during extracorporeal membrane oxygenation for refractory hypoxemia and outcome in patients with acute respiratory distress syndrome: a pooled individual patient data analysis : Mechanical ventilation during ECMO. <i>Intensive Care Medicine</i> , 2016 , 42, 1672-1684	14.5	112
43	Extracorporeal life support, ethics, and questions at the bedside: how does the end of the pathway look?. <i>Intensive Care Medicine</i> , 2015 , 41, 1714-5	14.5	6
42	Influence of quality of care and individual patient characteristics on quality of life and return to work in survivors of the acute respiratory distress syndrome: protocol for a prospective, observational, multi-centre patient cohort study (DACAPO). <i>BMC Health Services Research</i> , 2015 , 15, 540	2.9	11
41	Reply: To PMID 24415656. <i>Muscle and Nerve</i> , 2015 , 51, 625-6	3.4	
40	S2k-Guideline "Prolonged Weaning". <i>Pneumologie</i> , 2015 , 69, 595-607	0.5	18
39	Dynamics of myosin degradation in intensive care unit-acquired weakness during severe critical illness. <i>Intensive Care Medicine</i> , 2014 , 40, 528-38	14.5	85
38	Long-term recovery In critical illness myopathy is complete, contrary to polyneuropathy. <i>Muscle and Nerve</i> , 2014 , 50, 431-6	3.4	54
37	Influenza A (H1N1) vs non-H1N1 ARDS: analysis of clinical course. <i>Journal of Critical Care</i> , 2014 , 29, 340-64		28
36	The E3 ubiquitin ligase TRIM62 and inflammation-induced skeletal muscle atrophy. <i>Critical Care</i> , 2014 , 18, 545	10.8	21

35	Inflammation-induced acute phase response in skeletal muscle and critical illness myopathy. <i>PLoS ONE</i> , 2014 , 9, e92048	3.7	55
34	CARbon Dioxide for the treatment of Febrile seizures: rationale, feasibility, and design of the CARDIF-study. <i>Journal of Translational Medicine</i> , 2013 , 11, 157	8.5	11
33	Lower tidal volume strategy (8 ml/kg) combined with extracorporeal CO2 removal versus conventional protective ventilation (6 ml/kg) in severe ARDS: the prospective randomized Xtravent-study. <i>Intensive Care Medicine</i> , 2013 , 39, 847-56	14.5	349
32	Critical illness myopathy and GLUT4: significance of insulin and muscle contraction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 387-96	10.2	70
31	Propagation of cortical spreading depolarization in the human cortex after malignant stroke. <i>Neurology</i> , 2013 , 80, 1095-102	6.5	128
30	Prone position during ECMO is safe and improves oxygenation. <i>International Journal of Artificial Organs</i> , 2013 , 36, 821-32	1.9	27
29	Extracorporeal lung support in H1N1 provoked acute respiratory failure: the experience of the German ARDS Network. <i>Deutsches Arzteblatt International</i> , 2013 , 110, 543-9	2.5	23
28	Weaning from mechanical ventilation and sedation. <i>Current Opinion in Anaesthesiology</i> , 2012 , 25, 164-9	2.9	14
27	Early type II fiber atrophy in intensive care unit patients with nonexcitable muscle membrane. <i>Critical Care Medicine</i> , 2012 , 40, 647-50	1.4	51
26	Einsatz von Muskelrelaxanzien im Frühstadium des akuten Lungenversagens. <i>Intensivmedizin Und Notfallmedizin</i> , 2011 , 48, 226-228		
25	Acute right heart decompensation in a multiple trauma patient with chronic pulmonary hypertension. <i>Intensive Care Medicine</i> , 2011 , 37, 723-4	14.5	1
24	Critical illness myopathy is frequent: accompanying neuropathy protracts ICU discharge. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2011 , 82, 287-93	5.5	73
23	Addition of acetylsalicylic acid to heparin for anticoagulation management during pumpless extracorporeal lung assist. <i>ASAIO Journal</i> , 2011 , 57, 164-8	3.6	25
22	Risk factors in critical illness myopathy during the early course of critical illness: a prospective observational study. <i>Critical Care</i> , 2010 , 14, R119	10.8	82
21	Ventilatory support versus ECMO for severe adult respiratory failure. <i>Lancet, The</i> , 2010 , 375, 549-50; author reply 551	40	5
20	Nonexcitable muscle membrane predicts intensive care unit-acquired paresis in mechanically ventilated, sedated patients. <i>Critical Care Medicine</i> , 2010 , 38, 1234	1.4	
19	Intensive care unit-acquired weakness (ICUAW) and muscle wasting in critically ill patients with severe sepsis and septic shock. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2010 , 1, 147-157	10.3	135
18	Acute respiratory failure after aspiration of activated charcoal with recurrent deposition and release from an intrapulmonary cavern. <i>Intensive Care Medicine</i> , 2009 , 35, 360-3	14.5	15

17	Hypercapnia in late-phase ALI/ARDS: providing spontaneous breathing using pumpless extracorporeal lung assist. <i>Intensive Care Medicine</i> , 2009 , 35, 1100-5	14.5	22
16	Prone positioning for ARDS following blunt chest trauma in late pregnancy. <i>International Journal of Obstetric Anesthesia</i> , 2009 , 18, 268-71	2.1	22
15	Granulocyte-macrophage colony-stimulating factor to reverse sepsis-associated immunosuppression: a double-blind, randomized, placebo-controlled multicenter trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009 , 180, 640-8	10.2	431
14	Nonexcitable muscle membrane predicts intensive care unit-acquired paresis in mechanically ventilated, sedated patients. <i>Critical Care Medicine</i> , 2009 , 37, 2632-7	1.4	569
13	Evidence-based therapy of severe acute respiratory distress syndrome: an algorithm-guided approach. <i>Journal of International Medical Research</i> , 2008 , 36, 211-21	1.4	33
12	Bronchial fistulae in ARDS patients: management with an extracorporeal lung assist device. <i>European Respiratory Journal</i> , 2008 , 32, 1652-5	13.6	22
11	Adjunctive therapies in severe sepsis and septic shock: current place of steroids. <i>Current Infectious Disease Reports</i> , 2008 , 10, 354-61	3.9	6
10	Bolus or continuous hydrocortisone—that is the question. <i>Critical Care</i> , 2007 , 11, 113	10.8	8
9	Impact of bolus application of low-dose hydrocortisone on glycemic control in septic shock patients. <i>Intensive Care Medicine</i> , 2007 , 33, 730-3	14.5	39
8	Hyperactive delirium and blood glucose control in critically ill patients. <i>Journal of International Medical Research</i> , 2007 , 35, 666-77	1.4	23
7	Pumpless extracorporeal lung assist in patients with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2007 , 35, 326; author reply 326	1.4	
6	Gastrointestinal zygomycosis caused by <i>Mucor indicus</i> in a patient with acute traumatic brain injury. <i>Medical Mycology</i> , 2006 , 44, 683-7	3.9	23
5	Social support during intensive care unit stay might improve mental impairment and consequently health-related quality of life in survivors of severe acute respiratory distress syndrome. <i>Critical Care</i> , 2006 , 10, R147	10.8	102
4	Critical Illness Neuromuscular Abnormalities in Patients with Acute Respiratory Distress Syndrome. <i>Critical Care Medicine</i> , 2005 , 33, 2724-2725	1.4	
3	Critical illness polyneuropathy and myopathy in patients with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2005 , 33, 711-5	1.4	143
2	Immunologic and hemodynamic effects of "low-dose" hydrocortisone in septic shock: a double-blind, randomized, placebo-controlled, crossover study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2003 , 167, 512-20	10.2	459
1	"Ideal PEEP" is superior to high dose partial liquid ventilation with low PEEP in experimental acute lung injury. <i>Intensive Care Medicine</i> , 2001 , 27, 1937-48	14.5	3