Baohu Ji

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11517050/publications.pdf Version: 2024-02-01



Влониц

#	Article	IF	CITATIONS
1	Chronic nicotine, but not suramin or resveratrol, partially remediates the mania-like profile of dopamine transporter knockdown mice. European Neuropsychopharmacology, 2021, 42, 75-86.	0.3	4
2	Striatal dopamine D1 receptor suppression impairs reward-associative learning. Behavioural Brain Research, 2017, 323, 100-110.	1.2	23
3	A novel animal model for neuroinflammation and white matter degeneration. PeerJ, 2017, 5, e3905.	0.9	4
4	Boymaw, Overexpressed in Brains With Major Psychiatric Disorders, May Encode a Small Protein to Inhibit Mitochondrial Function and Protein Translation. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2015, 168, 284-295.	1.1	7
5	Restoration of <i>Sp4</i> in Forebrain GABAergic Neurons Rescues Hypersensitivity to Ketamine in <i>Sp4</i> Hypomorphic Mice. International Journal of Neuropsychopharmacology, 2015, 18, pyv063.	1.0	4
6	Over-expression of XIST, the Master Gene for X Chromosome Inactivation, in Females With Major Affective Disorders. EBioMedicine, 2015, 2, 909-918.	2.7	41
7	Association between genetic variants of DVWA and osteoarthritis of the knee and hip: a comprehensive meta-analysis. International Journal of Clinical and Experimental Medicine, 2015, 8, 9430-7.	1.3	5
8	Identification of Duplication Downstream of BMP2 in a Chinese Family with Brachydactyly Type A2 (BDA2). PLoS ONE, 2014, 9, e94201.	1.1	9
9	Inhibition of protein translation by the DISC1-Boymaw fusion gene from a Scottish family with major psychiatric disorders. Human Molecular Genetics, 2014, 23, 5683-5705.	1.4	31
10	Generation and Characterization of Humanized Mice Carrying COMT158 Met/Val Alleles. Neuropsychopharmacology, 2014, 39, 1823-1832.	2.8	42
11	Metabolomic Analysis Reveals Metabolic Disturbance in the Cortex and Hippocampus of Subchronic MK-801 Treated Rats. PLoS ONE, 2013, 8, e60598.	1.1	24
12	Prolonged Ketamine Effects in Sp4 Hypomorphic Mice: Mimicking Phenotypes of Schizophrenia. PLoS ONE, 2013, 8, e66327.	1.1	27
13	NMDA Receptor Hypofunction Induces Dysfunctions of Energy Metabolism And Semaphorin Signaling in Rats: A Synaptic Proteome Study. Schizophrenia Bulletin, 2012, 38, 579-591.	2.3	26
14	System-Wide Immunohistochemical Analysis of Protein Co-Localization. PLoS ONE, 2012, 7, e32043.	1.1	23
15	Proteome alterations of cortex and hippocampus tissues in mice subjected to vitamin A depletion. Journal of Nutritional Biochemistry, 2011, 22, 1003-1008.	1.9	12
16	Vitamin A depletion alters sensitivity of motor behavior to MK-801 in C57BL/6J mice. Behavioral and Brain Functions, 2010, 6, 7.	1.4	5
17	Differential expression profiling of the synaptosome proteome in a rat model of antipsychotic resistance. Brain Research, 2009, 1295, 170-178.	1.1	14
18	Proteome alteration of U251 human astrocytoma cell after inhibiting retinoic acid synthesis. Molecular and Cellular Biochemistry, 2009, 323, 185-193.	1.4	5

Ваони Јі

#	Article	IF	CITATIONS
19	A Comparative Proteomics Analysis of Rat Mitochondria from the Cerebral Cortex and Hippocampus in Response to Antipsychotic Medications. Journal of Proteome Research, 2009, 8, 3633-3641.	1.8	69
20	Positive association between ALDH1A2 and schizophrenia in the Chinese population. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 1491-1495.	2.5	25
21	Hippocampus protein profiling reveals aberration of malate dehydrogenase in chlorpromazine/clozapine treated rats. Neuroscience Letters, 2006, 408, 29-34.	1.0	25