

# Jonathan N Bella

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1151726/jonathan-n-bella-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91  
papers

4,782  
citations

34  
h-index

68  
g-index

102  
ext. papers

5,231  
ext. citations

4.6  
avg. IF

4.47  
L-index

#	Paper	IF	Citations
91	Relationship Between Marijuana Use and Hospitalization for Acute Coronary Syndrome.. <i>Cureus</i> , <b>2022</b> , 14, e23317	1.2	
90	Combined atrioventricular longitudinal strain rate during isovolumic contraction predicts pulmonary capillary wedge pressure in patients with systolic dysfunction. <i>American Journal of Cardiovascular Disease</i> , <b>2021</b> , 11, 530-538	0.9	
89	Anticoagulation for hypercoagulability in severe critical COVID-19: A case series of fading and fatal cycles of microthrombosis. <i>Journal of Cardiology Cases</i> , <b>2021</b> , 24, 218-222	0.6	
88	Regadenoson administration and QT interval prolongation during pharmacological radionuclide myocardial perfusion imaging. <i>Indian Heart Journal</i> , <b>2020</b> , 72, 296-298	1.6	2
87	COVID-19 and renin-angiotensin system modulators: what do we know so far?. <i>Expert Review of Cardiovascular Therapy</i> , <b>2020</b> , 18, 743-748	2.5	3
86	COVID-19 in the Healthy Patient Population: Demographic and Clinical Phenotypic Characterization and Predictors of In-Hospital Outcomes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2020</b> , 40, 2764-2775 <sup>12</sup>	2.4	12
85	SGLT-2 Inhibition Does Not Improve Left Ventricular Reverse Remodeling in Patients with Diabetes Mellitus Type 2. <i>Journal of Cardiac Failure</i> , <b>2019</b> , 25, S12	3.3	2
84	Preclinical cardiac disease in nonalcoholic fatty liver disease with and without metabolic syndrome. <i>American Journal of Cardiovascular Disease</i> , <b>2019</b> , 9, 65-77	0.9	3
83	Parental target organ damage and risk of target organ damage in offspring. <i>Journal of Hypertension</i> , <b>2018</b> , 36, 1022-1023	1.9	
82	Cardiac Evaluation and Monitoring of Patients Undergoing Noncardiac Surgery. <i>Health Services Insights</i> , <b>2017</b> , 9, 1178632916686074	1.9	4
81	Evaluation and Monitoring of Patients With Cardiovascular Implantable Electronic Devices Undergoing Noncardiac Surgery. <i>Health Services Insights</i> , <b>2017</b> , 10, 1178632916686073	1.9	1
80	Global Trends in Cardiovascular Disease <b>2017</b> , 301-329		3
79	Validity of electrocardiographic criteria for increased left ventricular mass in young patients in the general population. <i>World Journal of Cardiology</i> , <b>2017</b> , 9, 248-254	2.1	1
78	Athens QRS Score as a Predictor of Coronary Artery Disease in Patients With Chest Pain and Normal Exercise Stress Test. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5,	6	2
77	Clinical applications and prognostic implications of strain and strain rate imaging. <i>Expert Review of Cardiovascular Therapy</i> , <b>2015</b> , 13, 853-66	2.5	5
76	Hemodynamic Correlates of Abnormal Aortic Root Dimension in an Adult Population: The Strong Heart Study. <i>Journal of the American Heart Association</i> , <b>2015</b> , 4, e002309	6	20
75	Genetic epidemiology of irritable bowel syndrome. <i>World Journal of Gastroenterology</i> , <b>2015</b> , 21, 11353-64.6	4.6	33

74	Regional Heterogeneity in 3D Myocardial Shortening in Hypertensive Left Ventricular Hypertrophy: A Cardiovascular CMR Tagging Substudy to the Life Study. <i>Journal of Biomedical Science and Engineering</i> , <b>2015</b> , 8, 213-225	0.7	3
73	Noninvasive measurement and clinical relevance of myocardial twist and torsion. <i>Expert Review of Cardiovascular Therapy</i> , <b>2014</b> , 12, 1305-15	2.5	6
72	Genome-wide linkage analysis of carotid artery lumen diameter: the strong heart family study. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 3902-8	3.2	8
71	Clinical and echocardiographic correlates of elevated troponin in amyloid light-chain cardiac amyloidosis. <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 1180-4	3	15
70	Contrasting hemodynamic mechanisms of losartan- vs. atenolol-based antihypertensive treatment: a LIFE study. <i>American Journal of Hypertension</i> , <b>2012</b> , 25, 1017-23	2.3	7
69	Genetic epidemiology of left ventricular hypertrophy. <i>American Journal of Cardiovascular Disease</i> , <b>2012</b> , 2, 267-78	0.9	18
68	Left ventricular torsional mechanics in uncomplicated pregnancy. <i>Clinical Cardiology</i> , <b>2011</b> , 34, 543-8	3.3	7
67	Association of genetic variants and incident coronary heart disease in multiethnic cohorts: the PAGE study. <i>Circulation: Cardiovascular Genetics</i> , <b>2011</b> , 4, 661-72		48
66	Point-of-care screening for left ventricular hypertrophy and concentric geometry using hand-held cardiac ultrasound in hypertensive patients. <i>American Journal of Cardiovascular Disease</i> , <b>2011</b> , 1, 119-25	0.9	6
65	Relation of components of the metabolic syndrome to left ventricular geometry in hispanic and non-hispanic black adults. <i>American Journal of Cardiovascular Disease</i> , <b>2011</b> , 1, 84-91	0.9	3
64	Bivariate genetic association of KIAA1797 with heart rate in American Indians: the Strong Heart Family Study. <i>Human Molecular Genetics</i> , <b>2010</b> , 19, 3662-71	5.6	19
63	Prognostic significance of exercise echocardiography in patients with left ventricular hypertrophy. <i>American Journal of Hypertension</i> , <b>2010</b> , 23, 706	2.3	0
62	Prognostic significance of left ventricular diastolic dysfunction in patients with left ventricular hypertrophy and systemic hypertension (the LIFE Study). <i>American Journal of Cardiology</i> , <b>2010</b> , 106, 999-1005	3.1	31
61	A longitudinal study of risk factors for incident albuminuria in diabetic American Indians: the Strong Heart Study. <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 51, 415-24	7.4	25
60	Prognostic implications of relations of left ventricular systolic dysfunction with body composition and myocardial energy expenditure: the Strong Heart Study. <i>Journal of the American Society of Echocardiography</i> , <b>2008</b> , 21, 66-71	5.8	22
59	Change in pulse pressure/stroke index in response to sustained blood pressure reduction and its impact on left ventricular mass and geometry changes: the life study. <i>American Journal of Hypertension</i> , <b>2008</b> , 21, 701-7	2.3	5
58	Marked regional left ventricular heterogeneity in hypertensive left ventricular hypertrophy patients: a losartan intervention for endpoint reduction in hypertension (LIFE) cardiovascular magnetic resonance and echocardiographic substudy. <i>Hypertension</i> , <b>2008</b> , 52, 279-86	8.5	30
57	Accessory tricuspid valve leaflet in an asymptomatic adult. <i>Texas Heart Institute Journal</i> , <b>2008</b> , 35, 327-8	0.8	5

56	Genome-wide linkage mapping for valve calcification susceptibility loci in hypertensive sibships: the Hypertension Genetic Epidemiology Network Study. <i>Hypertension</i> , <b>2007</b> , 49, 453-60	8.5	31
55	Gender differences in left ventricular systolic function in American Indians (from the Strong Heart Study). <i>American Journal of Cardiology</i> , <b>2006</b> , 98, 834-7	3	34
54	Metabolic syndrome and left ventricular structure and functional abnormalities. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 206-7	2.3	3
53	Association of pulse pressure with cardiovascular outcome is independent of left ventricular hypertrophy and systolic dysfunction: the Strong Heart Study. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 601-7	2.3	32
52	Treatment of diastolic dysfunction in hypertensive left ventricular hypertrophy. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 937-8	2.3	2
51	Is echocardiography essential in the management of newly diagnosed hypertension?. <i>American Journal of Hypertension</i> , <b>2006</b> , 19, 1156-7	2.3	9
50	Left atrial diameter as an independent predictor of first clinical cardiovascular events in middle-aged and elderly adults: the Strong Heart Study (SHS). <i>American Heart Journal</i> , <b>2006</b> , 151, 412-8	4.9	284
49	BDNF-mediated enhancement of inflammation and injury in the aging heart. <i>Physiological Genomics</i> , <b>2006</b> , 24, 191-7	3.6	46
48	Losartan but not atenolol reduce carotid artery hypertrophy in essential hypertension. A LIFE substudy. <i>Blood Pressure</i> , <b>2005</b> , 14, 177-83	1.7	47
47	Normalization for body size and population-attributable risk of left ventricular hypertrophy: the Strong Heart Study. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 191-6	2.3	167
46	Left atrial systolic force and cardiac markers of preclinical disease in hypertensive patients: the Hypertension Genetic Epidemiology Network (HyperGEN) Study. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 899-905	2.3	23
45	Aortic valve sclerosis and albuminuria predict cardiovascular events independently in hypertension: a losartan intervention for endpoint-reduction in hypertension (LIFE) substudy. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 1430-6	2.3	23
44	Left atrial systolic force and cardiovascular outcome. The Strong Heart Study. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 1570-6; discussion 1577	2.3	59
43	Indexation of left ventricular mass to identify blood pressure-related left ventricular hypertrophy. <i>American Journal of Hypertension</i> , <b>2005</b> , 18, 1263-5	2.3	4
42	Aortic valve sclerosis relates to cardiovascular events in patients with hypertension (a LIFE substudy). <i>American Journal of Cardiology</i> , <b>2005</b> , 95, 132-6	3	79
41	Body composition and fat distribution influence systemic hemodynamics in the absence of obesity: the HyperGEN Study. <i>American Journal of Clinical Nutrition</i> , <b>2005</b> , 81, 757-61	7	31
40	Differences in left ventricular structure between black and white hypertensive adults: the Hypertension Genetic Epidemiology Network study. <i>Hypertension</i> , <b>2004</b> , 43, 1182-8	8.5	155
39	Comparison of cardiac structure and function in American Indians with and without the metabolic syndrome (the Strong Heart Study). <i>American Journal of Cardiology</i> , <b>2004</b> , 93, 40-4	3	118

38	Effect of losartan versus atenolol on aortic valve sclerosis (a LIFE substudy). <i>American Journal of Cardiology</i> , <b>2004</b> , 94, 1076-80	3	21
37	Relation of impaired left ventricular filling to systolic midwall mechanics in hypertensive patients with normal left ventricular systolic chamber function: the Losartan Intervention for Endpoint Reduction in Hypertension (LIFE) study. <i>American Heart Journal</i> , <b>2004</b> , 148, 538-44	4.9	21
36	Association of inappropriate left ventricular mass with systolic and diastolic dysfunction: the HyperGEN study. <i>American Journal of Hypertension</i> , <b>2004</b> , 17, 828-33	2.3	15
35	Do electrocardiographic changes with adenosine myocardial perfusion imaging predict ischaemia in patients with left ventricular hypertrophy?. <i>Nuclear Medicine Communications</i> , <b>2004</b> , 25, 553-6	1.6	4
34	Heritability of left ventricular dimensions and mass in American Indians: The Strong Heart Study. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 281-6	1.9	58
33	Relation of left ventricular hypertrophy to inflammation and albuminuria in adults with type 2 diabetes: the strong heart study. <i>Diabetes Care</i> , <b>2003</b> , 26, 2764-9	14.6	73
32	Association of albuminuria with systolic and diastolic left ventricular dysfunction in type 2 diabetes: the Strong Heart Study. <i>Journal of the American College of Cardiology</i> , <b>2003</b> , 41, 2022-8	15.1	109
31	Associations of aortic and mitral regurgitation with body composition and myocardial energy expenditure in adults with hypertension: the Hypertension Genetic Epidemiology Network study. <i>American Heart Journal</i> , <b>2003</b> , 145, 1071-7	4.9	20
30	Efficacy and time-efficiency of a "sonographer-driven" contrast echocardiography protocol in a high-volume echocardiography laboratory. <i>American Heart Journal</i> , <b>2003</b> , 145, 535-41	4.9	27
29	Echocardiographic wall motion abnormalities in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE Study. <i>Hypertension</i> , <b>2003</b> , 41, 75-82	8.5	33
28	Relation of left ventricular geometry and function to aortic root dilatation in patients with systemic hypertension and left ventricular hypertrophy (the LIFE study). <i>American Journal of Cardiology</i> , <b>2002</b> , 89, 337-41	3	53
27	Gender difference in diastolic function in hypertension (the HyperGEN study). <i>American Journal of Cardiology</i> , <b>2002</b> , 89, 1052-6	3	54
26	Genetic influences on aortic root size in American Indians: the Strong Heart Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2002</b> , 22, 1008-11	9.4	25
25	Change in diastolic left ventricular filling after one year of antihypertensive treatment: The Losartan Intervention For Endpoint Reduction in Hypertension (LIFE) Study. <i>Circulation</i> , <b>2002</b> , 105, 1071-6	16.7	154
24	Mitral ratio of peak early to late diastolic filling velocity as a predictor of mortality in middle-aged and elderly adults: the Strong Heart Study. <i>Circulation</i> , <b>2002</b> , 105, 1928-33	16.7	339
23	Appetite suppressants and valvular heart disease in a population-based sample: the HyperGEN study. <i>American Journal of Medicine</i> , <b>2002</b> , 112, 710-5	2.4	26
22	Left ventricular hypertrophy is associated with reduced vasodilatory capacity in the brachial artery in patients with longstanding hypertension. A LIFE substudy. <i>Blood Pressure</i> , <b>2002</b> , 11, 285-92	1.7	8
21	Urine albumin/creatinine ratio and echocardiographic left ventricular structure and function in hypertensive patients with electrocardiographic left ventricular hypertrophy: the LIFE study. Losartan Intervention for Endpoint Reduction. <i>American Heart Journal</i> , <b>2002</b> , 143, 319-26	4.9	107

20	Change of left ventricular geometric pattern after 1 year of antihypertensive treatment: the Losartan Intervention For Endpoint reduction in hypertension (LIFE) study. <i>American Heart Journal</i> , <b>2002</b> , 144, 1057-64	4.9	57
19	Effect of electrocardiographic left ventricular hypertrophy on left ventricular systolic function in systemic hypertension (The LIFE Study). Losartan Intervention For Endpoint. <i>American Journal of Cardiology</i> , <b>2001</b> , 87, 54-60	3	65
18	Separate and joint effects of systemic hypertension and diabetes mellitus on left ventricular structure and function in American Indians (the Strong Heart Study). <i>American Journal of Cardiology</i> , <b>2001</b> , 87, 1260-5	3	126
17	Relation of various degrees of body mass index in patients with systemic hypertension to left ventricular mass, cardiac output, and peripheral resistance (The Hypertension Genetic Epidemiology Network Study). <i>American Journal of Cardiology</i> , <b>2001</b> , 88, 1163-8	3	98
16	Left ventricular systolic dysfunction in a biracial sample of hypertensive adults: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. <i>Hypertension</i> , <b>2001</b> , 38, 417-23	8.5	59
15	Effects of once-daily angiotensin-converting enzyme inhibition and calcium channel blockade-based antihypertensive treatment regimens on left ventricular hypertrophy and diastolic filling in hypertension: the prospective randomized enalapril study evaluating regression of ventricular hypertrophy. <i>Circulation</i> , <b>2001</b> , 104, 1218-24	16.7	181
14	Aortic root dilatation at sinuses of valsalva and aortic regurgitation in hypertensive and normotensive subjects: The Hypertension Genetic Epidemiology Network Study. <i>Hypertension</i> , <b>2001</b> , 37, 1229-35	8.5	112
13	Relationship between left ventricular diastolic relaxation and systolic function in hypertension: The Hypertension Genetic Epidemiology Network (HyperGEN) Study. <i>Hypertension</i> , <b>2001</b> , 38, 424-8	8.5	44
12	Effect of type 2 diabetes mellitus on left ventricular geometry and systolic function in hypertensive subjects: Hypertension Genetic Epidemiology Network (HyperGEN) study. <i>Circulation</i> , <b>2001</b> , 103, 102-7	16.7	255
11	Left ventricular function and hemodynamic features of inappropriate left ventricular hypertrophy in patients with systemic hypertension: the LIFE study. <i>American Heart Journal</i> , <b>2001</b> , 141, 784-91	4.9	60
10	Maximal exercise capacity is related to cardiovascular structure in patients with longstanding hypertension. A LIFE substudy. Losartan Intervention For Endpoint-Reduction in Hypertension. <i>American Journal of Hypertension</i> , <b>2001</b> , 14, 1205-10	2.3	13
9	Relation of left ventricular geometry and function to systemic hemodynamics in hypertension: the LIFE Study. Losartan Intervention For Endpoint Reduction in Hypertension Study. <i>Journal of Hypertension</i> , <b>2001</b> , 19, 127-34	1.9	41
8	Left ventricular filling patterns in patients with systemic hypertension and left ventricular hypertrophy (the LIFE study). Losartan Intervention For Endpoint. <i>American Journal of Cardiology</i> , <b>2000</b> , 85, 466-72	3	140
7	Impact of different partition values on prevalences of left ventricular hypertrophy and concentric geometry in a large hypertensive population : the LIFE study. <i>Hypertension</i> , <b>2000</b> , 35, 6-12	8.5	200
6	Prevalence and correlates of aortic regurgitation in American Indians: the Strong Heart Study. <i>Journal of the American College of Cardiology</i> , <b>2000</b> , 36, 461-7	15.1	94
5	Assessment of arterial compliance by carotid midwall strain-stress relation in normotensive adults. <i>Hypertension</i> , <b>1999</b> , 33, 787-92	8.5	23
4	Assessment of arterial compliance by carotid midwall strain-stress relation in hypertension. <i>Hypertension</i> , <b>1999</b> , 33, 793-9	8.5	14
3	Relations of diastolic left ventricular filling to systolic chamber and myocardial contractility in hypertensive patients with left ventricular hypertrophy (The PRESERVE Study). <i>American Journal of Cardiology</i> , <b>1999</b> , 84, 558-62	3	57

- |   |   |      |     |
|---|---|------|-----|
| 2 | Reliability of echocardiographic assessment of left ventricular structure and function: the PRESERVE study. Prospective Randomized Study Evaluating Regression of Ventricular Enlargement. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 34, 1625-32 | 15.1 | 284 |
| 1 | Relations of left ventricular mass to fat-free and adipose body mass: the strong heart study. The Strong Heart Study Investigators. <i>Circulation</i> , <b>1998</b> , 98, 2538-44  | 16.7 | 199 |