
Maira Okada De Oliveira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11517508/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Interoception Primes Emotional Processing: Multimodal Evidence from Neurodegeneration. Journal of Neuroscience, 2021, 41, 4276-4292.	3.6	54
2	The Multi-Partner Consortium to Expand Dementia Research in Latin America (ReDLat): Driving Multicentric Research and Implementation Science. Frontiers in Neurology, 2021, 12, 631722.	2.4	51
3	Vocabulary Is an Appropriate Measure of Premorbid Intelligence in a Sample with Heterogeneous Educational Level in Brazil. Behavioural Neurology, 2014, 2014, 1-6.	2.1	39
4	Analysis of macrolinguistic aspects of narratives from individuals with Alzheimer's disease, mild cognitive impairment, and no cognitive impairment. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 31-40.	2.4	25
5	Effects of Aerobic Training on Cognition and Brain Glucose Metabolism in Subjects with Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2015, 46, 747-760.	2.6	24
6	The thickness of posterior cortical areas is related to executive dysfunction in Alzheimer's disease. Clinics, 2014, 69, 28-37.	1.5	24
7	Does brain creatine content rely on exogenous creatine in healthy youth? A proof-of-principle study. Applied Physiology, Nutrition and Metabolism, 2017, 42, 128-134.	1.9	22
8	The impact of COVID-19 on the well-being and cognition of older adults living in the United States and Latin America. EClinicalMedicine, 2021, 35, 100848.	7.1	22
9	Brain PET amyloid and neurodegeneration biomarkers in the context of the 2018 NIA-AA research framework: an individual approach exploring clinical-biomarker mismatches and sociodemographic parameters. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2666-2680.	6.4	21
10	Computerized Neurocognitive Test (CNT) in mild cognitive impairment and Alzheimer's disease. Dementia E Neuropsychologia, 2014, 8, 112-116.	0.8	19
11	Stereotactic Lesion in the Forel's Field H: A 2-Years Prospective Open-Label Study on Motor and Nonmotor Symptoms, Neuropsychological Functions, and Quality of Life in Parkinson Disease. Neurosurgery, 2019, 85, E650-E659.	1.1	12
12	Clinical Implications of the National Institute of Neurological Disorders and Stroke Criteria for Diagnosing Psychosis in Parkinson's Disease. Journal of Neuropsychiatry and Clinical Neurosciences, 2016, 28, 26-31.	1.8	8
13	The S-TOFHLA as a Measure of Functional Literacy in Patients with Mild Alzheimer's Disease or Mild Cognitive Impairment. Archives of Clinical Neuropsychology, 2014, 29, 269-277.	0.5	7
14	S-TOFHLA in mild Alzheimer's disease and Mild Cognitive Impairment patients as a measure of functional literacy: Preliminary study. Dementia E Neuropsychologia, 2009, 3, 291-298.	0.8	6
15	Acquired hepatocerebral degeneration: a case report. Dementia E Neuropsychologia, 2012, 6, 59-63.	0.8	5
16	Inference comprehension from reading in individuals with mild cognitive impairment. Acta Neurologica Belgica, 2020, 121, 879-887.	1.1	5
17	Validation of the National Institute of Neurological Disorders and Stroke Criteria for Psychosis in Parkinson Disease. American Journal of Geriatric Psychiatry, 2017, 25, 73-80.	1.2	4
18	Comparison of performance on neuropsychological tests in amnestic Mild Cognitive Impairment and Alzheimer's disease patients. Dementia E Neuropsychologia, 2009, 3, 41-48.	0.8	3

#	Article	IF	CITATIONS
19	Fields of Forel Brain Stimulation Improves Levodopa-Unresponsive Gait and Balance Disorders in Parkinson's Disease. Neurosurgery, 2021, 89, 450-459.	1.1	3