

# Richard Mazzarella

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11521166/publications.pdf>

Version: 2024-02-01

19  
papers

616  
citations

687363

13  
h-index

794594

19  
g-index

19  
all docs

19  
docs citations

19  
times ranked

829  
citing authors

#	ARTICLE	IF	CITATIONS
1	VCC-1, a novel chemokine, promotes tumor growth. <i>Biochemical and Biophysical Research Communications</i> , 2006, 350, 74-81.	2.1	58
2	URP1: a member of a novel family of PH and FERM domain-containing membrane-associated proteins is significantly over-expressed in lung and colon carcinomas. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2003, 1637, 207-216.	3.8	66
3	Two Novel Mouse Genes—Nubp2, Mapped to the t-Complex on Chromosome 17, and Nubp1, Mapped to Chromosome 16—Establish a New Gene Family of Nucleotide-Binding Proteins in Eukaryotes. <i>Genomics</i> , 1999, 60, 152-160.	2.9	18
4	Recombination trapping: an in-vivo approach to recover cDNAs encoded in YACs. <i>Gene</i> , 1998, 212, 315-321.	2.2	2
5	Glypican 3 and glypican 4 are juxtaposed in Xq26.1. <i>Gene</i> , 1998, 225, 9-16.	2.2	14
6	Cloning and Expression of an Immunoglobulin Superfamily Gene (IGSF1) in Xq25. <i>Genomics</i> , 1998, 48, 157-162.	2.9	35
7	A novel pseudoautosomal gene encoding a putative GTP-binding protein resides in the vicinity of the Xp/Yp telomere. <i>Human Molecular Genetics</i> , 1998, 7, 407-414.	2.9	37
8	Pathological Consequences of Sequence Duplications in the Human Genome. <i>Genome Research</i> , 1998, 8, 1007-1021.	5.5	107
9	Expression and Cloning of the Human X-Linked Hypophosphatemia Gene cDNA. <i>Biochemical and Biophysical Research Communications</i> , 1997, 231, 635-639.	2.1	62
10	Escape from X Inactivation of Two New Genes Associated with DXS6974E and DXS7020E. <i>Genomics</i> , 1997, 43, 183-190.	2.9	17
11	Sequence Analysis of 139 kb in Xp22.1 Containing Spermine Synthase and the 5' Region of PEX. <i>Genomics</i> , 1997, 44, 227-231.	2.9	20
12	Analysis of Exon/Intron Structure and 400 kb of Genomic Sequence Surrounding the 5'-Promoter and 3'-Terminal Ends of the Human Glypican 3 (GPC3) Gene. <i>Genomics</i> , 1997, 45, 48-58.	2.9	29
13	Expressed STSs and transcription of human Xq28. <i>Gene</i> , 1997, 187, 185-191.	2.2	2
14	Duplication and distribution of repetitive elements and non-unique regions in the human genome. <i>Gene</i> , 1997, 205, 29-38.	2.2	24
15	A synaptobrevin-like gene in the Xq28 pseudoautosomal region undergoes X inactivation. <i>Nature Genetics</i> , 1996, 13, 227-229.	21.4	78
16	Sequence and gene content in 52 kb including and centromeric to the G6PD gene in Xq28. <i>DNA Sequence</i> , 1995, 6, 1-11.	0.7	11
17	Human protein kinase C iota gene (PRKCI) is closely linked to the BTK gene in Xq21.3. <i>Genomics</i> , 1995, 26, 629-631.	2.9	9
18	PCR-based immortalization and screening of hierarchical pools of cDNAs. <i>Nucleic Acids Research</i> , 1994, 22, 4806-4809.	14.5	16

#	ARTICLE	IF	CITATIONS
19	Physical linkage of expressed sequence tags (ESTs) to polymorphic markers on the X chromosome. Human Molecular Genetics, 1994, 3, 1095-1101.	2.9	11