

Wei Liao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1152183/wei-liao-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

95
papers

4,336
citations

34
h-index

64
g-index

100
ext. papers

5,391
ext. citations

5.4
avg, IF

5.38
L-index

#	Paper	IF	Citations
95	Altered functional connectivity and small-world in mesial temporal lobe epilepsy. <i>PLoS ONE</i> , 2010 , 5, e8525	3.7	391
94	Altered functional-structural coupling of large-scale brain networks in idiopathic generalized epilepsy. <i>Brain</i> , 2011 , 134, 2912-28	11.2	383
93	Selective aberrant functional connectivity of resting state networks in social anxiety disorder. <i>NeuroImage</i> , 2010 , 52, 1549-58	7.9	235
92	Default mode network abnormalities in mesial temporal lobe epilepsy: a study combining fMRI and DTI. <i>Human Brain Mapping</i> , 2011 , 32, 883-95	5.9	229
91	Altered functional connectivity in default mode network in absence epilepsy: a resting-state fMRI study. <i>Human Brain Mapping</i> , 2011 , 32, 438-49	5.9	190
90	Evaluating the effective connectivity of resting state networks using conditional Granger causality. <i>Biological Cybernetics</i> , 2010 , 102, 57-69	2.8	159
89	fMRI study of mesial temporal lobe epilepsy using amplitude of low-frequency fluctuation analysis. <i>Human Brain Mapping</i> , 2010 , 31, 1851-61	5.9	145
88	Small-world directed networks in the human brain: multivariate Granger causality analysis of resting-state fMRI. <i>NeuroImage</i> , 2011 , 54, 2683-94	7.9	131
87	Altered effective connectivity network of the amygdala in social anxiety disorder: a resting-state fMRI study. <i>PLoS ONE</i> , 2010 , 5, e15238	3.7	128
86	DynamicBC: a MATLAB toolbox for dynamic brain connectome analysis. <i>Brain Connectivity</i> , 2014 , 4, 780-907	2.7	120
85	Altered gray matter morphometry and resting-state functional and structural connectivity in social anxiety disorder. <i>Brain Research</i> , 2011 , 1388, 167-77	3.7	114
84	Resting state basal ganglia network in idiopathic generalized epilepsy. <i>Human Brain Mapping</i> , 2012 , 33, 1279-94	5.9	89
83	More than just statics: temporal dynamics of intrinsic brain activity predicts the suicidal ideation in depressed patients. <i>Psychological Medicine</i> , 2019 , 49, 852-860	6.9	84
82	Dynamical intrinsic functional architecture of the brain during absence seizures. <i>Brain Structure and Function</i> , 2014 , 219, 2001-15	4	82
81	Altered resting state networks in epileptic patients with generalized tonic-clonic seizures. <i>Brain Research</i> , 2011 , 1374, 134-41	3.7	81
80	Frequency dependent hub role of the dorsal and ventral right anterior insula. <i>NeuroImage</i> , 2018 , 165, 112-117	7.9	74
79	Abnormal functional connectivity density in psychogenic non-epileptic seizures. <i>Epilepsy Research</i> , 2014 , 108, 1184-94	3	69

78	Transdiagnostic and diagnosis-specific dynamic functional connectivity anchored in the right anterior insula in major depressive disorder and bipolar depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 85, 7-15	5.5	65
77	Generalized tonic-clonic seizures: aberrant interhemispheric functional and anatomical connectivity. <i>Radiology</i> , 2014 , 271, 839-47	20.5	65
76	Static and dynamic connectomics differentiate between depressed patients with and without suicidal ideation. <i>Human Brain Mapping</i> , 2018 , 39, 4105-4118	5.9	64
75	Resting-state brain organization revealed by functional covariance networks. <i>PLoS ONE</i> , 2011 , 6, e28817	3.7	54
74	Relationship between large-scale functional and structural covariance networks in idiopathic generalized epilepsy. <i>Brain Connectivity</i> , 2013 , 3, 240-54	2.7	49
73	Differential patterns of dynamic functional connectivity variability of striato-cortical circuitry in children with benign epilepsy with centrotemporal spikes. <i>Human Brain Mapping</i> , 2018 , 39, 1207-1217	5.9	48
72	Exploring the functional connectome in white matter. <i>Human Brain Mapping</i> , 2019 , 40, 4331-4344	5.9	46
71	Partially impaired functional connectivity states between right anterior insula and default mode network in autism spectrum disorder. <i>Human Brain Mapping</i> , 2019 , 40, 1264-1275	5.9	46
70	Low-frequency blood oxygen level-dependent fluctuations in the brain white matter: more than just noise. <i>Science Bulletin</i> , 2017 , 62, 656-657	10.6	44
69	Endless Fluctuations: Temporal Dynamics of the Amplitude of Low Frequency Fluctuations. <i>IEEE Transactions on Medical Imaging</i> , 2019 , 38, 2523-2532	11.7	44
68	Frequency-dependent amplitude alterations of resting-state spontaneous fluctuations in idiopathic generalized epilepsy. <i>Epilepsy Research</i> , 2014 , 108, 853-60	3	43
67	Decreased Network Efficiency in Benign Epilepsy with Centrotemporal Spikes. <i>Radiology</i> , 2017 , 283, 186-194	20.5	43
66	Hippocampus-associated causal network of structural covariance measuring structural damage progression in temporal lobe epilepsy. <i>Human Brain Mapping</i> , 2017 , 38, 753-766	5.9	40
65	Intrinsic brain activity as a diagnostic biomarker in children with benign epilepsy with centrotemporal spikes. <i>Human Brain Mapping</i> , 2015 , 36, 3878-89	5.9	35
64	Functional Connectome before and following Temporal Lobectomy in Mesial Temporal Lobe Epilepsy. <i>Scientific Reports</i> , 2016 , 6, 23153	4.9	35
63	Dynamic aftereffects in supplementary motor network following inhibitory transcranial magnetic stimulation protocols. <i>NeuroImage</i> , 2017 , 149, 285-294	7.9	34
62	Pathological uncoupling between amplitude and connectivity of brain fluctuations in epilepsy. <i>Human Brain Mapping</i> , 2015 , 36, 2756-66	5.9	34
61	Altered regional homogeneity in rolandic epilepsy: a resting-state FMRI study. <i>BioMed Research International</i> , 2014 , 2014, 960395	3	32

60	Mapping the voxel-wise effective connectome in resting state FMRI. <i>PLoS ONE</i> , 2013 , 8, e73670	3.7	31
59	Kernel Granger causality mapping effective connectivity on FMRI data. <i>IEEE Transactions on Medical Imaging</i> , 2009 , 28, 1825-35	11.7	31
58	Disrupted structural and functional rich club organization of the brain connectome in patients with generalized tonic-clonic seizure. <i>Human Brain Mapping</i> , 2016 , 37, 4487-4499	5.9	30
57	Epileptic Discharge Related Functional Connectivity Within and Between Networks in Benign Epilepsy with Centrotemporal Spikes. <i>International Journal of Neural Systems</i> , 2017 , 27, 1750018	6.2	29
56	Altered Intrinsic Regional Activity and Interregional Functional Connectivity in Post-stroke Aphasia. <i>Scientific Reports</i> , 2016 , 6, 24803	4.9	28
55	Preservation Effect: Cigarette Smoking Acts on the Dynamic of Influences Among Unifying Neuropsychiatric Triple Networks in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1242-1250	1.3	27
54	Thalamocortical dysconnectivity in paroxysmal kinesigenic dyskinesia: Combining functional magnetic resonance imaging and diffusion tensor imaging. <i>Movement Disorders</i> , 2017 , 32, 592-600	7	26
53	Epileptic discharges specifically affect intrinsic connectivity networks during absence seizures. <i>Journal of the Neurological Sciences</i> , 2014 , 336, 138-45	3.2	26
52	Abnormal dynamics of functional connectivity density in children with benign epilepsy with centrotemporal spikes. <i>Brain Imaging and Behavior</i> , 2019 , 13, 985-994	4.1	25
51	Local Activity and Causal Connectivity in Children with Benign Epilepsy with Centrotemporal Spikes. <i>PLoS ONE</i> , 2015 , 10, e0134361	3.7	25
50	Connectome Reorganization Associated With Surgical Outcome in Temporal Lobe Epilepsy. <i>Medicine (United States)</i> , 2015 , 94, e1737	1.8	24
49	Analysis of Altered Baseline Brain Activity in Drug-Naive Adult Patients with Social Anxiety Disorder Using Resting-State Functional MRI. <i>Psychiatry Investigation</i> , 2015 , 12, 372-80	3.1	24
48	Altered functional connectivity in the brain default-mode network of earthquake survivors persists after 2 years despite recovery from anxiety symptoms. <i>Social Cognitive and Affective Neuroscience</i> , 2015 , 10, 1497-505	4	23
47	A neuromarker of individual general fluid intelligence from the white-matter functional connectome. <i>Translational Psychiatry</i> , 2020 , 10, 147	8.6	22
46	Cortical structural differences in major depressive disorder correlate with cell type-specific transcriptional signatures. <i>Nature Communications</i> , 2021 , 12, 1647	17.4	21
45	Inter-hemispheric Intrinsic Connectivity as a Neuromarker for the Diagnosis of Boys with Tourette Syndrome. <i>Molecular Neurobiology</i> , 2017 , 54, 2781-2789	6.2	20
44	Altered White Matter Connectivity Within and Between Networks in Antipsychotic-Naive First-Episode Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018 , 44, 409-418	1.3	20
43	Dysregulated Maturation of the Functional Connectome in Antipsychotic-Naive, First-Episode Patients With Adolescent-Onset Schizophrenia. <i>Schizophrenia Bulletin</i> , 2019 , 45, 689-697	1.3	20

42	Frequency-Specific Alterations of Local Synchronization in Idiopathic Generalized Epilepsy. <i>Medicine (United States)</i> , 2015 , 94, e1374	1.8	20
41	Impaired interactions among white-matter functional networks in antipsychotic-naive first-episode schizophrenia. <i>Human Brain Mapping</i> , 2020 , 41, 230-240	5.9	20
40	Temporal dynamic changes of intrinsic brain activity in schizophrenia with cigarette smoking. <i>Schizophrenia Research</i> , 2019 , 210, 66-72	3.6	17
39	Reorganization of Anatomical Connectome following Electroconvulsive Therapy in Major Depressive Disorder. <i>Neural Plasticity</i> , 2015 , 2015, 271674	3.3	17
38	Temporal variability profiling of the default mode across epilepsy subtypes. <i>Epilepsia</i> , 2021 , 62, 61-73	6.4	17
37	Altered dynamic global signal topography in antipsychotic-naive adolescents with early-onset schizophrenia. <i>Schizophrenia Research</i> , 2019 , 208, 308-316	3.6	16
36	A Dissociation in Effects of Risperidone Monotherapy on Functional and Anatomical Connectivity Within the Default Mode Network. <i>Schizophrenia Bulletin</i> , 2019 , 45, 1309-1318	1.3	15
35	Beyond the Arcuate Fasciculus: Damage to Ventral and Dorsal Language Pathways in Aphasia. <i>Brain Topography</i> , 2017 , 30, 249-256	4.3	14
34	Brain iron redistribution in mesial temporal lobe epilepsy: a susceptibility-weighted magnetic resonance imaging study. <i>BMC Neuroscience</i> , 2014 , 15, 117	3.2	14
33	Globus Pallidus Interna in Tourette Syndrome: Decreased Local Activity and Disrupted Functional Connectivity. <i>Frontiers in Neuroanatomy</i> , 2016 , 10, 93	3.6	14
32	Sex differences in associations of arginine vasopressin and oxytocin with resting-state functional brain connectivity. <i>Journal of Neuroscience Research</i> , 2017 , 95, 576-586	4.4	13
31	Altered Structure and Intrinsic Functional Connectivity in Post-stroke Aphasia. <i>Brain Topography</i> , 2018 , 31, 300-310	4.3	13
30	The thalamic functional gradient and its relationship to structural basis and cognitive relevance. <i>NeuroImage</i> , 2020 , 218, 116960	7.9	13
29	Glucose disturbances, cognitive deficits and white matter abnormalities in first-episode drug-naive schizophrenia. <i>Molecular Psychiatry</i> , 2020 , 25, 3220-3230	15.1	13
28	The Organization of the Human Corpus Callosum Estimated by Intrinsic Functional Connectivity with White-Matter Functional Networks. <i>Cerebral Cortex</i> , 2020 , 30, 3313-3324	5.1	12
27	Disruption of functional connectivity among subcortical arousal system and cortical networks in temporal lobe epilepsy. <i>Brain Imaging and Behavior</i> , 2020 , 14, 762-771	4.1	12
26	Functional brain networks in never-treated and treated long-term ill schizophrenia patients. <i>Neuropsychopharmacology</i> , 2019 , 44, 1940-1947	8.7	11
25	White-matter functional topology: a neuromarker for classification and prediction in unmedicated depression. <i>Translational Psychiatry</i> , 2020 , 10, 365	8.6	11

24	Multiscale energy reallocation during low-frequency steady-state brain response. <i>Human Brain Mapping</i> , 2018 , 39, 2121-2132	5.9	10
23	Structure-Function Connectomics Reveals Aberrant Developmental Trajectory Occurring at Preadolescence in the Autistic Brain. <i>Cerebral Cortex</i> , 2020 , 30, 5028-5037	5.1	8
22	The distinguishing intrinsic brain circuitry in treatment-naïve first-episode schizophrenia: Ensemble learning classification. <i>Neurocomputing</i> , 2019 , 365, 44-53	5.4	8
21	Distinct striatum pathways connected to salience network predict symptoms improvement and resilient functioning in schizophrenia following risperidone monotherapy. <i>Schizophrenia Research</i> , 2020 , 215, 89-96	3.6	7
20	Frequency-Specific Local Synchronization Changes in Paroxysmal Kinesigenic Dyskinesia. <i>Medicine (United States)</i> , 2016 , 95, e3293	1.8	7
19	Nicotine in action: cigarette smoking modulated homotopic functional connectivity in schizophrenia. <i>Brain Imaging and Behavior</i> , 2019 , 13, 1612-1623	4.1	7
18	Abnormal Functional Connectivity Density in Post-Stroke Aphasia. <i>Brain Topography</i> , 2019 , 32, 271-282	4.3	6
17	Whole-brain functional connectome-based multivariate classification of post-stroke aphasia. <i>Neurocomputing</i> , 2017 , 269, 199-205	5.4	5
16	Impaired self-referential processing in mesial temporal lobe epilepsy: a functional MRI study. <i>Neuroscience Letters</i> , 2013 , 555, 187-92	3.3	5
15	Systematically disrupted functional gradient of the cortical connectome in generalized epilepsy: Initial discovery and independent sample replication. <i>NeuroImage</i> , 2021 , 230, 117831	7.9	4
14	Shared and distinct global signal topography disturbances in subcortical and cortical networks in human epilepsy. <i>Human Brain Mapping</i> , 2021 , 42, 412-426	5.9	4
13	Transcriptomic and macroscopic architectures of intersubject functional variability in human brain white-matter.. <i>Communications Biology</i> , 2021 , 4, 1417	6.7	4
12	Frequency-specific altered global signal topography in drug-naïve first-episode patients with adolescent-onset schizophrenia. <i>Brain Imaging and Behavior</i> , 2021 , 15, 1876-1885	4.1	3
11	Linked Social-Communication Dimensions and Connectivity in Functional Brain Networks in Autism Spectrum Disorder. <i>Cerebral Cortex</i> , 2021 , 31, 3899-3910	5.1	3
10	Individual-specific functional connectome biomarkers predict schizophrenia positive symptoms during adolescent brain maturation. <i>Human Brain Mapping</i> , 2020 , 42, 1475	5.9	3
9	Hilbert phase entropy imaging of fMRI time series. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2010 , 13, 121-133	2.1	2
8	Aberrant corticostriatal connectivity predict positive symptoms of antipsychotic-naïve patients with adolescent-onset schizophrenia during brain maturation. <i>Schizophrenia Research</i> , 2018 , 195, 564-566	3.6	2
7	Cortical patterning of morphometric similarity gradient reveals diverged hierarchical organization in sensory-motor cortices. <i>Cell Reports</i> , 2021 , 36, 109582	10.6	2

6	Subtyping Schizophrenia Patients Based on Patterns of Structural Brain Alterations. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	2
5	A temporal chronnectomic framework: Cigarette smoking preserved the prefrontal dysfunction in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109860	5.5	1
4	Hilbert phase entropy imaging of fMRI time series. <i>Computer Methods in Biomechanics and Biomedical Engineering</i> , 2010 , 13, 121-33	2.1	1
3	Abnormal white matter functional connectivity density in antipsychotic-naive adolescents with schizophrenia. <i>Clinical Neurophysiology</i> , 2021 , 132, 1025-1032	4.3	0
2	Individual-Specific Connectome Fingerprint Based Classification of Temporal Lobe Epilepsy. <i>Lecture Notes in Computer Science</i> , 2021 , 754-761	0.9	
1	Distinct neuroanatomic subtypes in antipsychotic-treated patients with schizophrenia classified by the predefined classification in a never-treated sample. <i>Psychoradiology</i> , 2021 , 1, 212-224		