

Tor Melberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11525748/publications.pdf>

Version: 2024-02-01

13
papers

271
citations

1163117

8
h-index

1125743

13
g-index

13
all docs

13
docs citations

13
times ranked

688
citing authors

#	ARTICLE	IF	CITATIONS
1	Duration of Elevated Heart Rate Is an Important Predictor of Exercise-Induced Troponin Elevation. <i>Journal of the American Heart Association</i> , 2020, 9, e014408.	3.7	19
2	The copeptin response after physical activity is not associated with cardiac biomarkers or asymptomatic coronary artery disease: The North Sea Race Endurance Exercise Study (NEEDED) 2013. <i>Clinical Biochemistry</i> , 2018, 52, 8-12.	1.9	3
3	Highly increased Troponin I levels following high-intensity endurance cycling may detect subclinical coronary artery disease in presumably healthy leisure sport cyclists: The North Sea Race Endurance Exercise Study (NEEDED) 2013. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 885-894.	1.8	31
4	Safety and health status following early discharge in patients with acute myocardial infarction treated with primary PCI: a randomized trial. <i>European Journal of Preventive Cardiology</i> , 2015, 22, 1427-1434.	1.8	40
5	Gender-specific ambulance priority and delays to primary percutaneous coronary intervention: A consequence of the patients' presentation or the management at the emergency medical communications center?. <i>American Heart Journal</i> , 2013, 166, 839-845.	2.7	36
6	Long-Term Prognostic Value of CK-MB and the Troponins after Angioplasty in Patients with Stable Angina. <i>Scandinavian Cardiovascular Journal</i> , 2011, 45, 146-152.	1.2	3
7	Long-Term Prognostic Value of Cardiac Troponin I and T Versus Creatine Kinase-MB Mass After Cardiac Surgery in Low-Risk Patients with Stable Symptoms. <i>American Journal of Cardiology</i> , 2010, 106, 780-786.	1.6	15
8	A comparison of the health status after percutaneous coronary intervention at a hospital with and without on-site cardiac surgical backup: a randomized trial in nonemergent patients. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010, 17, 235-243.	2.8	7
9	Elevated CK-MB values after routine angioplasty predicts worse long-term prognosis in low-risk patients. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 69-75.	1.2	2
10	The impact of the 2007 ESC-ACC-AHA-WHF Universal definition on the incidence and classification of acute myocardial infarction: A retrospective cohort study. <i>International Journal of Cardiology</i> , 2010, 139, 228-233.	1.7	61
11	Competing risk analysis of events 10 years after revascularization. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 279-288.	1.2	9
12	Long-Term Prognostic Value of Creatine Kinase-Myocardial Band Mass after Cardiac Surgery in Low-Risk Patients with Stable Angina. <i>Cardiology</i> , 2009, 113, 122-131.	1.4	7
13	Nonemergent coronary angioplasty without on-site surgical backup: A randomized study evaluating outcomes in low-risk patients. <i>American Heart Journal</i> , 2006, 152, 888-895.	2.7	38