# Jens Otto Lunde Jrgensen

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1152840/jens-otto-lunde-jorgensen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

295 11,120 57 91 g-index

300 12,416 5 6.29 ext. papers ext. citations avg, IF L-index

| #   | Paper   | IF                   | Citations |
|-----|---|----------------------|-----------|
| 295 | Safety of growth hormone replacement in survivors of cancer and intra-cranial and pituitary tumours - A consensus statement <i>European Journal of Endocrinology</i> , <b>2022</b> ,  | 6.5                  | 4         |
| 294 | In utero exposure to glucocorticoids and risk of anxiety and depression in childhood or adolescence <i>Psychoneuroendocrinology</i> , <b>2022</b> , 141, 105766   | 5                    | 0         |
| 293 | Reversible insulin resistance in muscle and fat unrelated to the metabolic syndrome in patients with acromegaly <i>EBioMedicine</i> , <b>2021</b> , 75, 103763  | 8.8                  | 2         |
| 292 | Should patients with adult GH deficiency receive GH replacement?. European Journal of Endocrinology, <b>2021</b> , 186, D1-D15  | 6.5                  | О         |
| 291 | Lactoglobulin Is Insulinotropic Compared with Casein and Whey Protein Ingestion during Catabolic Conditions in Men in a Double-Blinded Randomized Crossover Trial. <i>Journal of Nutrition</i> , <b>2021</b> , 151, 1462-1472 | 4.1                  | O         |
| 290 | Sex differences in acromegaly at diagnosis: A nationwide cohort study and meta-analysis of the literature. <i>Clinical Endocrinology</i> , <b>2021</b> , 94, 625-635  | 3.4                  | 4         |
| 289 | Corticotroph Aggressive Pituitary Tumors and Carcinomas Frequently Harbor ATRX Mutations.<br>Journal of Clinical Endocrinology and Metabolism, <b>2021</b> , 106, 1183-1194   | 5.6                  | 16        |
| 288 | Glucocorticoid use and risk of suicide: a Danish population-based case-control study. <i>World Psychiatry</i> , <b>2021</b> , 20, 142-143   | 14.4                 | 3         |
| 287 | When to Suspect Hidden Hypercortisolism in Type 2 Diabetes: A Meta-Analysis. <i>Endocrine Practice</i> , <b>2021</b> , 27, 1216-1224  | 3.2                  | 1         |
| 286 | Disease Control and Gender Predict the Socioeconomic Effects of Acromegaly: A Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,   | 5.6                  | 2         |
| 285 | The acute effects of growth hormone in adipose tissue is associated with suppression of antilipolytic signals. <i>Physiological Reports</i> , <b>2020</b> , 8, e14373   | 2.6                  | 6         |
| 284 | Phenotypic and genotypic features of a large kindred with a germline AIP variant. <i>Clinical Endocrinology</i> , <b>2020</b> , 93, 146-153   | 3.4                  | 1         |
| 283 | Soluble Klotho: a possible predictor of quality of life in acromegaly patients. <i>Endocrine</i> , <b>2020</b> , 69, 165-1  | 7 <u>4</u>           | 4         |
| 282 | A model mimicking catabolic inflammatory disease; a controlled randomized study in humans. <i>PLoS ONE</i> , <b>2020</b> , 15, e0241274   | 3.7                  | 4         |
| 281 | No effect of 10 weeks erythropoietin treatment on lipid oxidation in healthy men. <i>Endocrine Connections</i> , <b>2020</b> , 9, 1148-1155   | 3.5                  | O         |
| 280 | Growth Hormone and Obesity. Endocrinology and Metabolism Clinics of North America, 2020, 49, 239-25   | <br>0 <sub>5.5</sub> | 5         |
| 279 | Growth hormone replacement in adults: Real-world data from two large studies in US and Europe. <i>Growth Hormone and IGF Research</i> , <b>2020</b> , 50, 71-82   | 2                    | 3         |

| 278   | A multidimensional cohort study of late toxicity after intensity modulated radiotherapy for sinonasal cancer. <i>Radiotherapy and Oncology</i> , <b>2020</b> , 151, 58-65   | 5.3  | 3                 |
|---|---|--|-------------------|
| 277   | Growth hormone upregulates ANGPTL4 mRNA and suppresses lipoprotein lipase via fatty acids: Randomized experiments in human individuals. <i>Metabolism: Clinical and Experimental</i> , <b>2020</b> , 105, 15418   | 8 <sup>12.7</sup>  | 5                 |
| 276   | Increased lipolysis after infusion of acylated ghrelin: a randomized, double-blinded placebo-controlled trial in hypopituitary patients. <i>Clinical Endocrinology</i> , <b>2020</b> , 93, 672-677  | 3.4  | 1                 |
| 275   | Insulin resistance induced by growth hormone is linked to lipolysis and associated with suppressed pyruvate dehydrogenase activity in skeletal muscle: a 2 12 factorial, randomised, crossover study in human individuals. <i>Diabetologia</i> , <b>2020</b> , 63, 2641-2653  | 10.3   | 3                 |
| 274   | Fibroblast Activation Protein is a GH Target: A Prospective Study of Patients with Acromegaly Before and After Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,  | 5.6  | 5                 |
| 273   | Ghrelin Does Not Directly Stimulate Secretion of Glucagon-like Peptide-1. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,  | 5.6  | 5                 |
| 272   | Temporal patterns of lipolytic regulators in adipose tissue after acute growth hormone exposure in human subjects: A randomized controlled crossover trial. <i>Molecular Metabolism</i> , <b>2019</b> , 29, 65-75   | 8.8  | 8                 |
| 271   | Unacylated Ghrelin Does Not Acutely Affect Substrate Metabolism or Insulin Sensitivity in Men With Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 2435-2442  | 5.6  | 3                 |
| 270   | Clinical indicators of adrenal insufficiency following discontinuation of oral glucocorticoid therapy: A Danish population-based self-controlled case series analysis. <i>PLoS ONE</i> , <b>2019</b> , 14, e0212259   | 3.7  | 5                 |
| 260   |   |  |                   |
| 269   | Insulin Resistance in Patients With Acromegaly. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 509   | 5.7  | 30                |
| 268   | Effects of short-term prednisolone treatment on indices of lipolysis and lipase signaling in abdominal adipose tissue in healthy humans. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 99, 1-10  | 5.7  | 30                |
|   | Effects of short-term prednisolone treatment on indices of lipolysis and lipase signaling in  |  |                   |
| 268   | Effects of short-term prednisolone treatment on indices of lipolysis and lipase signaling in abdominal adipose tissue in healthy humans. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 99, 1-10  Acute intravenous acyl ghrelin infusion induces thirst but does not affect sodium excretion: two randomized, double-blind, placebo-controlled crossover studies in hypopituitary patients. <i>European</i>  | 12.7   | 4                 |
| 268<br>267  | Effects of short-term prednisolone treatment on indices of lipolysis and lipase signaling in abdominal adipose tissue in healthy humans. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 99, 1-10  Acute intravenous acyl ghrelin infusion induces thirst but does not affect sodium excretion: two randomized, double-blind, placebo-controlled crossover studies in hypopituitary patients. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 23-30  Fifteen-year nationwide trends in systemic glucocorticoid drug use in Denmark. <i>European Journal of</i>   | 12.7<br>6.5  | 2                 |
| <ul><li>268</li><li>267</li><li>266</li></ul>                         | Effects of short-term prednisolone treatment on indices of lipolysis and lipase signaling in abdominal adipose tissue in healthy humans. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 99, 1-10  Acute intravenous acyl ghrelin infusion induces thirst but does not affect sodium excretion: two randomized, double-blind, placebo-controlled crossover studies in hypopituitary patients. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 23-30  Fifteen-year nationwide trends in systemic glucocorticoid drug use in Denmark. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 267-273  Systemic, but not local, low-grade endotoxinemia increases plasma sCD163 independently of the   | <ul><li>12.7</li><li>6.5</li><li>6.5</li></ul>                       | 4<br>2<br>18      |
| <ul><li>268</li><li>267</li><li>266</li><li>265</li></ul>             | Effects of short-term prednisolone treatment on indices of lipolysis and lipase signaling in abdominal adipose tissue in healthy humans. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 99, 1-10  Acute intravenous acyl ghrelin infusion induces thirst but does not affect sodium excretion: two randomized, double-blind, placebo-controlled crossover studies in hypopituitary patients. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 23-30  Fifteen-year nationwide trends in systemic glucocorticoid drug use in Denmark. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 267-273  Systemic, but not local, low-grade endotoxinemia increases plasma sCD163 independently of the cortisol response. <i>Endocrine Connections</i> , <b>2019</b> , 8, 95-99  Prevalence of lifestyle characteristics in glucocorticoid users and non-users: a Danish   | <ul><li>12.7</li><li>6.5</li><li>6.5</li><li>3.5</li></ul>           | 4<br>2<br>18      |
| <ul><li>268</li><li>267</li><li>266</li><li>265</li><li>264</li></ul> | Effects of short-term prednisolone treatment on indices of lipolysis and lipase signaling in abdominal adipose tissue in healthy humans. <i>Metabolism: Clinical and Experimental</i> , <b>2019</b> , 99, 1-10  Acute intravenous acyl ghrelin infusion induces thirst but does not affect sodium excretion: two randomized, double-blind, placebo-controlled crossover studies in hypopituitary patients. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 23-30  Fifteen-year nationwide trends in systemic glucocorticoid drug use in Denmark. <i>European Journal of Endocrinology</i> , <b>2019</b> , 181, 267-273  Systemic, but not local, low-grade endotoxinemia increases plasma sCD163 independently of the cortisol response. <i>Endocrine Connections</i> , <b>2019</b> , 8, 95-99  Prevalence of lifestyle characteristics in glucocorticoid users and non-users: a Danish population-based cross-sectional study. <i>BMJ Open</i> , <b>2019</b> , 9, e030780  Redundancy in regulation of lipid accumulation in skeletal muscle during prolonged fasting in | <ul><li>12.7</li><li>6.5</li><li>6.5</li><li>3.5</li><li>3</li></ul> | 4<br>2<br>18<br>0 |

| 260 | Growth hormone acts along the PPAREFSP27 axis to stimulate lipolysis in human adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2019</b> , 316, E34-E42                       | 6    | 26 |
|-----|---|------|----|
| 259 | Hypercortisolism in Newly Diagnosed Type 2 Diabetes: A Prospective Study of 384 Newly Diagnosed Patients. <i>Hormone and Metabolic Research</i> , <b>2019</b> , 51, 62-68   | 3.1  | 11 |
| 258 | Growth Hormone Research Society perspective on biomarkers of GH action in children and adults. <i>Endocrine Connections</i> , <b>2018</b> , 7, R126-R134  | 3.5  | 24 |
| 257 | Benign Thyroid Diseases and Risk of Thyroid Cancer: A Nationwide Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 2216-2224   | 5.6  | 36 |
| 256 | THERAPY OF ENDOCRINE DISEASE: Growth hormone replacement therapy in adults: 30 years of personal clinical experience. <i>European Journal of Endocrinology</i> , <b>2018</b> , 179, R47-R56                       | 6.5  | 29 |
| 255 | Targeting either GH or IGF-I during somatostatin analogue treatment in patients with acromegaly: a randomized multicentre study. <i>European Journal of Endocrinology</i> , <b>2018</b> , 178, 65-74              | 6.5  | 12 |
| 254 | Diagnosis of hyponatremia and increased risk of a subsequent cancer diagnosis: results from a nationwide population-based cohort study. <i>Acta Oncolgica</i> , <b>2018</b> , 57, 522-527                         | 3.2  | 8  |
| 253 | Risk of cancer in patients with thyroid disease and venous thromboembolism. <i>Clinical Epidemiology</i> , <b>2018</b> , 10, 907-915  | 5.9  | 1  |
| 252 | Cancer Incidence in Patients With Acromegaly: A Cohort Study and Meta-Analysis of the Literature.<br>Journal of Clinical Endocrinology and Metabolism, <b>2018</b> , 103, 2182-2188                               | 5.6  | 59 |
| 251 | Growth hormone controls lipolysis by regulation of FSP27 expression. <i>Journal of Endocrinology</i> , <b>2018</b> , 239, 289-301   | 4.7  | 21 |
| 250 | Prolonged fasting-induced metabolic signatures in human skeletal muscle of lean and obese men. <i>PLoS ONE</i> , <b>2018</b> , 13, e0200817   | 3.7  | 13 |
| 249 | Acyl Ghrelin Induces Insulin Resistance Independently of GH, Cortisol, and Free Fatty Acids. <i>Scientific Reports</i> , <b>2017</b> , 7, 42706   | 4.9  | 25 |
| 248 | Biochemical assessment of disease control in acromegaly: reappraisal of the glucose suppression test in somatostatin analogue (SA) treated patients. <i>Endocrine</i> , <b>2017</b> , 56, 589-594                 | 4    | 6  |
| 247 | Cushing's syndrome in children and adolescents: a Danish nationwide population-based cohort study. <i>European Journal of Endocrinology</i> , <b>2017</b> , 176, 567-574  | 6.5  | 7  |
| 246 | Impact of GH administration on athletic performance in healthy young adults: A systematic review and meta-analysis of placebo-controlled trials. <i>Growth Hormone and IGF Research</i> , <b>2017</b> , 34, 38-44 | 2    | 19 |
| 245 | Substrate Metabolism and Insulin Sensitivity During Fasting in Obese Human Subjects: Impact of GH Blockade. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 1340-1349                | 5.6  | 17 |
| 244 | Systemic glucocorticoid use in Denmark: a population-based prevalence study. <i>BMJ Open</i> , <b>2017</b> , 7, e01.  | 5237 | 27 |
| 243 | No Beneficial Effects of Resveratrol on the Metabolic Syndrome: A Randomized Placebo-Controlled Clinical Trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 1642-1651            | 5.6  | 76 |

## (2015-2017)

| 242 | Development of ACRODAT, a new software medical device to assess disease activity in patients with acromegaly. <i>Pituitary</i> , <b>2017</b> , 20, 692-701   | 4.3 | 31  |
|-----|--|-----|-----|
| 241 | Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , <b>2017</b> , 9, 591-600                        | 5.9 | 2   |
| 240 | Short-term acipimox treatment is associated with decreased cardiac parasympathetic modulation.<br>British Journal of Clinical Pharmacology, <b>2017</b> , 83, 2671-2677  | 3.8 | 5   |
| 239 | Acute cardiovascular events and all-cause mortality in patients with hyperthyroidism: a population-based cohort study. <i>European Journal of Endocrinology</i> , <b>2017</b> , 176, 1-9                           | 6.5 | 47  |
| 238 | Effects of Prednisolone on Serum and Tissue Fluid IGF-I Receptor Activation and Post-Receptor Signaling in Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 4031-4040          | 5.6 | 12  |
| 237 | Amino acid supplementation is anabolic during the acute phase of endotoxin-induced inflammation: A human randomized crossover trial. <i>Clinical Nutrition</i> , <b>2016</b> , 35, 322-330                         | 5.9 | 25  |
| 236 | Stress hormone release is a key component of the metabolic response to lipopolysaccharide: studies in hypopituitary and healthy subjects. <i>European Journal of Endocrinology</i> , <b>2016</b> , 175, 455-65     | 6.5 | 5   |
| 235 | Erythropoietin does not activate erythropoietin receptor signaling or lipolytic pathways in human subcutaneous white adipose tissue in vivo. <i>Lipids in Health and Disease</i> , <b>2016</b> , 15, 160           | 4.4 | 3   |
| 234 | Acromegaly incidence, prevalence, complications and long-term prognosis: a nationwide cohort study. <i>European Journal of Endocrinology</i> , <b>2016</b> , 175, 181-90   | 6.5 | 94  |
| 233 | Low positive predictive value of midnight salivary cortisol measurement to detect hypercortisolism in type 2 diabetes. <i>Clinical Endocrinology</i> , <b>2016</b> , 85, 202-6                                     | 3.4 | 7   |
| 232 | Glucose and Fat Metabolism in Acromegaly: From Mice Models to Patient Care. <i>Neuroendocrinology</i> , <b>2016</b> , 103, 96-105  | 5.6 | 22  |
| 231 | DIAGNOSIS OF ENDOCRINE DISEASE: Prevalence of hypercortisolism in type 2 diabetes patients: a systematic review and meta-analysis. <i>European Journal of Endocrinology</i> , <b>2016</b> , 175, R247-R253         | 6.5 | 16  |
| 230 | Differential regulation of lipid and protein metabolism in obese vs. lean subjects before and after a 72-h fast. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2016</b> , 311, E224-35 | 6   | 31  |
| 229 | Growth Hormone and Insulin Signaling in Acromegaly: Impact of Surgery Versus Somatostatin Analog Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2016</b> , 101, 3716-3723                 | 5.6 | 5   |
| 228 | The Circulating IGF System in Hepatocellular Carcinoma: The Impact of Liver Status and Treatment. <i>Growth Hormone and IGF Research</i> , <b>2015</b> , 25, 174-81  | 2   | 15  |
| 227 | Adrenal Insufficiency in Corticosteroids Use: Systematic Review and Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 2171-80  | 5.6 | 193 |
| 226 | Breast cancer risk in hyperprolactinemia: a population-based cohort study and meta-analysis of the literature. <i>European Journal of Endocrinology</i> , <b>2015</b> , 173, 269-73                                | 6.5 | 18  |
| 225 | Prolonged erythropoietin treatment does not impact gene expression in human skeletal muscle.  Muscle and Nerve, 2015, 51, 554-61   | 3.4 | 8   |

| 224         | Giant prolactinoma presenting as a skull base tumor with erosion of the cervical vertebrae: pronounced responsiveness to dopamine agonist treatment. <i>British Journal of Neurosurgery</i> , <b>2015</b> , 29, 87-89  | 1             | 1  |
|-------------|--|---------------|----|
| 223         | Hormone and Cytokine Responses to Repeated Endotoxin Exposures-No Evidence of Endotoxin Tolerance After 5 Weeks in Humans. <i>Shock</i> , <b>2015</b> , 44, 32-5   | 3.4           | 9  |
| 222         | Resveratrol reduces the levels of circulating androgen precursors but has no effect on, testosterone, dihydrotestosterone, PSA levels or prostate volume. A 4-month randomised trial in middle-aged men. <i>Prostate</i> , <b>2015</b> , 75, 1255-63           | 4.2           | 53 |
| 221         | Serum proteomic changes after randomized prolonged erythropoietin treatment and/or endurance training: detection of novel biomarkers. <i>PLoS ONE</i> , <b>2015</b> , 10, e0117119   | 3.7           | 5  |
| 220         | Hyponatremia and mortality risk: a Danish cohort study of 279 508 acutely hospitalized patients. <i>European Journal of Endocrinology</i> , <b>2015</b> , 173, 71-81   | 6.5           | 82 |
| 219         | GH signaling in human adipose and muscle tissue during <b>S</b> east and famineS amplification of exercise stimulation following fasting compared to glucose administration. <i>European Journal of Endocrinology</i> , <b>2015</b> , 173, 283-90              | 6.5           | 12 |
| 218         | Physical exercise increases autophagic signaling through ULK1 in human skeletal muscle. <i>Journal of Applied Physiology</i> , <b>2015</b> , 118, 971-9  | 3.7           | 67 |
| 217         | Circulating acylghrelin levels are suppressed by insulin and increase in response to hypoglycemia in healthy adult volunteers. <i>European Journal of Endocrinology</i> , <b>2015</b> , 172, 357-62  | 6.5           | 13 |
| 216         | Intact pituitary function is decisive for the catabolic response to TNF-listudies of protein, glucose and fatty acid metabolism in hypopituitary and healthy subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 578-86     | 5.6           | 4  |
| 215         | An unusual case of an ACTH-secreting macroadenoma with a germline variant in the aryl hydrocarbon receptor-interacting protein (AIP) gene. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , <b>2015</b> , 2015, 140105                             | 1.4           | 6  |
| 214         | Response to the Letter by Lindholm, et al. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, L66-7  | 5.6           |    |
| 213         | Circulating levels of pegvisomant and endogenous growth hormone during prolonged pegvisomant therapy in patients with acromegaly. <i>Clinical Endocrinology</i> , <b>2014</b> , 80, 92-100   | 3.4           | 10 |
| 212         | Kinetics and utilization of lipid sources during acute exercise and acipimox. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2014</b> , 307, E199-208   | 6             | 14 |
| 211         | Short-term resveratrol supplementation stimulates serum levels of bone-specific alkaline phosphatase in obese non-diabetic men. <i>Journal of Functional Foods</i> , <b>2014</b> , 6, 305-310  | 5.1           | 20 |
| <b>2</b> 10 | Fasting increases human skeletal muscle net phenylalanine release and this is associated with decreased mTOR signaling. <i>PLoS ONE</i> , <b>2014</b> , 9, e102031   | 3.7           | 43 |
| 209         | Acromegaly according to the Danish National Registry of Patients: how valid are ICD diagnoses and how do patterns of registration affect the accuracy of registry data?. <i>Clinical Epidemiology</i> , <b>2014</b> , 6, 295                                   | <b>;-9</b> ·9 | 13 |
| 208         | Growth hormone signaling in muscle and adipose tissue of obese human subjects: associations with measures of body composition and interaction with resveratrol treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, E2565-73 | 5.6           | 10 |
| 207         | Long-term efficacy and safety of pegvisomant in combination with long-acting somatostatin analogs in acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 3644-52   | 5.6           | 79 |

| 206 | Sustained AS160 and TBC1D1 phosphorylations in human skeletal muscle 30 min after a single bout of exercise. <i>Journal of Applied Physiology</i> , <b>2014</b> , 117, 289-96  | 3.7  | 27  |
|-----|--|------|-----|
| 205 | Validity of the International Classification of Diseases, 10th revision discharge diagnosis codes for hyponatraemia in the Danish National Registry of Patients. <i>BMJ Open</i> , <b>2014</b> , 4, e004956  | 3    | 16  |
| 204 | Ten weeks of aerobic training does not result in persistent changes in VLDL triglyceride turnover or oxidation in healthy men. <i>European Journal of Endocrinology</i> , <b>2014</b> , 171, 603-13  | 6.5  | 7   |
| 203 | Growth hormone-induced insulin resistance in human subjects involves reduced pyruvate dehydrogenase activity. <i>Acta Physiologica</i> , <b>2014</b> , 210, 392-402  | 5.6  | 31  |
| 202 | Inflammatory adipokines contribute to insulin resistance in active acromegaly and respond differently to different treatment modalities. <i>European Journal of Endocrinology</i> , <b>2014</b> , 170, 39-48   | 6.5  | 18  |
| 201 | Serum levels of bioactive IGF1 and physiological markers of ageing in healthy adults. <i>European Journal of Endocrinology</i> , <b>2014</b> , 170, 229-36   | 6.5  | 45  |
| 200 | Prolactinoma-associated headache and dopamine agonist treatment. <i>Cephalalgia</i> , <b>2014</b> , 34, 493-502  | 6.1  | 20  |
| 199 | Dissecting adipose tissue lipolysis: molecular regulation and implications for metabolic disease.<br>Journal of Molecular Endocrinology, <b>2014</b> , 52, R199-222  | 4.5  | 215 |
| 198 | GH signaling in skeletal muscle and adipose tissue in healthy human subjects: impact of gender and age. <i>European Journal of Endocrinology</i> , <b>2014</b> , 171, 623-31   | 6.5  | 6   |
| 197 | Acute presentation of craniopharyngioma in children and adults in a Danish national cohort. <i>Pituitary</i> , <b>2013</b> , 16, 528-35  | 4.3  | 17  |
| 196 | Resveratrol in metabolic health: an overview of the current evidence and perspectives. <i>Annals of the New York Academy of Sciences</i> , <b>2013</b> , 1290, 74-82   | 6.5  | 69  |
| 195 | High-dose resveratrol supplementation in obese men: an investigator-initiated, randomized, placebo-controlled clinical trial of substrate metabolism, insulin sensitivity, and body composition. <i>Diabetes</i> , <b>2013</b> , 62, 1186-95             | 0.9  | 355 |
| 194 | Simultaneous determination of Ehydroxybutyrate and Ehydroxy-Emethylbutyrate in human whole blood using hydrophilic interaction liquid chromatography electrospray tandem mass spectrometry. <i>Clinical Biochemistry</i> , <b>2013</b> , 46, 1877-83     | 3.5  | 25  |
| 193 | Multisystem morbidity and mortality in Cushing's syndrome: a cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 2277-84   | 5.6  | 235 |
| 192 | Direct effects of locally administered lipopolysaccharide on glucose, lipid, and protein metabolism in the placebo-controlled, bilaterally infused human leg. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 2090-9         | 5.6  | 13  |
| 191 | Use of glucocorticoids and risk of venous thromboembolism: a nationwide population-based case-control study. <i>JAMA Internal Medicine</i> , <b>2013</b> , 173, 743-52   | 11.5 | 241 |
| 190 | Ghrelin- and GH-induced insulin resistance: no association with retinol-binding protein-4. <i>Endocrine Connections</i> , <b>2013</b> , 2, 96-103  | 3.5  | 3   |
| 189 | Acute peripheral tissue effects of ghrelin on interstitial levels of glucose, glycerol, and lactate: a microdialysis study in healthy human subjects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2013</b> , 304, E1273-80 | 6    | 20  |

| 188 | Whole body metabolic effects of prolonged endurance training in combination with erythropoietin treatment in humans: a randomized placebo controlled trial. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2013</b> , 305, E879-89  | 6   | 21  |
|-----|--|-----|-----|
| 187 | Direct effects of TNF-Ibn local fuel metabolism and cytokine levels in the placebo-controlled, bilaterally infused human leg: increased insulin sensitivity, increased net protein breakdown, and increased IL-6 release. <i>Diabetes</i> , <b>2013</b> , 62, 4023-9                                     | 0.9 | 39  |
| 186 | Gene expression in skeletal muscle after an acute intravenous GH bolus in human subjects: identification of a mechanism regulating ANGPTL4. <i>Journal of Lipid Research</i> , <b>2013</b> , 54, 1988-97   | 6.3 | 18  |
| 185 | Mortality in CushingS syndrome: a systematic review and meta-analysis. <i>European Journal of Internal Medicine</i> , <b>2012</b> , 23, 278-82   | 3.9 | 106 |
| 184 | Evaluation of functional erythropoietin receptor status in skeletal muscle in vivo: acute and prolonged studies in healthy human subjects. <i>PLoS ONE</i> , <b>2012</b> , 7, e31857   | 3.7 | 13  |
| 183 | Reduced mRNA and protein expression of perilipin A and G0/G1 switch gene 2 (G0S2) in human adipose tissue in poorly controlled type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E1348-52   | 5.6 | 23  |
| 182 | Fat content in liver and skeletal muscle changes in a reciprocal manner in patients with acromegaly during combination therapy with a somatostatin analog and a GH receptor antagonist: a randomized clinical trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 1227-35 | 5.6 | 36  |
| 181 | Heart valve disease among patients with hyperprolactinemia: a nationwide population-based cohort study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 1629-34  | 5.6 | 12  |
| 180 | Erythropoietin administration acutely stimulates resting energy expenditure in healthy young men.<br>Journal of Applied Physiology, <b>2012</b> , 112, 1114-21   | 3.7 | 17  |
| 179 | Local administration of growth hormone stimulates tendon collagen synthesis in elderly men. <i>Journal of Applied Physiology</i> , <b>2012</b> , 113, 1432-8   | 3.7 | 20  |
| 178 | Insulin and GH signaling in human skeletal muscle in vivo following exogenous GH exposure: impact of an oral glucose load. <i>PLoS ONE</i> , <b>2011</b> , 6, e19392   | 3.7 | 20  |
| 177 | Novel serum biomarkers for erythropoietin use in humans: a proteomic approach. <i>Journal of Applied Physiology</i> , <b>2011</b> , 110, 149-56  | 3.7 | 21  |
| 176 | Time-course effects of physiological free fatty acid surges on insulin sensitivity in humans. <i>Acta Physiologica</i> , <b>2011</b> , 201, 349-56   | 5.6 | 12  |
| 175 | Incidence of craniopharyngioma in Denmark (nI=1189) and estimated world incidence of craniopharyngioma in children and adults. <i>Journal of Neuro-Oncology</i> , <b>2011</b> , 104, 755-63  | 4.8 | 98  |
| 174 | Novel serum protein biomarkers indicative of growth hormone doping in healthy human subjects. <i>Proteomics</i> , <b>2011</b> , 11, 3565-71  | 4.8 | 12  |
| 173 | Acute peripheral metabolic effects of intraarterial leg infusion of somatostatin in healthy young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 2581-9  | 5.6 | 7   |
| 172 | Cotreatment with pegvisomant and a somatostatin analog (SA) in SA-responsive acromegalic patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 2405-13   | 5.6 | 42  |
| 171 | Identification of new biomarkers of low-dose GH replacement therapy in GH-deficient patients.<br>Journal of Clinical Endocrinology and Metabolism, <b>2011</b> , 96, 2089-97   | 5.6 | 16  |

#### (2009-2011)

| 170 | Fasting, but not exercise, increases adipose triglyceride lipase (ATGL) protein and reduces G(0)/G(1) switch gene 2 (G0S2) protein and mRNA content in human adipose tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, E1293-7   | 5.6  | 59  |
|-----|--|------|-----|
| 169 | Acute peripheral metabolic effects of intraarterial ghrelin infusion in healthy young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 468-77  | 5.6  | 31  |
| 168 | Growth hormone (GH)-induced insulin resistance is rapidly reversible: an experimental study in GH-deficient adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 2548-57  | 5.6  | 35  |
| 167 | Long-term DHEA substitution in female adrenocortical failure, body composition, muscle function, and bone metabolism: a randomized trial. <i>European Journal of Endocrinology</i> , <b>2011</b> , 165, 293-300  | 6.5  | 23  |
| 166 | Hypothesis: Extra-hepatic acromegaly: a new paradigm?. <i>European Journal of Endocrinology</i> , <b>2011</b> , 164, 11-6  | 6.5  | 44  |
| 165 | Epidemiology of CushingS syndrome. <i>Neuroendocrinology</i> , <b>2010</b> , 92 Suppl 1, 1-5   | 5.6  | 133 |
| 164 | Decreased lipid intermediate levels and lipid oxidation rates despite normal lipolysis in patients with hypothyroidism. <i>Thyroid</i> , <b>2010</b> , 20, 843-9   | 6.2  | 16  |
| 163 | Conventional and novel biomarkers of treatment outcome in patients with acromegaly: discordant results after somatostatin analog treatment compared with surgery. <i>European Journal of Endocrinology</i> , <b>2010</b> , 163, 717-26   | 6.5  | 30  |
| 162 | Reduced expression of uncoupling protein 2 in adipose tissue in patients with hypothyroidism.<br>Journal of Clinical Endocrinology and Metabolism, <b>2010</b> , 95, 3537-41   | 5.6  | 5   |
| 161 | Recurrence of hyperprolactinemia after withdrawal of dopamine agonists: systematic review and meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 43-51   | 5.6  | 156 |
| 160 | Exercise and fasting activate growth hormone-dependent myocellular signal transducer and activator of transcription-5b phosphorylation and insulin-like growth factor-I messenger ribonucleic acid expression in humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, E64-8 | 5.6  | 24  |
| 159 | Effects of GH in human muscle and fat. <i>Pediatric Nephrology</i> , <b>2010</b> , 25, 705-9   | 3.2  | 18  |
| 158 | Impact of fasting on growth hormone signaling and action in muscle and fat. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 965-72   | 5.6  | 31  |
| 157 | Free fatty acids inhibit growth hormone/signal transducer and activator of transcription-5 signaling in human muscle: a potential feedback mechanism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 2204-7   | 5.6  | 20  |
| 156 | Impact of growth hormone receptor blockade on substrate metabolism during fasting in healthy subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 4524-32   | 5.6  | 31  |
| 155 | Peroxisome proliferator-activated receptor gamma (PPAR) agonism reduces the insulin-stimulated increase in circulating interleukin-6 in GH replaced GH-deficient adults. <i>Clinical Endocrinology</i> , <b>2009</b> , 71, 363-8   | 3.4  | 4   |
| 154 | Impact of GH substitution on exercise capacity and muscle strength in GH-deficient adults: a meta-analysis of blinded, placebo-controlled trials. <i>Clinical Endocrinology</i> , <b>2009</b> , 71, 860-6  | 3.4  | 19  |
| 153 | Effects of growth hormone on glucose, lipid, and protein metabolism in human subjects. <i>Endocrine Reviews</i> , <b>2009</b> , 30, 152-77   | 27.2 | 628 |

| 152 | Acute effects of ghrelin administration on glucose and lipid metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 438-44   | 5.6 | 74  |
|-----|---|-----|-----|
| 151 | Ghrelin infusion in humans induces acute insulin resistance and lipolysis independent of growth hormone signaling. <i>Diabetes</i> , <b>2008</b> , 57, 3205-10  | 0.9 | 119 |
| 150 | Lack of observed association between high plasma osteoprotegerin concentrations and ischemic stroke risk in a healthy population. <i>Clinical Chemistry</i> , <b>2008</b> , 54, 1969-74   | 5.5 | 17  |
| 149 | Growth hormone signaling in vivo in human muscle and adipose tissue: impact of insulin, substrate background, and growth hormone receptor blockade. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 2842-50                 | 5.6 | 53  |
| 148 | Serum ghrelin levels are increased in hypothyroid patients and become normalized by L-thyroxine treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 2277-80  | 5.6 | 31  |
| 147 | Increased protein turnover and proteolysis is an early and primary feature of short-term experimental hyperthyroidism in healthy women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 3999-4005                           | 5.6 | 14  |
| 146 | The management of adult growth hormone deficiency syndrome. <i>Expert Opinion on Pharmacotherapy</i> , <b>2008</b> , 9, 2435-50   | 4   | 12  |
| 145 | Peroxisome proliferator-activated receptor gamma agonism modifies the effects of growth hormone on lipolysis and insulin sensitivity. <i>Clinical Endocrinology</i> , <b>2008</b> , 69, 452-61  | 3.4 | 6   |
| 144 | Dose-response effects of free fatty acids on amino acid metabolism and ureagenesis. <i>Acta Physiologica</i> , <b>2008</b> , 192, 369-79  | 5.6 | 16  |
| 143 | Effects of growth hormone on glucose and fat metabolism in human subjects. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2007</b> , 36, 75-87   | 5.5 | 49  |
| 142 | Dehydroepiandrosterone substitution in female adrenal failure: no impact on endothelial function and cardiovascular parameters despite normalization of androgen status. <i>Clinical Endocrinology</i> , <b>2007</b> , 66, 426-33                       | 3.4 | 23  |
| 141 | Effects of free fatty acids, growth hormone and growth hormone receptor blockade on serum ghrelin levels in humans. <i>Clinical Endocrinology</i> , <b>2007</b> , 66, 641-5   | 3.4 | 25  |
| 140 | Growth hormone-induced insulin resistance is associated with increased intramyocellular triglyceride content but unaltered VLDL-triglyceride kinetics. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 292, E920-7 | 6   | 72  |
| 139 | Constant intravenous ghrelin infusion in healthy young men: clinical pharmacokinetics and metabolic effects. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 292, E1829-36   | 6   | 71  |
| 138 | Cardiovascular effects of intravenous ghrelin infusion in healthy young men. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2007</b> , 293, H3020-6  | 5.2 | 20  |
| 137 | The impact of pegvisomant treatment on substrate metabolism and insulin sensitivity in patients with acromegaly. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 1724-8   | 5.6 | 81  |
| 136 | Effects of cortisol on carbohydrate, lipid, and protein metabolism: studies of acute cortisol withdrawal in adrenocortical failure. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 3553-9                                  | 5.6 | 101 |
| 135 | Detection of growth hormone abuse in sport. <i>Growth Hormone and IGF Research</i> , <b>2007</b> , 17, 220-6  | 2   | 119 |

#### (2005-2007)

| 134 | Assessment of hydration by means of bioelectrical impedance and arm muscle area during growth hormone (GH) replacement therapy: A prospective study of 130 GH-deficient patients. <i>Growth Hormone and IGF Research</i> , <b>2007</b> , 17, 227-33           | 2                | 0  |
|-----|---|------------------|----|
| 133 | Concomitant, specific determination of growth hormone and pegvisomant in human serum. <i>Growth Hormone and IGF Research</i> , <b>2007</b> , 17, 431-4  | 2                | 14 |
| 132 | Growth hormone (GH) substitution in GH-deficient patients inhibits 11beta-hydroxysteroid dehydrogenase type 1 messenger ribonucleic acid expression in adipose tissue. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 1093-8     | 5.6              | 43 |
| 131 | GH receptor signaling in skeletal muscle and adipose tissue in human subjects following exposure to an intravenous GH bolus. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2006</b> , 291, E899-905                               | 6                | 66 |
| 130 | Incidence of GH deficiency - a nationwide study. European Journal of Endocrinology, 2006, 155, 61-71  | 6.5              | 71 |
| 129 | Free fatty acids decrease circulating ghrelin concentrations in humans. <i>European Journal of Endocrinology</i> , <b>2006</b> , 154, 667-73  | 6.5              | 35 |
| 128 | Role of ghrelin in growth hormone-deficient patients. <i>Expert Review of Endocrinology and Metabolism</i> , <b>2006</b> , 1, 343-351   | 4.1              |    |
| 127 | A simple twist of science: the convoluted tale of ghrelin continues. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 3279-80  | 5.6              | 3  |
| 126 | Serum ghrelin levels are suppressed in hypopituitary patients following insulin-induced hypoglycaemia irrespective of GH status. <i>Clinical Endocrinology</i> , <b>2006</b> , 65, 210-4  | 3.4              | 10 |
| 125 | Abnormalities of whole body protein turnover, muscle metabolism and levels of metabolic hormones in patients with chronic heart failure. <i>Journal of Internal Medicine</i> , <b>2006</b> , 260, 11-21   | 10.8             | 61 |
| 124 | Clinical aspects of growth hormone deficiency in adults. An overview. <i>Frontiers of Hormone Research</i> , <b>2005</b> , 33, 1-20   | 3.5              | 5  |
| 123 | Thyroid hormone increases mannan-binding lectin levels. <i>European Journal of Endocrinology</i> , <b>2005</b> , 153, 643-9   | 6.5              | 20 |
| 122 | The effect of submaximal exercise on immuno- and bioassayable IGF-I activity in patients with GH-deficiency and healthy subjects. <i>Growth Hormone and IGF Research</i> , <b>2005</b> , 15, 283-90   | 2                | 16 |
| 121 | Gender differences in growth hormone response to exercise before and after rhGH administration and the effect of rhGH on the hormone profile of fit normal adults. <i>Clinical Endocrinology</i> , <b>2005</b> , 62, 315                                      | 5-3 <del>2</del> | 31 |
| 120 | Hyperthyroidism and cation pumps in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2005</b> , 288, E1265-9  | 6                | 17 |
| 119 | Evidence against a role for insulin-signaling proteins PI 3-kinase and Akt in insulin resistance in human skeletal muscle induced by short-term GH infusion. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2005</b> , 288, E194-9 | 6                | 48 |
| 118 | Whole body and forearm substrate metabolism in hyperthyroidism: evidence of increased basal muscle protein breakdown. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2005</b> , 288, E1067-73                                      | 6                | 42 |
| 117 | Discontinuation of estrogen replacement therapy in GH-treated hypopituitary women alters and IGF-I. <i>European Journal of Endocrinology</i> , <b>2005</b> , 152, 719-26  | 6.5              | 13 |

| 116 | Fasting unmasks a strong inverse association between ghrelin and cortisol in serum: studies in obese and normal-weight subjects. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 741-6    | 5.6 | 116 |
|-----|---|-----|-----|
| 115 | Very short term dehydroepiandrosterone treatment in female adrenal failure: impact on carbohydrate, lipid and protein metabolism. <i>European Journal of Endocrinology</i> , <b>2005</b> , 152, 77-85                 | 6.5 | 25  |
| 114 | Cotreatment of acromegaly with a somatostatin analog and a growth hormone receptor antagonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 5627-31                                    | 5.6 | 133 |
| 113 | Insulin-like growth factor (IGF) I, -II, and IGF binding protein-3 and risk of ischemic stroke. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 5937-41                                   | 5.6 | 139 |
| 112 | Effects of GH replacement therapy in adults on serum levels of leptin and ghrelin: the role of lipolysis. <i>European Journal of Endocrinology</i> , <b>2005</b> , 153, 545-9   | 6.5 | 18  |
| 111 | Sex steroids and the growth hormone/insulin-like growth factor-I axis in adults. <i>Hormone Research in Paediatrics</i> , <b>2005</b> , 64 Suppl 2, 37-40   | 3.3 | 17  |
| 110 | Acute exposure to GH during exercise stimulates the turnover of free fatty acids in GH-deficient men. <i>Journal of Applied Physiology</i> , <b>2004</b> , 96, 747-53   | 3.7 | 32  |
| 109 | Growth hormone increases vascular cell adhesion molecule 1 expression: in vivo and in vitro evidence. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 909-16                              | 5.6 | 17  |
| 108 | Modulation of basal glucose metabolism and insulin sensitivity by growth hormone and free fatty acids during short-term fasting. <i>European Journal of Endocrinology</i> , <b>2004</b> , 150, 779-87                 | 6.5 | 23  |
| 107 | Expression of leptin receptor isoforms and effects of leptin on the proliferation and hormonal secretion in human pituitary adenomas. <i>Hormone Research in Paediatrics</i> , <b>2004</b> , 62, 129-36               | 3.3 | 7   |
| 106 | Serum insulin-like growth factor I levels in growth hormone-deficient adults: influence of sex steroids. <i>Hormone Research in Paediatrics</i> , <b>2004</b> , 62 Suppl 1, 73-6                                      | 3.3 | 11  |
| 105 | Gene expression of the GH receptor in subcutaneous and intraabdominal fat in healthy females: relationship to GH-binding protein. <i>European Journal of Endocrinology</i> , <b>2004</b> , 150, 773-7                 | 6.5 | 23  |
| 104 | Dehydroepiandrosterone supplementation in women with adrenal failure: impact on twenty-four hour GH secretion and IGF-related parameters. <i>Clinical Endocrinology</i> , <b>2004</b> , 60, 461-9                     | 3.4 | 12  |
| 103 | Growth hormone receptor expression and function in pituitary adenomas. <i>Clinical Endocrinology</i> , <b>2004</b> , 60, 576-83   | 3.4 | 2   |
| 102 | Growth hormone and glucose homeostasis. <i>Hormone Research in Paediatrics</i> , <b>2004</b> , 62 Suppl 3, 51-5   | 3.3 | 46  |
| 101 | The effect of growth hormone on the insulin-like growth factor system during fasting. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 3292-8  | 5.6 | 25  |
| 100 | Effects of GH on urea, glucose and lipid metabolism, and insulin sensitivity during fasting in GH-deficient patients. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2003</b> , 285, E737- | 43  | 30  |
| 99  | The decisive role of free fatty acids for protein conservation during fasting in humans with and without growth hormone. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 4371-8           | 5.6 | 58  |

## (2001-2003)

| 98 | Hyperthyroidism is associated with suppressed circulating ghrelin levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 853-7  | 5.6                 | 81  |
|----|--|---------------------|-----|
| 97 | Biochemical definitions of disease activity in acromegaly. <i>Growth Hormone and IGF Research</i> , <b>2003</b> , 13, 98-103   | 2                   | 2   |
| 96 | Evaluation of growth hormone stimulation tests in cured acromegalic patients. <i>Growth Hormone and IGF Research</i> , <b>2003</b> , 13, 347-52  | 2                   | 8   |
| 95 | Weight loss increases circulating levels of ghrelin in human obesity. Clinical Endocrinology, 2002, 56, 20   | )3 <del>-5</del> 64 | 312 |
| 94 | Fracture risk is increased in patients with GH deficiency or untreated prolactinomasa case-control study. <i>Clinical Endocrinology</i> , <b>2002</b> , 56, 159-67   | 3.4                 | 65  |
| 93 | Ghrelin immunoreactivity in human plasma is suppressed by somatostatin. <i>Clinical Endocrinology</i> , <b>2002</b> , 57, 539-46   | 3.4                 | 99  |
| 92 | Impact of GHBP interference on estimates of GH and GH pharmacokinetics. <i>Clinical Endocrinology</i> , <b>2002</b> , 57, 779-86   | 3.4                 | 36  |
| 91 | Ectopic ACTH syndrome: discrepancy between somatostatin receptor status in vivo and ex vivo, and between immunostaining and gene transcription for POMC and CRH. <i>Hormone Research in Paediatrics</i> , <b>2002</b> , 57, 200-4  | 3.3                 | 14  |
| 90 | Circulating levels of ghrelin and GLP-1 are inversely related during glucose ingestion. <i>Hormone and Metabolic Research</i> , <b>2002</b> , 34, 411-3  | 3.1                 | 39  |
| 89 | Elevated regional lipolysis in hyperthyroidism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 4747-53  | 5.6                 | 49  |
| 88 | Dose dependency of the pharmacokinetics and acute lipolytic actions of growth hormone. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 4691-8  | 5.6                 | 54  |
| 87 | Body composition and circulating levels of insulin, insulin-like growth factor-binding protein-1 and growth hormone (GH)-binding protein affect the pharmacokinetics of GH in adults independently of age. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 2185-93 | 5.6                 | 15  |
| 86 | Plasma ghrelin levels during exercise in healthy subjects and in growth hormone-deficient patients. <i>European Journal of Endocrinology</i> , <b>2002</b> , 147, 65-70  | 6.5                 | 89  |
| 85 | Short-term growth hormone treatment in girls with Turner syndrome decreases fat mass and insulin sensitivity: a randomized, double-blind, placebo-controlled, crossover study. <i>Pediatrics</i> , <b>2002</b> , 110, 889-96   | 7.4                 | 49  |
| 84 | Somatropin and glucose homeostasis: considerations for patient management. <i>Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders</i> , <b>2002</b> , 1, 229-34  |                     | 6   |
| 83 | Effects of lowering circulating free fatty acid levels on protein metabolism in adult growth hormone deficient patients. <i>Growth Hormone and IGF Research</i> , <b>2002</b> , 12, 425-33   | 2                   | 13  |
| 82 | Continuation of growth hormone therapy versus placebo in transition-phase patients with growth hormone deficiency: impact on body composition, insulin sensitivity, and thyroid function. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>2002</b> , 15 Suppl 5, 1355-60         | 1.6                 | 3   |
| 81 | Growth hormone therapy in adults. Frontiers in Neuroendocrinology, 2001, 22, 213-46  | 8.9                 | 14  |

| 80 | No influence of prednisolone on IGFBP-3 proteolysis in healthy young men. <i>Hormone Research in Paediatrics</i> , <b>2001</b> , 55, 95-101   | 3.3 | 1  |
|----|---|-----|----|
| 79 | No evidence of insulin-like growth factor-binding protein 3 proteolysis during a maximal exercise test in elite athletes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 669-74  | 5.6 | 43 |
| 78 | Long-term effects of continuous subcutaneous infusion versus daily subcutaneous injections of growth hormone (GH) on the insulin-like growth factor system, insulin sensitivity, body composition, and bone and lipoprotein metabolism in GH-deficient adults. <i>Journal of Clinical</i> | 5.6 | 61 |
| 77 | GH strongly affects serum concentrations of mannan-binding lectin: evidence for a new IGF-I independent immunomodulatory effect of GH. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 5383-8   | 5.6 | 40 |
| 76 | Gene expression of a truncated and the full-length growth hormone (GH) receptor in subcutaneous fat and skeletal muscle in GH-deficient adults: impact of GH treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 792-6                                 | 5.6 | 34 |
| 75 | Continuation of growth hormone (GH) substitution during fasting in GH-deficient patients decreases urea excretion and conserves protein synthesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 3120-9   | 5.6 | 31 |
| 74 | Safety aspects of growth hormone replacement in adults. <i>Growth Hormone and IGF Research</i> , <b>2001</b> , 11, 59-71  | 2   | 6  |
| 73 | The growth hormone (GH)-insulin-like growth factor axis during testosterone replacement therapy in GH-treated hypopituitary males. <i>Growth Hormone and IGF Research</i> , <b>2001</b> , 11, 104-9   | 2   | 11 |
| 72 | Growth hormone treatment in adults: is there a true gender difference?. <i>Growth Hormone and IGF Research</i> , <b>2001</b> , 11 Suppl A, S43-8  | 2   | 2  |
| 71 | No Evidence of Insulin-Like Growth Factor-Binding Protein 3 Proteolysis during a Maximal Exercise Test in Elite Athletes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 669-674   | 5.6 | 29 |
| 70 | Gene Expression of a Truncated and the Full-Length Growth Hormone (GH) Receptor in Subcutaneous Fat and Skeletal Muscle in GH-Deficient Adults: Impact of GH Treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 792-796                               | 5.6 | 23 |
| 69 | Long-Term Effects of Continuous Subcutaneous Infusion Versus Daily Subcutaneous Injections of Growth Hormone (GH) on the Insulin-Like Growth Factor System, Insulin Sensitivity, Body Composition, and Bone and Lipoprotein Metabolism in GH-Deficient Adults. <i>Journal of Clinical</i> | 5.6 | 49 |
| 68 | Continuation of Growth Hormone (GH) Substitution during Fasting in GH-Deficient Patients Decreases Urea Excretion and Conserves Protein Synthesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 3120-3129  | 5.6 | 25 |
| 67 | Growth hormone treatment in adults with adult-onset growth hormone deficiency increases iliac crest trabecular bone turnover: a 1-year, double-blind, randomized, placebo-controlled study. <i>Journal of Bone and Mineral Research</i> , <b>2000</b> , 15, 293-300                       | 6.3 | 25 |
| 66 | Insulin-like growth factor I administration induces fluid and sodium retention in healthy adults: possible involvement of renin and atrial natriuretic factor. <i>Clinical Endocrinology</i> , <b>2000</b> , 52, 181-6  | 3.4 | 33 |
| 65 | Effects of growth hormone administration on protein dynamics and substrate metabolism during 4 weeks of dietary restriction in obese women. <i>Clinical Endocrinology</i> , <b>2000</b> , 52, 305-12  | 3.4 | 15 |
| 64 | Effects of leptin on basal and FSH stimulated steroidogenesis in human granulosa luteal cells. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , <b>2000</b> , 79, 931-935   | 3.8 | 5  |
| 63 | Continuation of growth hormone (GH) therapy in GH-deficient patients during transition from childhood to adulthood: impact on insulin sensitivity and substrate metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 1912-7                            | 5.6 | 58 |

| and treated acromegaly and growth hormone deficiency. <i>Clinical Endocrinology</i> , <b>2000</b> , 52, 25-33   | 3.4  | 22   |
|---|--|--|
| Responses of Markers of Bone and Collagen Turnover to Exercise, Growth Hormone (GH) Administration, and GH Withdrawal in Trained Adult Males. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 124-133   | 5.6  | 109  |
| The Effect of Four Weeks of Supraphysiological Growth Hormone Administration on the Insulin-Like Growth Factor Axis in Women and Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 4193-4200   | 5.6  | 73   |
| Stimulation of the 150-Kilodalton Insulin-Like Growth Factor-Binding Protein-3 Ternary Complex by Continuous and Pulsatile Patterns of Growth Hormone (GH) Administration in GH-Deficient Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 4310-4314 | 5.6  | 14   |
| Growth Hormone (GH) Effects on Bone and Collagen Turnover in Healthy Adults and Its Potential as a Marker of GH Abuse in Sports: A Double Blind, Placebo-Controlled Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 1505-1512                          | 5.6  | 102  |
| Continuation of Growth Hormone (GH) Therapy in GH-Deficient Patients during Transition from Childhood to Adulthood: Impact on Insulin Sensitivity and Substrate Metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 1912-1917                         | 5.6  | 21   |
| Long-term effects of growth hormone (GH) on body fluid distribution in GH deficient adults: a four months double blind placebo controlled trial. <i>European Journal of Endocrinology</i> , <b>1999</b> , 140, 11-6   | 6.5  | 23   |
| Growth hormone (GH) status is an independent determinant of serum levels of cholesterol and triglycerides in healthy adults. <i>Clinical Endocrinology</i> , <b>1999</b> , 51, 309-16   | 3.4  | 19   |
| Muscle mass and function in thyrotoxic patients before and during medical treatment. <i>Clinical Endocrinology</i> , <b>1999</b> , 51, 693-9  | 3.4  | 42   |
| Evidence supporting a direct suppressive effect of growth hormone on serum IGFBP-1 levels. Experimental studies in normal, obese and GH-deficient adults. <i>Growth Hormone and IGF Research</i> , <b>1999</b> , 9, 52-60   | 2  | 35   |
| L-arginine-induced growth hormone secretion is not influenced by co-infusion of the nitric oxide synthase inhibitor N-monomethyl-L-arginine in healthy men. <i>Growth Hormone and IGF Research</i> , <b>1999</b> , 9, 69-73   | 2  | 9  |
| The effect of the deterioration of insulin sensitivity on beta-cell function in growth-hormone-deficient adults following 4-month growth hormone replacement therapy. <i>Growth Hormone and IGF Research</i> , <b>1999</b> , 9, 96-105  | 2  | 23   |
| Effects of a 7-day continuous infusion of octreotide on circulating levels of growth factors and binding proteins in growth hormone (GH)-treated GH-deficient patients. <i>Growth Hormone and IGF Research</i> , <b>1999</b> , 9, 451-7   | 2  | 12   |
| Hepatic amino- to urea-N clearance and forearm amino-N exchange during hypoglycemic and euglycemic hyperinsulinemia in normal man. <i>Journal of Hepatology</i> , <b>1999</b> , 30, 819-25  | 13.4   | 8  |
| L-arginine and insulin-tolerance tests in the diagnosis of adult growth hormone deficiency: influence of confounding factors. <i>Clinical Endocrinology</i> , <b>1998</b> , 48, 109-15  | 3.4  | 29   |
| Determinants of serum insulin-like growth factor I in growth hormone deficient adults as compared to healthy subjects. <i>Clinical Endocrinology</i> , <b>1998</b> , 48, 479-86   | 3.4  | 38   |
| Growth hormone (GH) substitution for one year normalizes elevated GH-binding protein levels in GH-deficient adults secondary to a reduction in body fat. A placebo-controlled trial. <i>Growth Hormone and IGF Research</i> , <b>1998</b> , 8, 105-12                                     | 2  | 14   |
| Differential effects of growth hormone and prednisolone on energy metabolism and leptin levels in humans. <i>Metabolism: Clinical and Experimental</i> , <b>1998</b> , 47, 83-8   | 12.7   | 26   |
|   | Administration, and GH Withdrawal in Trained Adult Males. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 124-133  The Effect of Four Weeks of Supraphysiological Growth Hormone Administration on the Insulin-Like Growth Factor Axis in Women and Men. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 4193-4200  Stimulation of the 150-Kilodalton Insulin-Like Growth Factor-Binding Protein-3 Ternary Complex by Continuous and Pulsatile Patterns of Growth Hormone (GH) Administration in GH-Deficient Patients. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 4310-4314  Growth Hormone (GH) Effects on Bone and Collagen Turnover in Healthy Adults and Its Potential as a Marker of GH Abuse in Sports: A Double Blind, Placebo-Controlled Study. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 1505-1512  Continuation of Growth Hormone (GH) Therapy in GH-Deficient Patients during Transition from Childhood to Adulthood: Impact on Insulin Sensitivity and Substrate Metabolism. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 1912-1917  Long-term effects of growth hormone (GH) on body fluid distribution in GH deficient adults: a four months double blind placebo controlled trial. European Journal of Endocrinology, 1999, 140, 11-6  Growth hormone (GH) status is an independent determinant of serum levels of cholesterol and triglycerides in healthy adults. Clinical Endocrinology, 1999, 51, 309-16  Muscle mass and function in thyrotoxic patients before and during medical treatment. Clinical Endocrinology, 1999, 51, 693-9  Evidence supporting a direct suppressive effect of growth hormone on serum IGFBP-1 levels. Experimental studies in normal, obese and GH-deficient adults. Growth Hormone and IGF Research, 1999, 9, 52-60  Larginine-induced growth hormone secretion is not influenced by co-infusion of the nitric oxide synthase inhibitor N-monomethyl-Larginine in healthy men. Growth Hormone and IGF Research, 1999, 9, 69-73  The effect of the deterioration of insulin sensitivity on beta-cel | Administration, and GH Withdrawal in Trained Adult Males. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 124-133  The Effect of Four Weeks of Supraphysiological Growth Hormone Administration on the Insulin-Like Growth Factor Axis in Women and Men. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 1913-4200  Stimulation of the 150-Kilodalton Insulin-Like Growth Factor-Briding Protein-3 Ternary Complex by Continuous and Pulsatile Patterns of Growth Hormone (GH) Administration in GH-Deficient Patients. Journal of Clinical Endocrinology and Metabolism, 2000, 83, 4310-4314  Growth Hormone (GH) Effects on Bone and Collagen Turnover in Healthy Adults and its Potential as a Marker of GH Abuse in Sports: A Double Blind, Placebo-Controlled Study. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 1505-1512  Continuation of Growth Hormone (GH) Therapy in GH-Deficient Patients during Transition from Childhood to Adulthood: Impact on Insulin Sensitivity and Substrate Metabolism. Journal of Clinical Endocrinology and Metabolism, 2000, 85, 1912-1917  Long-term effects of growth hormone (GH) on body fluid distribution in GH deficient adults: a four months double blind placebo controlled trial. European Journal of Endocrinology, 1999, 140, 11-6  Growth hormone (GH) status is an independent determinant of serum levels of cholesterol and triglycerides in healthy adults. Clinical Endocrinology, 1999, 51, 309-16  Muscle mass and function in thyrotoxic patients before and during medical treatment. Clinical Endocrinology, 1999, 51, 639-9  Evidence supporting a direct suppressive effect of growth hormone on serum IGFBP-1 levels. Experimental studies in normal, obese and GH-deficient adults. Growth Hormone and IGF Research, 1999, 9, 96-103  Evidence supporting a direct suppressive effect of growth hormone on serum IGFBP-1 levels. Experimental studies in normal, obese and GH-deficient adults. Growth Hormone and IGF Research, 1999, 9, 96-105  Effects of a 7-day continuous infusion of octreotide on circulat |

| 44 | Resting metabolic rate in healthy adults: relation to growth hormone status and leptin levels. <i>Metabolism: Clinical and Experimental</i> , <b>1998</b> , 47, 1134-9   | 12.7          | 41  |
|----|--|---------------|-----|
| 43 | Effects of growth hormone replacement therapy on IGF-related parameters and on the pituitary-gonadal axis in GH-deficient males. A double-blind, placebo-controlled crossover study. <i>Hormone Research in Paediatrics</i> , <b>1998</b> , 49, 269-78   | 3.3           | 36  |
| 42 | Increased pulsatile, but not basal, growth hormone secretion rates and plasma insulin-like growth factor I levels during the periovulatory interval in normal women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1998</b> , 83, 1662-7  | 5.6           | 98  |
| 41 | Gene transcription of receptors for growth hormone-releasing peptide and somatostatin in human pituitary adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1998</b> , 83, 2997-3000   | 5.6           | 30  |
| 40 | GH stimulation tests: evaluation of GH responses to heat test versus insulin-tolerance test.<br>European Journal of Endocrinology, <b>1998</b> , 139, 605-10   | 6.5           | 12  |
| 39 | Different effects of continuous and intermittent patterns of growth hormone administration on lipoprotein levels in growth hormone-deficient patients. <i>Hormone Research in Paediatrics</i> , <b>1998</b> , 50, 284  | . <b>-</b> ∳∳ | 9   |
| 38 | Consensus Guidelines for the Diagnosis and Treatment of Adults with Growth Hormone Deficiency:<br>Summary Statement of the Growth Hormone Research Society Workshop on Adult Growth<br>Hormone Deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1998</b> , 83, 379-381 | 5.6           | 429 |
| 37 | Gene Transcription of Receptors for Growth Hormone-Releasing Peptide and Somatostatin in Human Pituitary Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1998</b> , 83, 2997-3000   | 5.6           | 23  |
| 36 | Metabolic effects and pharmacokinetics of a growth hormone pulse in healthy adults: relation to age, sex, and body composition. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1997</b> , 82, 3612-8   | 5.6           | 70  |
| 35 | Abdominal fat determines growth hormone-binding protein levels in healthy nonobese adults.<br>Journal of Clinical Endocrinology and Metabolism, <b>1997</b> , 82, 123-8  | 5.6           | 35  |
| 34 | Growth Hormone. <i>Principles of Medical Biology</i> , <b>1997</b> , 10, 451-466   |               |     |
| 33 | Hepatic amino nitrogen conversion and organ N-contents in hypothyroidism, with thyroxine replacement, and in hyperthyroid rats. <i>Journal of Hepatology</i> , <b>1997</b> , 26, 409-16  | 13.4          | 7   |
| 32 | Growth hormone prevents prednisolone-induced increase in functional hepatic nitrogen clearance in normal man. <i>Journal of Hepatology</i> , <b>1997</b> , 27, 789-95  | 13.4          | 25  |
| 31 | Effects of growth hormone and insulin-like growth factor-I singly and in combination on in vivo capacity of urea synthesis, gene expression of urea cycle enzymes, and organ nitrogen contents in rats. <i>Hepatology</i> , <b>1997</b> , 25, 964-9  | 11.2          | 36  |
| 30 | Abdominal Fat Determines Growth Hormone-Binding Protein Levels in Healthy Nonobese Adults.<br>Journal of Clinical Endocrinology and Metabolism, <b>1997</b> , 82, 123-128  | 5.6           | 29  |
| 29 | Effects of long-term growth hormone (GH) and triiodothyronine (T3) administration on functional hepatic nitrogen clearance in normal man. <i>Journal of Hepatology</i> , <b>1996</b> , 24, 313-9   | 13.4          | 15  |
| 28 | Effects of growth hormone on serum lipids and lipoproteins: possible significance of increased peripheral conversion of thyroxine to triiodothyronine. <i>Metabolism: Clinical and Experimental</i> , <b>1996</b> , 45, 1016-20  | 12.7          | 9   |
| 27 | Bioavailability of recombinant human growth hormone in different concentrations and formulations. <i>Basic and Clinical Pharmacology and Toxicology</i> , <b>1996</b> , 79, 144-9  |               | 3   |

| 26 | Bioavailability and bioactivity of intravenous vs subcutaneous infusion of growth hormone in GH-deficient patients. <i>Clinical Endocrinology</i> , <b>1996</b> , 45, 333-9   | 3.4                  | 17 |
|----|---|----------------------|----|
| 25 | Growth hormone versus placebo treatment for one year in growth hormone deficient adults: increase in exercise capacity and normalization of body composition. <i>Clinical Endocrinology</i> , <b>1996</b> , 45, 681-8   | 3.4                  | 80 |
| 24 | Calorigenic effects of growth hormone: the role of thyroid hormones. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1996</b> , 81, 1416-1419  | 5.6                  | 27 |
| 23 | Abdominal adiposity and physical fitness are major determinants of the age associated decline in stimulated GH secretion in healthy adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1996</b> , 81, 2209-2215   | 5.6                  | 85 |
| 22 | Effects of 12 months of growth hormone (GH) treatment on calciotropic hormones, calcium homeostasis, and bone metabolism in adults with acquired GH deficiency: a double blind, randomized, placebo-controlled study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1996</b> , 81, 3352- | 5.6<br>- <b>3359</b> | 74 |
| 21 | Body fluids, circadian blood pressure and plasma renin during growth hormone administration: a placebo-controlled study with two growth hormone doses in healthy adults. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , <b>1995</b> , 55, 663-9                                 | 2                    | 23 |
| 20 | Metabolic effects of growth hormone in humans. <i>Metabolism: Clinical and Experimental</i> , <b>1995</b> , 44, 33-6  | 12.7                 | 69 |
| 19 | Fuel metabolism in growth hormone-deficient adults. <i>Metabolism: Clinical and Experimental</i> , <b>1995</b> , 44, 103-7  | 12.7                 | 16 |
| 18 | Effects of intramuscular microsphere-encapsulated octreotide on serum growth hormone, insulin-like growth factors (IGFs), free IGFs, and IGF-binding proteins in acromegalic patients. <i>Metabolism: Clinical and Experimental</i> , <b>1995</b> , 44, 6-14  | 12.7                 | 16 |
| 17 | Growth hormone (GH)-deficiency in adults: clinical features and effects of GH substitution. <i>Journal of Pediatric Endocrinology and Metabolism</i> , <b>1994</b> , 7, 283-93  | 1.6                  | 15 |
| 16 | Serum growth hormone (GH) profiles after nasally administered GH in normal subjects and GH deficient patients. <i>Clinical Endocrinology</i> , <b>1994</b> , 40, 511-3  | 3.4                  | 7  |
| 15 | Insulin-like growth factors (IGF)-I and -II and IGF binding protein-1, -2, and -3 in patients with acromegaly before and after adenomectomy. <i>Metabolism: Clinical and Experimental</i> , <b>1994</b> , 43, 579-83  | 12.7                 | 36 |
| 14 | Fuel metabolism, energy expenditure, and thyroid function in growth hormone-treated obese women: a double-blind placebo-controlled study. <i>Metabolism: Clinical and Experimental</i> , <b>1994</b> , 43, 872-7  | 12.7                 | 62 |
| 13 | Effects of growth hormone (GH) administration on functional hepatic nitrogen clearance: studies in normal subjects and GH-deficient patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1994</b> , 78, 1220-1224   | 5.6                  | 16 |
| 12 | Growth Hormone (GH) Treatment in GH-Deficient Adults; Therapeutic and Diagnostic Aspects. <i>Clinical Pediatric Endocrinology</i> , <b>1994</b> , 3, 63-71  | 1.4                  |    |
| 11 | Growth hormone dose regimens in adult GH deficiency: effects on biochemical growth markers and metabolic parameters. <i>Clinical Endocrinology</i> , <b>1993</b> , 39, 403-8  | 3.4                  | 65 |
| 10 | Long-term efficacy and tolerability of octreotide treatment in acromegaly. <i>Metabolism: Clinical and Experimental</i> , <b>1992</b> , 41, 44-50   | 12.7                 | 15 |
| 9  | Dose-response studies on the metabolic effects of a growth hormone pulse in humans. <i>Metabolism:</i> Clinical and Experimental, <b>1992</b> , 41, 172-5   | 12.7                 | 80 |

| 8 | Effects of growth hormone administration on fuel oxidation and thyroid function in normal man. <i>Metabolism: Clinical and Experimental</i> , <b>1992</b> , 41, 728-31   | 12.7                                 | 63  |
|---|--|--------------------------------------|-----|
| 7 | Serum osteocalcin and bone isoenzyme alkaline phosphatase in growth hormone-deficient patients: dose-response studies with biosynthetic human GH. <i>Calcified Tissue International</i> , <b>1991</b> , 48, 82-7   | 3.9                                  | 34  |
| 6 | Long-term growth hormone treatment in growth hormone deficient adults. <i>European Journal of Endocrinology</i> , <b>1991</b> , 125, 449-53  | 6.5                                  | 91  |
| 5 | Human growth hormone replacement therapy: pharmacological and clinical aspects. <i>Endocrine Reviews</i> , <b>1991</b> , 12, 189-207   | 27.2                                 | 113 |
|   |  |                                      |     |
| 4 | Expansion of extracellular volume and suppression of atrial natriuretic peptide after growth hormone administration in normal man. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1991</b> , 72, 768-  | -72 <sup>6</sup>                     | 106 |
| 3 | Expansion of extracellular volume and suppression of atrial natriuretic peptide after growth hormone administration in normal man. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1991</b> , 72, 768. Evening versus morning injections of growth hormone (GH) in GH-deficient patients: effects on 24-hour patterns of circulating hormones and metabolites. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1990</b> , 70, 207-14 | - <del>7</del> 2 <sup>6</sup><br>5.6 | 106 |
|   | hormone administration in normal man. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1991</b> , 72, 768. Evening versus morning injections of growth hormone (GH) in GH-deficient patients: effects on 24-hour patterns of circulating hormones and metabolites. <i>Journal of Clinical Endocrinology and</i>  |                                      |     |