

# Catherine Hewitt

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11534712/publications.pdf>

Version: 2024-02-01

87  
papers

4,131  
citations

257429

24  
h-index

123420

61  
g-index

92  
all docs

92  
docs citations

92  
times ranked

5928  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting "Tame Your Gut"™ for patients with inflammatory bowel disease and co-morbid anxiety and/or depression. <i>Journal of Health Psychology</i> , 2022, 27, 58-68.	2.3	2
2	Healthcare resource use and costs for people with type 2 diabetes mellitus with and without severe mental illness in England: longitudinal matched-cohort study using the Clinical Practice Research Datalink. <i>British Journal of Psychiatry</i> , 2022, 221, 402-409.	2.8	10
3	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluation—the Community Pharmacies Mood Intervention Study (CHEMIST). <i>Pilot and Feasibility Studies</i> , 2022, 8, 27.	1.2	3
4	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. <i>Public Health Research</i> , 2022, 10, 1-160.	1.3	2
5	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856.	2.5	7
6	The DIAMONDS intervention to support self-management of type 2 diabetes in people with severe mental illness: Study protocol for a single-group feasibility study. <i>SSM Mental Health</i> , 2022, 2, 100086.	1.8	4
7	Lived experience in people with inflammatory bowel disease and comorbid anxiety and depression in the United Kingdom and Australia. <i>Journal of Health Psychology</i> , 2021, 26, 2290-2303.	2.3	13
8	Smoking cessation in severe mental illness: combined long-term quit rates from the UK SCIMITAR trials programme. <i>British Journal of Psychiatry</i> , 2021, 218, 95-97.	2.8	13
9	Impact of severe mental illness on healthcare use and health outcomes for people with type 2 diabetes: a longitudinal observational study in England. <i>British Journal of General Practice</i> , 2021, 71, e565-e573.	1.4	18
10	Slip-resistant footwear to reduce slips among health-care workers: the SShEW RCT. <i>Public Health Research</i> , 2021, 9, 1-150.	1.3	1
11	Health of mothers of children with a life-limiting condition: a comparative cohort study. <i>Archives of Disease in Childhood</i> , 2021, 106, 987-993.	1.9	14
12	Outcomes for gastrostomy-fed children and their parents: qualitative findings from the "Your Tube"™ study. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 1099-1106.	2.1	11
13	Efficacy and cost-effectiveness of a community-based smoke-free-home intervention with or without indoor-air-quality feedback in Bangladesh (MCLASS II): a three-arm, cluster-randomised, controlled trial. <i>The Lancet Global Health</i> , 2021, 9, e639-e650.	6.3	7
14	Living with diabetes alongside a severe mental illness: A qualitative exploration with people with severe mental illness, family members and healthcare staff. <i>Diabetic Medicine</i> , 2021, 38, e14562.	2.3	25
15	Identifying determinants of diabetes risk and outcomes for people with severe mental illness: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-194.	1.4	2
16	Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder. <i>Bone &amp; Joint Open</i> , 2021, 2, 685-695.	2.6	2
17	Determinants of Physical Health Self-Management Behaviours in Adults With Serious Mental Illness: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 723962.	2.6	11
18	Slip-resistant footwear reduces slips among National Health Service workers in England: a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2021, 78, 472-478.	2.8	6

#	ARTICLE	IF	CITATIONS
19	Investigating Changes in Patients' Smoking Behavior, Tobacco Dependence, and Motivation to Stop Smoking Following a "Smoke-Free" Mental Health Inpatient Stay: Results From a Longitudinal Survey in England. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1010-1018.	2.6	1
20	Hearing dogs for people with severe and profound hearing loss: a wait-list design randomised controlled trial investigating their effectiveness and cost-effectiveness. <i>Trials</i> , 2021, 22, 700.	1.6	3
21	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003779.	8.4	31
22	An international multi-stakeholder delphi consensus exercise to develop a core outcomes set (COS) for surgical fixation of rib fractures. <i>Injury</i> , 2020, 51, 224-229.	1.7	9
23	Epidemiology of adult rib fracture and factors associated with surgical fixation: Analysis of a chest wall injury dataset from England and Wales. <i>Injury</i> , 2020, 51, 218-223.	1.7	23
24	Collaborative care for depression in older adults: How much is enough?. <i>Behaviour Research and Therapy</i> , 2020, 135, 103725.	3.1	0
25	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. <i>Lancet, The</i> , 2020, 396, 977-989.	13.7	97
26	The RESPECT study: a feasibility randomised controlled trial of a sexual health promotion intervention for people with serious mental illness in community mental health services in the UK. <i>BMC Public Health</i> , 2020, 20, 1736.	2.9	4
27	Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2020, 396, 390-401.	13.7	62
28	GPs' role in caring for children and young people with life-limiting conditions: a retrospective cohort study. <i>British Journal of General Practice</i> , 2020, 70, e221-e229.	1.4	6
29	Cost-effectiveness of a specialist smoking cessation package compared with standard smoking cessation services for people with severe mental illness in England: a trial-based economic evaluation from the SCIMITAR+ study. <i>Addiction</i> , 2020, 115, 2113-2122.	3.3	8
30	Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. <i>F1000Research</i> , 2020, 9, 577.	1.6	10
31	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-234.	2.8	11
32	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-162.	2.8	11
33	Effectiveness and Cost-Effectiveness of Receiving a Hearing Dog on Mental Well-Being and Health in People With Hearing Loss: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e15452.	1.0	1
34	The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial. <i>Trials</i> , 2019, 20, 570.	1.6	8
35	Oral melatonin for non-respiratory sleep disturbance in children with neurodisabilities: systematic review and meta-analyses. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 880-890.	2.1	36
36	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. <i>Pilot and Feasibility Studies</i> , 2019, 5, 71.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Smoking cessation for people with severe mental illness (SCIMITAR+): a pragmatic randomised controlled trial. <i>Lancet Psychiatry</i> , 2019, 6, 379-390.	7.4	126
38	Systematic review of systematic reviews for effectiveness of internal fixation for flail chest and rib fractures in adults. <i>BMJ Open</i> , 2019, 9, e023444.	1.9	30
39	Outcome domains and outcome measures used in studies assessing the effectiveness of interventions to manage non-respiratory sleep disturbances in children with neurodisabilities: a systematic review. <i>BMJ Open</i> , 2019, 9, e027205.	1.9	3
40	“Your Tube”: the role of different diets in children who are gastrostomy fed: protocol for a mixed methods exploratory sequential study. <i>BMJ Open</i> , 2019, 9, e033831.	1.9	8
41	Muslim Communities Learning About Second-hand Smoke in Bangladesh (MCLASS II): study protocol for a cluster randomised controlled trial of a community-based smoke-free homes intervention, with or without Indoor Air Quality feedback. <i>Trials</i> , 2019, 20, 11.	1.6	12
42	Exploring Severe Mental Illness and Diabetes: Protocol for a Longitudinal, Observational, and Qualitative Mixed Methods Study. <i>JMIR Research Protocols</i> , 2019, 8, e13407.	1.0	6
43	A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-116.	2.8	10
44	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA2 five-stage study, including a workshop. <i>Health Technology Assessment</i> , 2019, 23, 1-88.	2.8	15
45	Sexual health promotion in people with severe mental illness: the RESPECT feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-136.	2.8	7
46	Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 13-21.	5.0	8
47	Quality of Life in Inflammatory Bowel Disease: A Systematic Review and Meta-analyses—Part II. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 966-976.	1.9	191
48	High-Quality Orthopedic Research Is Having an Impact. <i>Orthopedics</i> , 2018, 41, 8-8.	1.1	2
49	Self-efficacy and self-care-related outcomes following Alexander Technique lessons for people with chronic neck pain in the ATLAS randomised, controlled trial. <i>European Journal of Integrative Medicine</i> , 2018, 17, 64-71.	1.7	73
50	Quality of Life in Inflammatory Bowel Disease: A Systematic Review and Meta-analyses—Part I. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 742-751.	1.9	255
51	SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e026023.	1.9	6
52	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e022488.	1.9	18
53	Non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 1076-1092.	2.1	17
54	Identifying perinatal depression with case-finding instruments: a mixed-methods study (BaBY PaNDA “) <i>Tj ETQq0 0 0 rgBT /Overlock 1 Research</i> , 2018, 6, 1-210.	1.4	17

#	ARTICLE	IF	CITATIONS
55	Pharmacological and non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Health Technology Assessment</i> , 2018, 22, 1-296.	2.8	25
56	Developing a consensus on indications, timing and core outcomes for surgical fixation of rib fracture: a Delphi technique protocol. <i>Clinical Trials in Orthopedic Disorders</i> , 2018, 3, 37.	0.2	1
57	Effect of Collaborative Care vs Usual Care on Depressive Symptoms in Older Adults With Subthreshold Depression. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 728.	7.4	95
58	Lifestyle Advice and Self-Care Integral to Acupuncture Treatment for Patients with Chronic Neck Pain: Secondary Analysis of Outcomes Within a Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2017, 23, 180-187.	2.1	18
59	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017, 18, 144.	1.6	30
60	The Effectiveness of Pharmacological and Non-Pharmacological Interventions for Improving Glycaemic Control in Adults with Severe Mental Illness: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2017, 12, e0168549.	2.5	35
61	An economic evaluation of Alexander Technique lessons or acupuncture sessions for patients with chronic neck pain: A randomized trial (ATLAS). <i>PLoS ONE</i> , 2017, 12, e0178918.	2.5	13
62	Unloading shoes for intermittent claudication: a randomised crossover trial. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 283.	1.7	3
63	United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 614.	1.6	25
64	Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. <i>Trials</i> , 2017, 18, 615.	1.6	5
65	Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2017, 12, e0184377.	2.5	17
66	Collaborative care and active surveillance for Screen-Positive ElDeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-196.	2.8	12
67	Collaborative care for Screen-Positive ElDeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-252.	2.8	56
68	Identifying depression with the PHQ-2: A diagnostic meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 203, 382-395.	4.1	144
69	Identification of depression in women during pregnancy and the early postnatal period using the Whooley questions and the Edinburgh Postnatal Depression Scale: protocol for the Born and Bred in Yorkshire: PeriNatal Depression Diagnostic Accuracy (BaBY PaNDA) study. <i>BMJ Open</i> , 2016, 6, e011223.	1.9	16
70	Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 248.	1.9	25
71	Alexander Technique Lessons or Acupuncture Sessions for Persons With Chronic Neck Pain. <i>Annals of Internal Medicine</i> , 2015, 163, 653-662.	3.9	126
72	Bespoke smoking cessation for people with severe mental ill health (SCIMITAR): a pilot randomised controlled trial. <i>Lancet Psychiatry</i> , the, 2015, 2, 395-402.	7.4	68

#	ARTICLE	IF	CITATIONS
73	Surgical vs Nonsurgical Treatment of Adults With Displaced Fractures of the Proximal Humerus. JAMA - Journal of the American Medical Association, 2015, 313, 1037.	7.4	398
74	The development and pilot randomised controlled trial of a group education programme for promoting walking in people with intermittent claudication. Vascular Medicine, 2015, 20, 348-357.	1.5	33
75	The effect of physician gender on length of patient consultations: observational findings from the UK hospital setting and synthesis with existing studies. Journal of the Royal Society of Medicine, 2015, 108, 136-141.	2.0	9
76	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. BMJ Open, 2014, 4, e006977.	1.9	21
77	Effect of physicians' gender on communication and consultation length: a systematic review and meta-analysis. Journal of Health Services Research and Policy, 2013, 18, 242-248.	1.7	119
78	Allocation concealment: a methodological review. Journal of Evaluation in Clinical Practice, 2013, 19, 708-712.	1.8	7
79	Poor reporting quality of key Randomization and Allocation Concealment details is still prevalent among published RCTs in 2011: a review. Journal of Evaluation in Clinical Practice, 2013, 19, 703-707.	1.8	16
80	The effectiveness of an intensive individual tutoring programme (Numbers Count) delivered individually or to small groups of children: a randomised controlled trial. Effective Education, 2012, 4, 73-86.	0.3	1
81	Can stand-alone computer-based interventions reduce alcohol consumption? A systematic review. Addiction, 2011, 106, 267-282.	3.3	184
82	A randomised evaluation of Collaborative care and active surveillance for Screen-Positive ElDeRs with sub-threshold depression (CASPER): study protocol for a randomized controlled trial. Trials, 2011, 12, 225.	1.6	27
83	Screening for postnatal depression " is it acceptable to women and healthcare professionals? A systematic review and meta-synthesis. Journal of Reproductive and Infant Psychology, 2010, 28, 328-344.	1.8	66
84	Screening for postnatal depression in primary care: cost effectiveness analysis. BMJ: British Medical Journal, 2009, 339, b5203-b5203.	2.3	100
85	Screening for Depression in Medical Settings with the Patient Health Questionnaire (PHQ): A Diagnostic Meta-Analysis. Journal of General Internal Medicine, 2007, 22, 1596-1602.	2.6	991
86	Adequacy and reporting of allocation concealment: review of recent trials published in four general medical journals. BMJ: British Medical Journal, 2005, 330, 1057-1058.	2.3	162
87	Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. F1000Research, 0, 10, 500.	1.6	2