

Guido Cimino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11535726/publications.pdf>

Version: 2024-02-01

180
papers

7,407
citations

66343
42
h-index

79698
73
g-index

213
all docs

213
docs citations

213
times ranked

4460
citing authors

#	ARTICLE	IF	CITATIONS
1	Formation and inactivation of endogenous cannabinoid anandamide in central neurons. <i>Nature</i> , 1994, 372, 686-691.	27.8	1,462
2	LOX-Induced Lipid Peroxidation Mechanism Responsible for the Detimental Effect of Marine Diatoms on Zooplankton Grazers. <i>ChemBioChem</i> , 2007, 8, 1810-1818.	2.6	126
3	A New Antitumor Isoquinoline Alkaloid from the Marine Nudibranch <i>Jorunna funebris</i> . <i>Tetrahedron</i> , 2000, 56, 7305-7308.	1.9	125
4	Structure and Cytotoxicity of Phidianidines A and B: First Finding of 1,2,4-Oxadiazole System in a Marine Natural Product. <i>Organic Letters</i> , 2011, 13, 2516-2519.	4.6	122
5	The role of complex lipids in the synthesis of bioactive aldehydes of the marine diatom <i>Skeletonema costatum</i> . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2004, 1686, 100-107.	2.4	121
6	Chemical defense and evolutionary trends in biosynthetic capacity among dorid nudibranchs (Mollusca: Gastropoda: Opisthobranchia). <i>Chemoecology</i> , 1999, 9, 187-207.	1.1	117
7	Chemistry of oxylipin pathways in marine diatoms. <i>Pure and Applied Chemistry</i> , 2007, 79, 481-490.	1.9	109
8	Chemical defense and evolution in the Sacoglossa (Mollusca: Gastropoda: Opisthobranchia). <i>Chemoecology</i> , 1998, 8, 51-60.	1.1	85
9	New birth-control aldehydes from the marine diatom <i>Skeletonema costatum</i> : characterization and biogenesis. <i>Tetrahedron Letters</i> , 2002, 43, 6133-6136.	1.4	80
10	Insect Antifeedant Activity and Hot Taste for Humans of Selected Natural and Synthetic 1,4-Dialdehydes. <i>Journal of Natural Products</i> , 1987, 50, 146-151.	3.0	79
11	Sarains: A New Class of Alkaloids from the Marine Sponge <i>Reniera Sarai</i> . <i>Bulletin Des SociÃ©tÃ©s Chimiques Belges</i> , 1986, 95, 783-800.	0.0	78
12	Marine Opisthobranch Molluscs: Chemistry and Ecology in Sacoglossans and Dorids. <i>Current Organic Chemistry</i> , 1997, 3, 327-372.	1.6	78
13	Occurrence and metabolism of anandamide and related acyl-ethanolamides in ovaries of the sea urchin <i>Paracentrotus lividus</i> . <i>Lipids and Lipid Metabolism</i> , 1997, 1345, 338-348.	2.6	76
14	Production of Octadienal in the Marine Diatom <i>Skeletonema costatum</i> . <i>Organic Letters</i> , 2003, 5, 885-887.	4.6	75
15	Lingshuiols A and B, two new polyhydroxy compounds from the Chinese marine dinoflagellate <i>Amphidinium</i> sp.. <i>Tetrahedron Letters</i> , 2004, 45, 5501-5504.	1.4	73
16	Factors promoting marine invasions: A chemoecological approach. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 4582-4586.	7.1	73
17	Rare Casbane Diterpenoids from the Hainan Soft Coral <i>< i>Sinularia depressa</i></i> . <i>Journal of Natural Products</i> , 2010, 73, 133-138.	3.0	70
18	Two new biscembranes with unprecedented carbon skeleton and their probable biogenetic precursor from the Hainan soft coral <i>Sarcophyton latum</i> . <i>Tetrahedron Letters</i> , 2007, 48, 5313-5316.	1.4	69

#	ARTICLE	IF	CITATIONS
19	Austrodoral and austrodoric acid: nor-sesquiterpenes with a new carbon skeleton from the Antarctic nudibranch <i>Austrodoris kerguelensis</i> . <i>Tetrahedron Letters</i> , 2003, 44, 1495-1498.	1.4	67
20	15S-lipoxygenase metabolism in the marine diatom <i>< i>Pseudo</i>nitzschia delicatissima</i> . <i>New Phytologist</i> , 2009, 183, 1064-1071.	7.3	61
21	New C16 fatty-acid-based oxylipin pathway in the marine diatom <i>Thalassiosira rotula</i> . <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 4065.	2.8	59
22	Chloroplastic Glycolipids Fuel Aldehyde Biosynthesis in the Marine Diatom <i>Thalassiosira rotula</i> . <i>ChemBioChem</i> , 2006, 7, 450-456.	2.6	59
23	New $\hat{\beta}^3$ -pyrone propionates from the Indian Ocean sacoglossan <i>Placobranchus ocellatus</i> . <i>Tetrahedron Letters</i> , 2005, 46, 465-468.	1.4	56
24	Defensive relationships between <i>Caulerpa prolifera</i> and its shelled sacoglossan predators. <i>Journal of Experimental Marine Biology and Ecology</i> , 1994, 175, 197-210.	1.5	55
25	Bioactive long chain N-acylethanolamines in five species of edible bivalve molluscs. <i>Lipids and Lipid Metabolism</i> , 1998, 1389, 101-111.	2.6	55
26	A new $\hat{\beta}^3$ -dihydropyrone-propionate from the caribbean sacoglossan <i>Tridachia crispata</i> . <i>Tetrahedron Letters</i> , 1996, 37, 4259-4262.	1.4	53
27	Hodgsonal, a new drimane sesquiterpene from the mantle of the Antarctic nudibranch <i>Bathydoris hodgsoni</i> . <i>Tetrahedron Letters</i> , 1998, 39, 5635-5638.	1.4	53
28	Cytosporin-related compounds from the marine-derived fungus <i>Eutypella scoparia</i> . <i>Tetrahedron</i> , 2008, 64, 5365-5369.	1.9	53
29	Structural and stereochemical studies of saraines: Macrocyclic alkaloids of the sponge <i>Reniera sarai</i> . <i>Tetrahedron</i> , 1996, 52, 8341-8348.	1.9	52
30	Polypropionates from the Mediterranean Mollusk <i>Elysia timida</i> . <i>Journal of Natural Products</i> , 1994, 57, 298-304.	3.0	51
31	Sarcophytolides E-H, Cembranolides from the Hainan Soft Coral <i>Sarcophytonlatum</i> . <i>Journal of Natural Products</i> , 2006, 69, 819-822.	3.0	49
32	Terpenoid metabolites of the nudibranch <i>Hexabranchus sanguineus</i> from the South China Sea. <i>Tetrahedron</i> , 2007, 63, 4725-4729.	1.9	49
33	LIPOXYGENASE PRODUCTS IN MARINE DIATOMS: A CONCISE ANALYTICAL METHOD TO EXPLORE THE FUNCTIONAL POTENTIAL OF OXYLIPINS1. <i>Journal of Phycology</i> , 2011, 47, 233-243.	2.3	48
34	Can molluscs biosynthesize typical sponge metabolites? The case of the nudibranch <i>Doriopsilla areolata</i> . <i>Tetrahedron</i> , 2001, 57, 8913-8916.	1.9	47
35	Isocyanide Terpene Metabolites of <i>Phyllidiellapustulosa</i> , a Nudibranch from the South China Sea. <i>Journal of Natural Products</i> , 2004, 67, 1701-1704.	3.0	47
36	New 3-Alkylpyridines from Three Mediterranean Cephalaspidean Molluscs: Structure, Ecological Role and Taxonomic Relevance. <i>Tetrahedron</i> , 1993, 49, 1307-1314.	1.9	46

#	ARTICLE	IF	CITATIONS
37	Biogenesis of 3-Alkylpyridine Alkaloids in the Marine Mollusc <i>Haminoea Orbignyana</i> . <i>Angewandte Chemie - International Edition</i> , 2003, 42, 2633-2636.	13.8	46
38	Biscembranoids and Their Probable Biogenetic Precursor from the Hainan Soft Coral <i>Sarcophyton tortuosum</i> . <i>Journal of Natural Products</i> , 2007, 70, 1158-1166.	3.0	46
39	New Scalaranes from the Nudibranch <i>Glossodoris atromarginata</i> and Its Sponge Prey. <i>Journal of Natural Products</i> , 1999, 62, 1367-1370.	3.0	45
40	Intrapopulation Variability in the Terpene Metabolism of the Antarctic Opisthobranch Mollusc <i>Austrodoris kerguelensis</i>. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 5383-5389.	2.4	45
41	Aplysiols A and B, squalene-derived polyethers from the mantle of the sea hare <i>Aplysia dactylomela</i> . <i>Tetrahedron</i> , 2007, 63, 9970-9978.	1.9	44
42	Dolabriterol: A new polypropionate from the skin of the anaspidean mollusc <i>Dolabritera dolabritera</i> . <i>Tetrahedron</i> , 1996, 52, 12831-12838.	1.9	43
43	Glyceryl ester of a new halimane diterpenoic acid from the skin of the antarctic nudibranch <i>Austrodoris kerguelensis</i> . <i>Tetrahedron Letters</i> , 1995, 36, 7319-7322.	1.4	42
44	Title is missing!. <i>Journal of Chemical Ecology</i> , 2000, 26, 1563-1578.	1.8	42
45	Coloration and Defense in the Nudibranch Gastropod <i>Hypselodoris fontandraui</i>. <i>Biological Bulletin</i> , 2010, 218, 181-188.	1.8	42
46	New propionate-derived metabolites from <i>Aglaja depicta</i> and from its prey <i>Bulla striata</i> (opisthobranch mollusks). <i>Journal of Organic Chemistry</i> , 1987, 52, 5326-5331.	3.2	41
47	Membrones : New polypropionates from the skin of the mediterranean mollusc <i>Pleurobranchus membranaceus</i> . <i>Tetrahedron Letters</i> , 1993, 34, 6791-6794.	1.4	41
48	Minor Bioactive Polyacetylenes from <i>Petrosia ficiformis</i> . <i>Journal of Natural Products</i> , 1990, 53, 345-353.	3.0	40
49	First chemical study of anaspidean <i>Syphonota geographica</i> : structure of degraded sterols aplykurodinone-1 and -2. <i>Tetrahedron</i> , 2005, 61, 617-621.	1.9	40
50	Sarcophytolides A-D, Four New Cembranolides from the Hainan Soft Coral <i>Sarcophyton</i> sp.. <i>Helvetica Chimica Acta</i> , 2005, 88, 1028-1033.	1.6	40
51	A new cytotoxic tambjamine alkaloid from the Azorean nudibranch <i>Tambja ceutae</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 2668-2670.	2.2	40
52	Marine natural products: new results from Mediterranean invertebrates. <i>Pure and Applied Chemistry</i> , 1986, 58, 375-386.	1.9	38
53	Chemical studies of porostome nudibranchs: comparative and ecological aspects. <i>Chemoecology</i> , 2001, 11, 131-136.	1.1	38
54	Spongian Diterpenes from Australian Nudibranchs: An Anatomically Guided Chemical Study of <i>Glossodoris atromarginata</i> . <i>Journal of Natural Products</i> , 2006, 69, 1086-1088.	3.0	38

#	ARTICLE	IF	CITATIONS
55	Pelseneeriol-1 and -2: new furanosesquiterpene alcohols from porostome nudibranch <i>Doriopsilla pelseneeri</i> . <i>Tetrahedron</i> , 2005, 61, 11032-11037.	1.9	37
56	Biosynthetic intermediates and stereochemical aspects of aldehyde biosynthesis in the marine diatom <i>Thalassiosira rotula</i> . <i>Phytochemistry</i> , 2006, 67, 314-322.	2.9	37
57	Packaging and Delivery of Chemical Weapons: A Defensive Trojan Horse Stratagem in Chromodorid Nudibranchs. <i>PLoS ONE</i> , 2013, 8, e62075.	2.5	37
58	Prostaglandin 1,15-lactones of the F series from the nudibranch mollusk <i>Tethys fimbria</i> . <i>Journal of Organic Chemistry</i> , 1991, 56, 2907-2911.	3.2	36
59	Placidenes: cyercene-like polypropionate $\hat{\beta}^3$ -pyrones from the mediterranean ascoglossan mollusc <i>Placida dendritica</i> . <i>Tetrahedron Letters</i> , 1992, 33, 2875-2878.	1.4	36
60	Absolute stereochemistry of petroformynes, high molecular polyacetylenes from the marine sponge <i>Petrosia ficiformis</i> . <i>Tetrahedron</i> , 1994, 50, 13261-13268.	1.9	36
61	Diterpenes from the Nudibranch <i>Chromodoris luteorosea</i> . <i>Journal of Natural Products</i> , 1990, 53, 102-106.	3.0	35
62	Structures and absolute stereochemistry of isocyanide and isothiocyanate amphilectenes from the Caribbean sponge <i>Cribochalina</i> sp.. <i>Tetrahedron</i> , 1999, 55, 12629-12636.	1.9	35
63	Terpene Biosynthesis in the Nudibranch <i>Doriopsilla areolata</i> . <i>Journal of Organic Chemistry</i> , 2003, 68, 2405-2409.	3.2	35
64	Further Synthetic Studies Towards the Austrodorane Skeleton: Synthesis of Austrodoral. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 1816-1822.	2.4	35
65	The zoothrome of the sponge <i>verongia aerophoba</i> (â€œUranidineâ€). <i>Tetrahedron Letters</i> , 1984, 25, 2925-2928.	1.4	34
66	$\hat{\beta}$ -and $\hat{\beta}^3$ -Pyrone-poly- $\hat{\beta}$ -propionates from the mediterranean ascoglossan mollusc <i>ercolania funerea</i> . <i>Tetrahedron</i> , 1992, 48, 9561-9566.	1.9	34
67	Placidenes Câ˜F, Novel $\hat{\beta}$ -Pyrone Propionates from the Mediterranean Sacoglossan <i>Placidadendritica</i> . <i>Journal of Natural Products</i> , 2003, 66, 1399-1401.	3.0	34
68	New diastereomeric bis-sesquiterpenes from Hainan marine sponges <i>Axinyssa variabilis</i> and <i>Lipastrotethya ana</i> . <i>Tetrahedron</i> , 2007, 63, 11108-11113.	1.9	34
69	Predator - prey relationship between <i>Navanax inermis</i> and <i>Bulla gouldiana</i> : a Chemical Approach. <i>Tetrahedron</i> , 1993, 49, 3203-3210.	1.9	33
70	Chemical Studies of Egyptian Opisthobranchs: Spongian Diterpenoids from <i>Glossodoris atomarginata</i> . <i>Journal of Natural Products</i> , 1997, 60, 444-448.	3.0	33
71	Absolute configuration of diterpenoid diacylglycerols from the Antarctic nudibranch <i>Austrodoris kerguelensis</i> . <i>Tetrahedron: Asymmetry</i> , 1999, 10, 2647-2650.	1.8	33
72	Scalarane Metabolites of the Nudibranch <i>Glossodoris rufomarginata</i> and Its Dietary Sponge from the South China Sea. <i>Journal of Natural Products</i> , 2004, 67, 2104-2107.	3.0	33

#	ARTICLE	IF	CITATIONS
73	Alien biomolecules: a new challenge for natural product chemists. <i>Biological Invasions</i> , 2015, 17, 941-950.	2.4	32
74	Novel verrucosins from the skin of the Mediterranean nudibranch <i>Doris verrucosa</i> . <i>Tetrahedron</i> , 1997, 53, 1491-1504.	1.9	31
75	Austrodorin-A and -B: first tricyclic diterpenoid 2 α -monoglyceryl esters from an Antarctic nudibranch. <i>Tetrahedron Letters</i> , 1999, 40, 8471-8475.	1.4	31
76	Chemical studies on Indopacific Ceratosoma nudibranchs illuminate the protective role of their dorsal horn. <i>Chemoecology</i> , 2005, 15, 31-36.	1.1	31
77	Structure and Absolute Stereochemistry of Syphonoside, a Unique Macroyclic Glycoterpenoid from Marine Organisms. <i>Journal of Organic Chemistry</i> , 2007, 72, 5625-5630.	3.2	31
78	Structure and Stereochemistry of Aplyolides A-E, Lactonized Dihydroxy Fatty Acids from the Skin of the Marine Mollusk <i>Aplysia depilans</i> . <i>Journal of Organic Chemistry</i> , 1997, 62, 5471-5475.	3.2	30
79	Isolation of Thuridillins D-F, Diterpene Metabolites from the Australian Sacoglossan Mollusk <i>< i>Thuridilla splendens</i></i> ; Relative Configuration of the Epoxylactone Ring. <i>Journal of Natural Products</i> , 2012, 75, 1618-1624.	3.0	30
80	New Minor Diterpenoid Diacylglycerols from the Skin of the Nudibranch <i>Anisodoris fontainii</i> . <i>Journal of Natural Products</i> , 1999, 62, 269-274.	3.0	29
81	Biosynthesis in opisthobranch molluscs: General outline in the light of recent use of stable isotopes. <i>Phytochemistry Reviews</i> , 2004, 3, 285-307.	6.5	29
82	Junceellonoids A and B, Two New Briarane Diterpenoids from the Chinese Gorgonian <i>Junceella fragilis</i> Ridley. <i>Helvetica Chimica Acta</i> , 2004, 87, 2341-2345.	1.6	29
83	Structure and absolute stereochemistry of novel C15-halogenated acetogenins from the anaspidean mollusc <i>Aplysia dactylomela</i> . <i>Tetrahedron</i> , 2005, 61, 7456-7460.	1.9	29
84	Testudinariol A and B, two unusual triterpenoids from the skin and the mucus of the marine mollusc <i>Pleurobrancus testudinarius</i> . <i>Tetrahedron</i> , 1997, 53, 16891-16896.	1.9	28
85	Menverins A-D, New Highly Oxygenated Guaiane Lactones from Hainan Gorgonian <i>Menella verrucosa</i> (Brundin). <i>Helvetica Chimica Acta</i> , 2004, 87, 2919-2925.	1.6	28
86	Polyketide origin of 3-alkylpyridines in the marine mollusc <i>Haminoea orbignyana</i> . <i>Tetrahedron Letters</i> , 2004, 45, 2627-2629.	1.4	28
87	Three New Polyoxygenated Steroids from Two Species of the South China Sea Gorgonian <i>Muricella flexuosa</i> and <i>Menella verrucosa</i> Brundin. <i>Helvetica Chimica Acta</i> , 2006, 89, 813-820.	1.6	28
88	Isolation and Structures of Erylosides from the Caribbean Sponge <i>Erylus formosus</i> . <i>Journal of Natural Products</i> , 2007, 70, 169-178.	3.0	28
89	Further Highly Oxygenated Guaiane Lactones from the South China Sea Gorgonian <i>< i>Menella</i> sp.</i> <i>Helvetica Chimica Acta</i> , 2008, 91, 111-117.	1.6	28
90	Amazing new alkaloid skeletons from the marine sponge <i>Reniera sarai</i> . <i>Pure and Applied Chemistry</i> , 1989, 61, 535-538.	1.9	27

#	ARTICLE	IF	CITATIONS
91	A Novel Dietary Sesquiterpene from the marine Sacoglossan <i><1>Tridachia Crispata</i></i> . Natural Product Research, 1997, 10, 151-156.	0.4	27
92	Biosynthesis of drimane terpenoids in dorid molluscs: Pivotal role of 7-deacetoxyolepupuane in two species of <i>Dendrodoris</i> nudibranchs. Tetrahedron, 1999, 55, 5937-5946.	1.9	27
93	Structural and stereochemical revision of isocyanide and isothiocyanate amphilectenes from the Caribbean marine sponge <i>Cribocalina</i> sp.. Tetrahedron, 2005, 61, 8049-8053.	1.9	27
94	Further siphonosides from the sea hare <i>Syphonota geographicus</i> and the sea-grass <i>Halophila stipulacea</i> . Tetrahedron, 2008, 64, 191-196.	1.9	27
95	Further High Molecular Weight Polyacetylenes from the Sponge <i>Petrosia ficiformis</i> . Journal of Natural Products, 1985, 48, 22-27.	3.0	26
96	New acetoxy-ent-pallescensin-A sesquiterpenoids from the skin of the porostome nudibranch <i>Doriopsilla areolata</i> . Tetrahedron Letters, 1994, 35, 8665-8668.	1.4	26
97	First Chemical Study of Patagonian Nudibranchs: A New Seco-11,12-spongiane, Tyrinnal, from the Defensive Organs of <i>Tyrinna nobilis</i> . Journal of Natural Products, 1998, 61, 1027-1029.	3.0	26
98	Further Petroformynes from Both Atlantic and Mediterranean Populations of the Sponge <i>Petrosia ficiformis</i> . Journal of Natural Products, 1998, 61, 333-337.	3.0	26
99	Novel Inhibitors of Mitochondrial Respiratory Chain: Endoperoxides from the Marine Tunicate <i>Stolonica socialis</i> . Journal of Medicinal Chemistry, 2001, 44, 2362-2365.	6.4	26
100	Synthesis and absolute stereochemistry of marine nor-sesquiterpene austrodoric acid. Tetrahedron: Asymmetry, 2004, 15, 423-428.	1.8	26
101	Structure of onchidione, a bis- β -pyrone polypropionate from a marine pulmonate mollusk. Tetrahedron, 2009, 65, 4404-4409.	1.9	26
102	Ichthyotoxic Diterpenoids from the Cantabrian Nudibranch <i>Chromodoris luteorosea</i> . Journal of Natural Products, 1992, 55, 368-371.	3.0	25
103	Archidorin: A New Ichthyotoxic Diacylglycerol from the Atlantic Dorid Nudibranch <i>Archidoris tuberculata</i> . Journal of Natural Products, 1993, 56, 1642-1646.	3.0	25
104	Further studies of alkaloids from <i>Reniera sarai</i> : Structures of saraine-3 and isosaraine-3; absolute stereochemistry of saraine-1 and saraine-2. Tetrahedron, 1996, 52, 14961-14974.	1.9	25
105	Studies towards the synthesis of cheilanthane sesterterpenoids: superacidic cyclisation of methyl 13Z,17Z- and 13Z,17E-bicyclogeranyl farnesoates. Tetrahedron, 2002, 58, 10159-10165.	1.9	25
106	Chemistry of <i>Glossodoris</i> Nudibranchs: Specific Occurrence of 12-Keto Scalaranes. Journal of Chemical Ecology, 2007, 33, 2325-2336.	1.8	25
107	Chemistry of the Nudibranch <i>Aldisa andersoni</i> : Structure and Biological Activity of Phorbazole Metabolites. Marine Drugs, 2012, 10, 1799-1811.	4.6	25
108	Stereochemistry of ichthyotoxic diacylglycerols from opisthobranch molluscs. Tetrahedron Letters, 1990, 31, 6093-6094.	1.4	24

#	ARTICLE	IF	CITATIONS
109	(α^{\wedge})-Wistarin from the marine sponge <i>Ircinia</i> sp.: the first case of enantiomeric sesterterpenes. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 3869-3872.	1.8	24
110	Further chemical studies on the Antarctic nudibranch <i>Austrodoris kerguelensis</i> : new terpenoid acylglycerols and revision of the previous stereochemistry. <i>Tetrahedron</i> , 2003, 59, 5579-5583.	1.9	24
111	Further New Bis- ϵ embranoids from the Hainan Soft Coral <i>< i>Sarcophyton tortuosum</i></i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 2069-2074.	1.6	24
112	Further Structural Studies on the Petroformynes. <i>Journal of Natural Products</i> , 1995, 58, 712-722.	3.0	23
113	Structure and absolute stereochemistry of stolonoxide A, a novel cyclic peroxide from the marine tunicate <i>Stolonica socialis</i> . <i>Tetrahedron Letters</i> , 2000, 41, 429-432.	1.4	23
114	New Nitrogenous Bisabolene-Type Sesquiterpenes from a Hainan Sponge <i>Axinyssa aff.variabilis</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 588-593.	1.6	23
115	Shaping the Polypropionate Biosynthesis in the Solar-Powered Mollusc <i>< i>Elysia viridis</i></i> . <i>ChemBioChem</i> , 2009, 10, 315-322.	2.6	23
116	Minor Triterpenoids from the Mediterranean Sponge, <i>Raspaciona aculeata</i> . <i>Journal of Natural Products</i> , 1994, 57, 784-790.	3.0	22
117	Synthesis of diastereoisomeric ent-isocopalic acid glycerides. <i>Tetrahedron Letters</i> , 1996, 37, 3549-3552.	1.4	22
118	New bioactive hydrogenated linderazulene-derivatives from the gorgonian <i>Echinogorgia complexa</i> . <i>Tetrahedron Letters</i> , 2007, 48, 2569-2571.	1.4	22
119	Two new labdane aldehydes from the skin of the notaspidean <i>Pleurobranchaea meckelii</i> . <i>Tetrahedron Letters</i> , 1995, 36, 8673-8676.	1.4	21
120	Mucosin: a new bicyclic eicosanoid from the mediterranean sponge <i>Reniera mucosa</i> . <i>Tetrahedron Letters</i> , 1997, 38, 3643-3646.	1.4	21
121	Single solution phase conformation of new antiproliferative cembranes. <i>Tetrahedron</i> , 1999, 55, 1143-1152.	1.9	21
122	New bromotriterpene polyethers from the Indian alga <i>Chondria armata</i> . <i>Tetrahedron</i> , 2001, 57, 617-623.	1.9	21
123	Suberoretisteroids A-E, Five New Uncommon Polyoxxygenated Steroid 24-Ketals from the Hainan Gorgonian <i>Suberogorgia reticulata</i> . <i>Helvetica Chimica Acta</i> , 2005, 88, 87-94.	1.6	21
124	Biosynthesis of secondary metabolites in marine molluscs. , 1993, , 77-115.		20
125	Absolute stereochemistry of isosaraine-1 and isosaraine-2. <i>Tetrahedron Letters</i> , 1998, 39, 463-466.	1.4	20
126	Terpene biosynthesis in marine molluscs: incorporation of glucose in drimane esters of <i>Dendrodoris</i> nudibranchs via classical mevalonate pathway. <i>Tetrahedron Letters</i> , 2000, 41, 2429-2433.	1.4	20

#	ARTICLE	IF	CITATIONS
127	Acanthovagasteroids A-D, Four New 19-Hydroxylated Steroids from the South China Sea Gorgonian Acanthogorgia vagaeAurivillius. <i>Journal of Natural Products</i> , 2004, 67, 2083-2085.	3.0	20
128	Assignment of Absolute Configuration of Bis- ϵ -pyrone Polypropionates from Marine Pulmonate Molluscs. <i>European Journal of Organic Chemistry</i> , 2012, 2012, 1107-1111.	2.4	20
129	Secondary metabolites from Mediterranean Elysiidea: origin and biological role. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1994, 108, 107-115.	0.2	19
130	Lipase-mediated production of defensive toxins in the marine mollusc <i>Oxynoe olivacea</i> . <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 3167.	2.8	19
131	Is phototridachiahydropyrone a true natural product?. <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 588-591.	1.4	19
132	Misenine, a novel macrocyclic alkaloid with an unusual skeleton from the Mediterranean sponge <i>Reniera</i> sp.. <i>Tetrahedron</i> , 1998, 54, 541-550.	1.9	18
133	Alkylphenols from the cephalaspidean mollusc <i>Haminoea callidegenita</i> . <i>Tetrahedron Letters</i> , 1998, 39, 2005-2008.	1.4	18
134	Biosynthesis of aglajnes, polypropionate allomones of the opistobranch mollusc <i>Bulla striata</i> . <i>Tetrahedron Letters</i> , 2004, 45, 6847-6850.	1.4	18
135	Two New Polyhydroxylated Steroids from the Hainan Soft Coral <i>Sinularia</i> sp.. <i>Helvetica Chimica Acta</i> , 2006, 89, 1330-1336.	1.6	18
136	Diterpenoids from the Hainan Soft Coral <i>< i>Sinularia parva</i></i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1341-1348.	1.6	18
137	Raspacionin-A: a novel rearranged triterpenoid from the mediterranean sponge <i>raspaciona aculeata</i> . <i>Tetrahedron</i> , 1992, 48, 9013-9022.	1.9	17
138	Towards the biosynthesis of the aromatic products of the Mediterranean mollusc <i>Scaphander lignarius</i> : isolation and synthesis of analogues of lignarenones. <i>Tetrahedron</i> , 2007, 63, 7256-7263.	1.9	17
139	Biosynthetic Evidence Supporting the Generation of Terpene Chemodiversity in Marine Mollusks of the Genus <i>< i>Doriopsilla</i></i> . <i>Journal of Natural Products</i> , 2008, 71, 2053-2056.	3.0	17
140	Simple and versatile synthesis of branched polyols: (+)-2-C-methylerythritol and (+)-2-C-methylthreitol. <i>Tetrahedron Letters</i> , 2000, 41, 7559-7562.	1.4	16
141	Spongiane and ent-Isocopalane Diterpenoids from the Mediterranean Sponge <i>Spongia zimocca</i> . <i>Journal of Natural Products</i> , 1994, 57, 725-731.	3.0	15
142	Absolute stereochemistry of natural sesquiterpenoid diacylglycerols. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 1263-1273.	1.8	15
143	Synthetic Studies on Natural Diterpenoid Glyceryl Esters. <i>Tetrahedron</i> , 2000, 56, 2503-2512.	1.9	15
144	Aplysiopsenes: an additional example of marine polyketides with a mixed acetate/propionate pathway. <i>Tetrahedron Letters</i> , 2009, 50, 527-529.	1.4	15

#	ARTICLE	IF	CITATIONS
145	Structure of the pigment of the Red Sea nudibranch <i>Hexabranchus sanguineus</i> . <i>Tetrahedron Letters</i> , 1998, 39, 2635-2638.	1.4	14
146	Fusaripyrones, novel polypropionates from the Mediterranean mollusc <i>Haminoea fusari</i> . <i>Tetrahedron</i> , 2007, 63, 12935-12939.	1.9	14
147	Six New Cembranolides from the Hainan Soft Coral <i>Lobophytum</i> sp.. <i>Helvetica Chimica Acta</i> , 2008, 91, 873-880.	1.6	14
148	First Biosynthetic Evidence on the Phenyl-Containing Polyketides of the Marine Mollusc <i>Scaphander lignarius</i> . <i>Organic Letters</i> , 2008, 10, 2963-2966.	4.6	14
149	Dysideasterols A-E, Five New Uncommon Polyhydroxylated Steroids from the South China Sea Sponge <i>Dysidea</i> sp.. <i>Helvetica Chimica Acta</i> , 2005, 88, 281-289.	1.6	13
150	New Caulerpenyne-derived Metabolites of an <i>Elysia Sacoglossan</i> from the South Indian Coast. <i>Molecules</i> , 2006, 11, 808-816.	3.8	13
151	Chemical studies of Cadlina molluscs from the Cantabrian Sea (Atlantic Ocean). Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 1995, 111, 283-290.	1.6	12
152	Studies of the Biogenesis of Verrucosins, Toxic Diterpenoid Glycerides of the Mediterranean Mollusc <i>Doris verrucosa</i> . <i>European Journal of Organic Chemistry</i> , 2003, 2003, 3104-3108.	2.4	12
153	Prostaglandin F-1,15-lactone fatty acyl esters: a prostaglandin lactone pathway branch developed during the reproduction and early larval stages of a marine mollusc. <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1992, 101, 99-104.	0.2	11
154	Absolute Stereochemistry of Raspacionin, the Main Triterpenoid from the Marine Sponge <i>Raspaciona aculeata</i> . <i>Journal of Natural Products</i> , 1993, 56, 1622-1626.	3.0	11
155	A new diterpenoid skeleton from the Mediterranean octocoral <i>Alcyonium palmatum</i> : Structure of palmatol. <i>Tetrahedron Letters</i> , 1994, 35, 7069-7072.	1.4	11
156	Superacidic Cyclization of All-trans- β -Acetoxyfarnesyl Benzyl Ether. <i>Synthesis</i> , 2000, 2000, 407-410.	2.3	11
157	Chemical studies on Antarctic nudibranch molluscs. <i>Italian Journal of Zoology</i> , 2000, 67, 101-109.	0.6	11
158	Structure and Synthesis of a Progesterone Homologue from the Skin of the Dorid Nudibranch <i>Aldisa smaragdina</i> . <i>European Journal of Organic Chemistry</i> , 2002, 2002, 1500-1504.	2.4	11
159	Regioselective synthesis of diterpenoid 1,2-diacyl-sn-glycerides. <i>Tetrahedron Letters</i> , 1997, 38, 4145-4148.	1.4	10
160	Origin of the C3-unit in placidenes: further insights into taxa divergence of polypropionate biosynthesis in marine molluscs and fungi. <i>Tetrahedron</i> , 2009, 65, 8161-8164.	1.9	10
161	Polypropionates from <i>Bulla occidentalis</i> : chemical markers and trophic relationships in cephalaspidean molluscs. <i>Tetrahedron Letters</i> , 2011, 52, 4595-4597.	1.4	10
162	A New Furanosesquiterpene from the Mediterranean Alcyonacean <i>Alcyonium palmatum</i> . <i>Journal of Natural Products</i> , 1984, 47, 877-878.	3.0	9

#	ARTICLE	IF	CITATIONS
163	Synthesis of (α)-12-Deacetoxyscalaradial. <i>Natural Product Research</i> , 1996, 8, 275-280.	0.4	9
164	Volvatellin, Caulerpenyne-Related Product from the Sacoglossan <i>Volvatellasp.</i> . <i>Journal of Natural Products</i> , 1999, 62, 931-933.	3.0	9
165	Ring B functionalization of scalarane sesterterpenes by radical relay halogenation. <i>Tetrahedron</i> , 2007, 63, 7617-7623.	1.9	9
166	Lingshuine, an Unexpected <i>< i>Passerini</i></i> Product from the Hainan Sponge <i>< i>Axinyssa variabilis</i></i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1428-1433.	1.6	9
167	New triterpene oligoglycosides from the Caribbean sponge <i>Erylus formosus</i> . <i>Carbohydrate Research</i> , 2011, 346, 2182-2192.	2.3	9
168	Biosynthesis and Cellular Localization of Functional Polyketides in the Gastropod Mollusc <i>< i>Scaphander lignarius</i></i> . <i>ChemBioChem</i> , 2012, 13, 1759-1766.	2.6	9
169	Unusual C21 linear polyacetylenic alcohols from an Atlantic ascidian. <i>Lipids</i> , 2004, 39, 681-685.	1.7	8
170	Two new 19-oxygenated polyhydroxy steroids from the hainan soft coral <i>Sinularia</i> . <i>Natural Product Research</i> , 2005, 19, 789-794.	1.8	8
171	A novel iridoid glycoside from the aerial parts of the Tunisian <i>Prasium majus</i> . <i>Natural Product Research</i> , 2007, 21, 692-697.	1.8	8
172	Trans-dimer D, a novel dimeric sesquiterpene with a bis-bisabolene skeleton from a Hainan sponge <i>Axinyssa variabilis</i> . <i>Journal of Asian Natural Products Research</i> , 2011, 13, 770-775.	1.4	8
173	Absolute stereochemistry of anisodorin 5. <i>Tetrahedron: Asymmetry</i> , 1999, 10, 1635-1636.	1.8	7
174	New additional triterpenoids from the Mediterranean sponge <i>Raspaciona aculeata</i> . <i>Tetrahedron</i> , 2002, 58, 4943-4948.	1.9	7
175	From sepiamelanin to chemical ecology of opisthobranchs and diatoms: an exciting 40Âyears game in the field of marine natural products. <i>Phytochemistry Reviews</i> , 2010, 9, 547-556.	6.5	7
176	Renillenoic acids: Feeding deterrence and antifouling properties of conjugated fatty acids in Patagonian sea pen. <i>Journal of Experimental Marine Biology and Ecology</i> , 2012, 416-417, 208-214.	1.5	7
177	A Biomimetic Synthesis of Sacculatane Diterpenoids. <i>Helvetica Chimica Acta</i> , 2008, 91, 249-258.	1.6	4
178	Chemical diversity in the Mediterranean sponge <i>Raspaciona aculeata</i> : Structure and absolute stereochemistry of blanesin. <i>Tetrahedron Letters</i> , 1994, 35, 7871-7874.	1.4	3
179	Isolation and Structure Elucidation of Flavonol Glycosides, Methyl linoleate and Fatty Acids from <i>Anacyclus cyrtolepidioÃ¯des</i> (Pomel) Growing in Tunisia. <i>Analytical Chemistry Letters</i> , 2011, 1, 384-392.	1.0	3
180	Biosynthetic Studies Through Feeding Experiments in Marine Organismsâ—. , 2012, , 895-946.	3	