
Tetsuya Minegaki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1153782/publications.pdf Version: 2024-02-01



TETSUVA MINECAKL

#	Article	IF	CITATIONS
1	Cooperative inhibitory effects of uremic toxins and other serum components on OATP1B1-mediated transport of SN-38. Cancer Chemotherapy and Pharmacology, 2017, 79, 783-789.	2.3	19
2	Synergistic Effects of Olaparib and DNA-damaging Agents in Oesophageal Squamous Cell Carcinoma Cell Lines. Anticancer Research, 2019, 39, 1813-1820.	1.1	14
3	Substrate-dependent effects of molecular-targeted anticancer agents on activity of organic anion transporting polypeptide 1B1. Xenobiotica, 2018, 48, 1059-1071.	1.1	13
4	Factors affecting the sensitivity of human-derived esophageal carcinoma cell lines to 5-fluorouracil and cisplatin. Oncology Letters, 2013, 5, 427-434.	1.8	12
5	Histone deacetylase inhibitors sensitize 5‑fluorouracil‑resistant MDA‑MB‑468 breast cancer cells to 5‑fluorouracil. Oncology Letters, 2018, 16, 6202-6208.	1.8	11
6	Olaparib Potentiates Anticancer Drug Cytotoxicity <i>via</i> 53BP1 in Oesophageal Squamous Cell Carcinoma Cells. Anticancer Research, 2020, 40, 813-823.	1.1	7
7	Inhibitory Effects of Juices Prepared from Individual Vegetables on CYP3A4 Activity in Recombinant CYP3A4 and LS180 Cells. Biological and Pharmaceutical Bulletin, 2017, 40, 1561-1565.	1.4	6
8	Drug Incompatibility of Amlodipine under Basic Conditions in a Simple Suspension Method. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2014, 40, 252-257.	0.1	5
9	Uremic Toxins Enhance Statin-Induced Cytotoxicity in Differentiated Human Rhabdomyosarcoma Cells. Toxins, 2014, 6, 2612-2625.	3.4	5
10	Previous Dosage of Allopurinol Is a Strong Determinant of Febuxostat Efficacy. Biological and Pharmaceutical Bulletin, 2017, 40, 681-686.	1.4	4
11	Effects of Uremic Serum Residue on OATP1B1―and OATP1B3â€Mediated Pravastatin Uptake in OATPâ€Expressing HEK293 Cells and Human Hepatocytes. Therapeutic Apheresis and Dialysis, 2019, 23, 126-132.	0.9	3
12	A case of idiosyncratic liver injury after oxaliplatinâ€induced thrombocytopenia. Journal of Clinical Pharmacy and Therapeutics, 2020, 45, 373-375.	1.5	3
13	Stability of Generic Versions of Gemcitabine Hydrochloride Preparation for Injection. Iryo Yakugaku (Japanese Journal of Pharmaceutical Health Care and Sciences), 2015, 41, 550-555.	0.1	3
14	Acceleration of carboxylesterase-mediated activation of irinotecan to SN-38 by serum from patients with end-stage kidney disease. Cancer Chemotherapy and Pharmacology, 2018, 81, 1121-1128.	2.3	2
15	Augmentation of the cytotoxic effects of nitrogen-containing bisphosphonates in hypoxia. Journal of Pharmacy and Pharmacology, 2018, 70, 1040-1047.	2.4	2
16	Evaluation of Trace Elements in Augmentation of Statin-Induced Cytotoxicity in Uremic Serum-Exposed Human Rhabdomyosarcoma Cells. Toxins, 2018, 10, 53.	3.4	2
17	Prediction of the Lenalidomide Toxicity and Its Therapeutic Efficacy in Japanese Multiple Myeloma Patients By Measuring Its Plasma Concentration Blood, 2015, 126, 3700-3700.	1.4	2
18	Uremic serum residue decreases SN-38 sensitivity through suppression of organic anion transporter polypeptide 2B1 in LS-180 colon cancer cells. Scientific Reports, 2019, 9, 15464.	3.3	1

#	Article	IF	CITATIONS
19	In Vitro Evidence of Potential Interactions between CYP2C8 and Candesartan Acyl- <i>β</i> -D-glucuronide in the Liver. Drug Metabolism and Disposition, 2021, 49, 289-297.	3.3	1
20	Induction of Cross-resistance to ABCB1 Substrates in Venetoclax-resistant Human Leukemia HL60 Cells. Anticancer Research, 2021, 41, 4239-4248.	1.1	1
21	Factors Associated with Dose Modification of Lenalidomide Plus Dexamethasone Therapy in Multiple Myeloma. Biological and Pharmaceutical Bulletin, 2020, 43, 1253-1258.	1.4	1