

Stefano Ferretti

List of Publications by Citations

Source: <https://exaly.com/author-pdf/115395/stefano-ferretti-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

2,591
citations

30
h-index

48
g-index

102
ext. papers

3,012
ext. citations

4.6
avg, IF

3.76
L-index

#	Paper	IF	Citations
91	Sporadic colorectal adenocarcinomas with high-frequency microsatellite instability. <i>Cancer</i> , 2000 , 89, 2025-2037	6.4	165
90	Pattern of cancer risk in persons with AIDS in Italy in the HAART era. <i>British Journal of Cancer</i> , 2009 , 100, 840-7	8.7	140
89	Burden and centralised treatment in Europe of rare tumours: results of RARECAREnet-a population-based study. <i>Lancet Oncology, The</i> , 2017 , 18, 1022-1039	21.7	138
88	HLA-G genotype and HLA-G expression in systemic lupus erythematosus: HLA-G as a putative susceptibility gene in systemic lupus erythematosus. <i>Tissue Antigens</i> , 2008 , 71, 520-9		104
87	Reply: An inverse association between tumour size and overdiagnosis may explain the results by Bucchi et al. <i>British Journal of Cancer</i> , 2005 , 92, 1815-1816	8.7	78
86	Incidence of thyroid cancer in Italy, 1991-2005: time trends and age-period-cohort effects. <i>Annals of Oncology</i> , 2011 , 22, 957-963	10.3	77
85	Estimate of overdiagnosis of breast cancer due to mammography after adjustment for lead time. A service screening study in Italy. <i>Breast Cancer Research</i> , 2006 , 8, R68	8.3	70
84	Effectiveness of service screening: a case-control study to assess breast cancer mortality reduction. <i>British Journal of Cancer</i> , 2008 , 99, 423-7	8.7	69
83	HLA-G 14-bp polymorphism regulates the methotrexate response in rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2006 , 16, 615-23	1.9	67
82	Axillary lymph node nanometastases are prognostic factors for disease-free survival and metastatic relapse in breast cancer patients. <i>Clinical Cancer Research</i> , 2006 , 12, 6696-701	12.9	66
81	Descriptive epidemiology of cholangiocarcinoma in Italy. <i>Digestive and Liver Disease</i> , 2010 , 42, 490-5	3.3	64
80	Defective production of soluble HLA-G molecules by peripheral blood monocytes in patients with asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 115, 508-13	11.5	59
79	Long-term survival, prevalence, and cure of cancer: a population-based estimation for 818 902 Italian patients and 26 cancer types. <i>Annals of Oncology</i> , 2014 , 25, 2251-2260	10.3	58
78	Survival of European patients diagnosed with lymphoid neoplasms in 2000-2002: results of the HAEMACARE project. <i>Haematologica</i> , 2011 , 96, 720-8	6.6	57
77	Incidence of AIDS-defining cancers after AIDS diagnosis among people with AIDS in Italy, 1986-1998. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2003 , 34, 84-90	3.1	54
76	p53 expression in colorectal cancer: relation to tumor type, DNA ploidy pattern and short-term survival. <i>American Journal of Clinical Pathology</i> , 1996 , 105, 604-12	1.9	52
75	Changing geographical patterns and trends in cancer incidence in children and adolescents in Europe, 1991-2010 (Automated Childhood Cancer Information System): a population-based study. <i>Lancet Oncology, The</i> , 2018 , 19, 1159-1169	21.7	51

74	Cancer incidence in people with AIDS in Italy. <i>International Journal of Cancer</i> , 2010 , 127, 1437-45	7.5	50
73	Completeness and timeliness: Cancer registries could/should improve their performance. <i>European Journal of Cancer</i> , 2015 , 51, 1091-8	7.5	49
72	Classic Kaposi's sarcoma in Italy, 1985-1998. <i>British Journal of Cancer</i> , 2005 , 92, 188-93	8.7	46
71	The impact of overdiagnosis on thyroid cancer epidemic in Italy, 1998-2012. <i>European Journal of Cancer</i> , 2018 , 94, 6-15	7.5	40
70	MIB-1 proliferative activity in invasive breast cancer measured by image analysis. <i>Journal of Clinical Pathology</i> , 1996 , 49, 926-30	3.9	40
69	Cancer trends in Italy: figures from the cancer registries (1986-1997). <i>Epidemiologia E Prevenzione</i> , 2004 , 28, 1-6	1.1	39
68	Molecular subtyping of breast cancer from traditional tumor marker profiles using parallel clustering methods. <i>Clinical Cancer Research</i> , 2006 , 12, 781-90	12.9	36
67	Population-based incidence and mortality cancer trends (1986-1997) from the network of Italian cancer registries. <i>European Journal of Cancer Prevention</i> , 2004 , 13, 287-95	2	36
66	Cervical cancer screening in women vaccinated against human papillomavirus infection: Recommendations from a consensus conference. <i>Preventive Medicine</i> , 2017 , 98, 21-30	4.3	35
65	Changes in the incidence of thyroid cancer between 1991 and 2005 in Italy: a geographical analysis. <i>Thyroid</i> , 2012 , 22, 27-34	6.2	34
64	Mastectomy rates are decreasing in the era of service screening: a population-based study in Italy (1997-2001). <i>British Journal of Cancer</i> , 2006 , 95, 1265-8	8.7	34
63	Cancer prevalence estimates in Europe at the beginning of 2000. <i>Annals of Oncology</i> , 2013 , 24, 1660-6	10.3	31
62	Screening patterns within organized programs and survival of Italian women with invasive cervical cancer. <i>Preventive Medicine</i> , 2013 , 57, 220-6	4.3	30
61	Biological profile of in situ breast cancer investigated by immunohistochemical technique. <i>Cancer Detection and Prevention</i> , 1998 , 22, 313-8		30
60	Changes in cervical cancer incidence following the introduction of organized screening in Italy. <i>Preventive Medicine</i> , 2015 , 75, 56-63	4.3	29
59	Can tumor necrosis factor receptor II gene 676T>G polymorphism predict the response grading to anti-TNFalpha therapy in rheumatoid arthritis?. <i>Rheumatology International</i> , 2008 , 28, 901-8	3.6	29
58	Characteristics of people living in Italy after a cancer diagnosis in 2010 and projections to 2020. <i>BMC Cancer</i> , 2018 , 18, 169	4.8	26
57	Regional inequalities in cancer care persist in Italy and can influence survival. <i>Cancer Epidemiology</i> , 2012 , 36, 541-7	2.8	24

56	An immunohistochemically positive E-cadherin status is not always predictive for a good prognosis in human breast cancer. <i>British Journal of Cancer</i> , 2010 , 103, 1835-9	8.7	23
55	Non-Hodgkin lymphoma among young adults with and without AIDS in Italy. <i>International Journal of Cancer</i> , 2001 , 93, 430-5	7.5	22
54	Biophenotypes and survival of BRCA1 and TP53 deleted breast cancer in young women. <i>Breast Cancer Research and Treatment</i> , 2001 , 66, 135-42	4.4	22
53	The risk of developing a second, different, cancer among 14 560 survivors of malignant cutaneous melanoma: a study by AIRTUM (the Italian Network of Cancer Registries). <i>Melanoma Research</i> , 2008 , 18, 230-4	3.3	21
52	In situ breast cancer: incidence trend and organised screening programmes in Italy. <i>European Journal of Cancer</i> , 2005 , 41, 1045-50	7.5	21
51	The impact of organised screening programmes on the stage-specific incidence of breast cancer in some Italian areas. <i>European Journal of Cancer</i> , 2003 , 39, 1776-82	7.5	21
50	Biophenotypes of breast carcinoma in situ defined by image analysis of biological parameters. <i>Pathology Research and Practice</i> , 1996 , 192, 117-23	3.4	20
49	Application of quantitative analysis to biologic profile evaluation in breast cancer. <i>Cancer</i> , 1995 , 76, 2510-7	6.7	20
48	Survival after cancer in Italian persons with AIDS, 1986-2005: a population-based estimation. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 66, 428-35	3.1	18
47	Cancer prevalence in United States, Nordic Countries, Italy, Australia, and France: an analysis of geographic variability. <i>British Journal of Cancer</i> , 2013 , 109, 219-28	8.7	18
46	Screen-detected vs clinical breast cancer: the advantage in the relative risk of lymph node metastases decreases with increasing tumour size. <i>British Journal of Cancer</i> , 2005 , 92, 156-61	8.7	18
45	Modulation of biomarkers in minimal breast carcinoma: a model for human breast carcinoma progression. <i>Cancer</i> , 1998 , 83, 89-97	6.4	17
44	Incidence of primary liver cancer in Italy between 1988 and 2002: an age-period-cohort analysis. <i>European Journal of Cancer</i> , 2008 , 44, 285-92	7.5	17
43	Prognosis and cure of long-term cancer survivors: A population-based estimation. <i>Cancer Medicine</i> , 2019 , 8, 4497-4507	4.8	13
42	Incidence trends of vulvar squamous cell carcinoma in Italy from 1990 to 2015. <i>Gynecologic Oncology</i> , 2020 , 157, 656-663	4.9	12
41	Estimating the impact of an organised screening programme on cervical cancer incidence: A 26-year study from northern Italy. <i>International Journal of Cancer</i> , 2019 , 144, 1017-1026	7.5	12
40	Changes in life expectancy for cancer patients over time since diagnosis. <i>Journal of Advanced Research</i> , 2019 , 20, 153-159	13	12
39	Cancer incidence in Italian contaminated sites. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2014 , 50, 186-91	1.6	12

38	Estimated and Observed Cancer Incidence in Italy: A Validation Study. <i>Tumori</i> , 2007 , 93, 387-391	1.7	11
37	Stage-specific incidence of breast cancer before the beginning of organized screening programs in Italy. <i>Cancer Causes and Control</i> , 2002 , 13, 65-71	2.8	11
36	Clinical Usefulness of Estrogen Receptor Immunocytochemistry in Human Breast Cancer. <i>Tumori</i> , 1992 , 78, 287-290	1.7	10
35	Evaluation of service mammography screening impact in Italy. The contribution of hazard analysis. <i>European Journal of Cancer</i> , 2008 , 44, 858-65	7.5	9
34	Risk of Squamous Cell Carcinoma and Adenocarcinoma of the Esophagus in Patients With Achalasia: A Long-Term Prospective Cohort Study in Italy. <i>American Journal of Gastroenterology</i> , 2021 , 116, 289-295 ^{0.7}		9
33	Mesothelioma and thymic tumors: Treatment challenges in (outside) a network setting. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 75-80	3.6	9
32	Establishment of keratinocyte colonies from small-sized cervical intraepithelial neoplasia specimens. <i>Journal of Cellular Physiology</i> , 2012 , 227, 3787-95	7	8
31	Impact of socioeconomic status and district of residence on cutaneous malignant melanoma prognosis: a survival study on incident cases between 1991 and 2011 in the province of Ferrara, northern Italy. <i>Melanoma Research</i> , 2017 , 27, 619-624	3.3	7
30	Strong Seasonality in the Diagnosis of Skin Melanoma in Italy: The Italian Network of Cancer Registries (AIRTUM) Study. <i>Tumori</i> , 2009 , 95, 665-668	1.7	7
29	Annual mammography at age 45-49 years and biennial mammography at age 50-69 years: comparing performance measures in an organised screening setting. <i>European Radiology</i> , 2019 , 29, 5517-5527 ⁸		6
28	Survival after the diagnosis of breast or colorectal cancer in the GAZA Strip from 2005 to 2014. <i>BMC Cancer</i> , 2018 , 18, 632	4.8	6
27	Proportional incidence of interval colorectal cancer in a large population-based faecal immunochemical test screening programme. <i>Digestive and Liver Disease</i> , 2020 , 52, 452-456	3.3	5
26	Risk of vulvar carcinoma in women affected with lichen sclerosus: results of a cohort study. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019 , 17, 1069-1071	1.2	5
25	Disentangling the roles of mammographic screening and HRT in recent breast cancer incidence trends in Italy by analyses based on calendar time and time since screening activation. <i>Breast Journal</i> , 2010 , 16, 350-5	1.2	5
24	Breast screening: axillary lymph node status of interval cancers by interval year. <i>Breast</i> , 2008 , 17, 477-83 ^{3.6}		5
23	Sporadic colorectal adenocarcinomas with high-frequency microsatellite instability 2000 , 89, 2025		5
22	Population-based method for investigating adherence to international recommendations for pathology reporting of primary cutaneous melanoma: Results of a EURO CARE-5 high resolution study. <i>Cancer Epidemiology</i> , 2015 , 39, 424-9	2.8	4
21	Ageing and other factors behind recent cancer incidence and mortality trends in Italy. <i>Journal of Geriatric Oncology</i> , 2012 , 3, 111-119	3.6	4

20	Use of 2-[18F]fluoro-2-deoxy-D-glucose positron emission tomography in patients with Hodgkin lymphoma in daily practice: a population-based study from Northern Italy. <i>Leukemia and Lymphoma</i> , 2011 , 52, 1689-96	1.9	4
19	Cohort study of residents of a district with soil and groundwater industrial waste contamination. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2013 , 49, 354-7	1.6	4
18	Risk of thyroid as a first or second primary cancer. A population-based study in Italy, 1998-2012. <i>Cancer Medicine</i> , 2021 , 10, 6855-6867	4.8	4
17	Incidence and survival trends of cervical adenocarcinoma in Italy: Cytology screening has become more effective in downstaging the disease but not in detecting its precursors. <i>International Journal of Cancer</i> , 2017 , 140, 247-248	7.5	3
16	Biological heterogeneity of breast carcinoma in situ. <i>Annals of the New York Academy of Sciences</i> , 1996 , 784, 458-61	6.5	3
15	Interpretation of colposcopy in population-based cervical screening services in north-eastern Italy: an online interregional agreement study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016 , 206, 64-69	2.4	3
14	Mid-term trends and recent birth-cohort-dependent changes in incidence rates of cutaneous malignant melanoma in Italy. <i>International Journal of Cancer</i> , 2021 , 148, 835-844	7.5	3
13	The burden of rare cancers in Italy: the surveillance of rare cancers in Italy (RITA) project. <i>Tumori</i> , 2012 , 98, 550-8	1.7	3
12	Trends in net survival from liver cancer in six European Latin countries: results from the SUDCAN population-based study. <i>European Journal of Cancer Prevention</i> , 2017 , 26 Trends in cancer net surviv, S56-S62	2	2
11	Time to viral clearance after successful conservative treatment for high-risk HPV-infected high-grade cervical intraepithelial neoplasia and early invasive squamous cervical carcinoma. <i>Diagnostic Microbiology and Infectious Disease</i> , 2016 , 86, 270-272	2.9	2
10	Consistency and inconsistency in testing biomarkers in breast cancer. A GRELL study in cut-off variability in the Romance language countries. <i>Breast</i> , 2013 , 22, 476-81	3.6	2
9	Incidence of interval breast cancer among women aged 45-49 in an organised mammography screening setting. <i>Journal of Medical Screening</i> , 2021 , 28, 207-209	1.4	2
8	Second primary malignancies in patients with non-melanoma skin cancer: Results from a cancer registry-based study in Emilia Romagna, north-east Italy. <i>Cancer Epidemiology</i> , 2019 , 61, 176-184	2.8	1
7	The first 2 years of colorectal cancer screening in Ferrara, Italy. <i>European Journal of Cancer Prevention</i> , 2011 , 20, 166-8	2	1
6	Biological staging of incipient, in situ, and invasive breast carcinomas. <i>Annals of the New York Academy of Sciences</i> , 1996 , 784, 381-94	6.5	1
5	Changes in the incidence of cervical tumours by disease stage in a cytology-based screening programme. <i>Journal of Medical Screening</i> , 2020 , 27, 96-104	1.4	0
4	Early (short-interval) rescreen in mammography screening. <i>Journal of Medical Screening</i> , 2017 , 24, 54-55	1.4	
3	Cancer Incidence and Mortality in the Province of Ferrara 1989-1990. <i>Tumori</i> , 1995 , 81, 321-329	1.7	

- 2 The Results of an Italian Quality Assurance Program Support the New American Society for Colposcopy and Cervical Pathology Recommendations for Colposcopy Practice. *Journal of Lower Genital Tract Disease*, **2018**, 22, 235-236 3.6
- 1 Five-year annual incidence and clinico-molecular features of breast cancer after the last negative screening mammography at age 68-69. *European Radiology*, **2021**, 1 8