Yong-Jae Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11541772/publications.pdf

Version: 2024-02-01

687363 434195 39 995 13 31 citations h-index g-index papers 39 39 39 1862 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Intracranial Hemorrhage in the TST Trial. Stroke, 2022, 53, 457-462.	2.0	14
2	Plasma Total Homocysteine Level Is Related to Unfavorable Outcomes in Ischemic Stroke With Atrial Fibrillation. Journal of the American Heart Association, 2022, 11, e022138.	3.7	3
3	Cilostazol versus aspirin in ischemic stroke with cerebral microbleeds versus prior intracerebral hemorrhage. International Journal of Stroke, 2021, 16, 1019-1030.	5.9	13
4	Initiation of Guideline-Matched Oral Anticoagulant in Atrial Fibrillation-Related Stroke. Journal of Stroke, 2021, 23, 113-123.	3.2	7
5	Cilostazol and Probucol for Cognitive Decline after Stroke: A Cognitive Outcome Substudy of the PICASSO Trial. Journal of Stroke, 2021, 23, 128-131.	3.2	4
6	Blood pressure variability is related to faster cognitive decline in ischemic stroke patients: PICASSO subanalysis. Scientific Reports, 2021, 11, 5049.	3.3	16
7	A Comparison of Two LDL Cholesterol Targets after Ischemic Stroke. New England Journal of Medicine, 2020, 382, 9-19.	27.0	339
8	Cilostazol Versus Aspirin in Ischemic Stroke Patients With High-Risk Cerebral Hemorrhage. Stroke, 2020, 51, 931-937.	2.0	23
9	Elevated troponin levels are associated with early neurological worsening in ischemic stroke with atrial fibrillation. Scientific Reports, 2020, 10, 12626.	3.3	10
10	Benefit of Targeting a LDL (Low-Density Lipoprotein) Cholesterol <70 mg/dL During 5 Years After Ischemic Stroke. Stroke, 2020, 51, 1231-1239.	2.0	39
11	Changes in High-Density Lipoprotein Cholesterol and Risks of Cardiovascular Events: A Post Hoc Analysis from the PICASSO Trial. Journal of Stroke, 2020, 22, 108-118.	3.2	3
12	Characteristics and Factors for Short-Term Functional Outcome in Stroke Patients With Atrial Fibrillation, Nationwide Retrospective Cohort Study. Frontiers in Neurology, 2019, 10, 1101.	2.4	15
13	Inter-arm Blood Pressure Difference is Associated with Recurrent Stroke in Non-cardioembolic Stroke Patients. Scientific Reports, 2019, 9, 12758.	3.3	6
14	Interarm Blood Pressure Difference has Various Associations with the Presence and Burden of Cerebral Small-Vessel Diseases in Noncardioembolic Stroke Patients. Journal of Clinical Neurology		

#	Article	lF	CITATIONS
19	Interarm Blood Pressure Difference is Associated with Early Neurological Deterioration, Poor Short-Term Functional Outcome, and Mortality in Noncardioembolic Stroke Patients. Journal of		

YONG-JAE KIM

#	Article	IF	CITATIONS
37	Expression of Bcl-2 Protein in the Gerbil Hippocampus Following Transient Forebrain Ischemia and Its Modification by Ischemic Preconditioning. Ewha Medical Journal, 1999, 22, 259.	0.0	O
38	Leuko-Araiosis, Vascular Risk Factors, and Cognitive Function in the Elderly. Ewha Medical Journal, 1999, 22, 253.	0.0	0
39	Clinical Efficancy of 'Nucare' in Neurological Patients. Ewha Medical Journal, 1997, 20, 221.	0.0	0