## Sunna Snaedal

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11542921/publications.pdf

Version: 2024-02-01

933264 1199470 12 753 10 12 citations h-index g-index papers 12 12 12 1036 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	High-sensitivity troponins in dialysis patients: variation and prognostic value. CKJ: Clinical Kidney Journal, 2021, 14, 1789-1797.	1.4	9
2	The higher mortality associated with low serum albumin is dependent on systemic inflammation in end-stage kidney disease. PLoS ONE, 2018, 13, e0190410.	1.1	91
3	Dialysis modality and nutritional status are associated with variability of inflammatory markers. Nephrology Dialysis Transplantation, 2016, 31, 1320-1327.	0.4	42
4	Increased Levels of Modified Advanced Oxidation Protein Products are Associated with Central and Peripheral Blood Pressure in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2015, 35, 460-470.	1.1	19
5	Determinants of N-Terminal Pro-Brain Natriuretic Peptide Variation in Hemodialysis Patients and Prediction of Survival. Blood Purification, 2014, 37, 138-145.	0.9	7
6	Three-month variation of plasma pentraxin 3 compared with C-reactive protein, albumin and homocysteine levels in haemodialysis patients. CKJ: Clinical Kidney Journal, 2014, 7, 373-379.	1.4	12
7	Trimestral variations of C-reactive protein, interleukin-6 and tumour necrosis factor-Â are similarly associated with survival in haemodialysis patients. Nephrology Dialysis Transplantation, 2011, 26, 1313-1318.	0.4	70
8	N-Terminal Pro-Brain Natriuretic Peptide Independently Predicts Protein Energy Wasting and Is Associated with All-Cause Mortality in Prevalent HD Patients. American Journal of Nephrology, 2009, 29, 516-523.	1.4	22
9	Comorbidity and Acute Clinical Events as Determinants of C-Reactive Protein Variation in Hemodialysis Patients: Implications for Patient Survival. American Journal of Kidney Diseases, 2009, 53, 1024-1033.	2.1	111
10	Muscle atrophy, inflammation and clinical outcome in incident and prevalent dialysis patients. Clinical Nutrition, 2008, 27, 557-564.	2.3	230
11	C-Reactive Protein Is Elevated 30 Years After Eclamptic Pregnancy. Hypertension, 2008, 51, 1499-1505.	1.3	70
12	Dyslipoproteinaemia in postmenopausal women with a history of eclampsia. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 776-784.	1.1	70