

Richard Byng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1154651/publications.pdf>

Version: 2024-02-01

119
papers

4,259
citations

172457

29
h-index

123424

61
g-index

121
all docs

121
docs citations

121
times ranked

5513
citing authors

#	ARTICLE	IF	CITATIONS
1	Mindfulness-based cognitive therapy to prevent relapse in recurrent depression.. Journal of Consulting and Clinical Psychology, 2008, 76, 966-978.	2.0	635
2	Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. JAMA Psychiatry, 2016, 73, 565.	11.0	558
3	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. Lancet, The, 2015, 386, 63-73.	13.7	390
4	What approaches to social prescribing work, for whom, and in what circumstances? A realist review. Health and Social Care in the Community, 2020, 28, 309-324.	1.6	167
5	Guided self-help concreteness training as an intervention for major depression in primary care: a Phase II randomized controlled trial. Psychological Medicine, 2012, 42, 1359-1371.	4.5	165
6	Using Realistic Evaluation to Evaluate a Practice-level Intervention to Improve Primary Healthcare for Patients with Long-term Mental Illness. Evaluation, 2005, 11, 69-93.	1.8	129
7	Understanding help seeking behaviour among male offenders: qualitative interview study. BMJ: British Medical Journal, 2007, 334, 303.	2.3	114
8	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. Trials, 2015, 16, 1.	1.6	108
9	Primary care professionals' perceptions of depression in older people: a qualitative study. Social Science and Medicine, 2006, 63, 1363-1373.	3.8	89
10	The work and social adjustment scale: Reliability, sensitivity and value. International Journal of Psychiatry in Clinical Practice, 2014, 18, 131-138.	2.4	89
11	Concepts and Causation of Depression: A Cross-Cultural Study of the Beliefs of Older Adults. Gerontologist, The, 2006, 46, 23-32.	3.9	85
12	Causes of death among homeless people: a population-based cross-sectional study of linked hospitalisation and mortality data in England.. Wellcome Open Research, 2019, 4, 49.	1.8	85
13	Exposing the key functions of a complex intervention for shared care in mental health: case study of a process evaluation. BMC Health Services Research, 2008, 8, 274.	2.2	79
14	Solutions to problematic polypharmacy: learning from the expertise of patients. British Journal of General Practice, 2015, 65, 319-320.	1.4	66
15	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). Health Technology Assessment, 2015, 19, 1-124.	2.8	49
16	What approaches to social prescribing work, for whom, and in what circumstances? A protocol for a realist review. Systematic Reviews, 2016, 5, 93.	5.3	48
17	Does a social prescribing "holistic" link-worker for older people with complex, multimorbidity improve well-being and frailty and reduce health and social care use and costs? A 12-month before-and-after evaluation. Primary Health Care Research and Development, 2019, 20, e135.	1.2	46
18	The Consolations of Going Back to Prison: What "Revolving Door" Prisoners Think of Their Prospects. Journal of Offender Rehabilitation, 2009, 48, 439-461.	0.8	43

#	ARTICLE	IF	CITATIONS
19	How do healthcare professionals interview patients to assess suicide risk?. BMC Psychiatry, 2017, 17, 122.	2.6	42
20	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. Trials, 2010, 11, 99.	1.6	40
21	What we talk about when we talk about depression: doctor-patient conversations and treatment decision outcomes. British Journal of General Practice, 2012, 62, e55-e63.	1.4	40
22	What IAPT services can learn from those who do not attend. Journal of Mental Health, 2016, 25, 410-415.	1.9	40
23	Building programme theory to develop more adaptable and scalable complex interventions: Realist formative process evaluation prior to full trial. Evaluation, 2019, 25, 149-170.	1.8	40
24	Improving hospital discharge arrangements for people who are homeless: A realist synthesis of the intermediate care literature. Health and Social Care in the Community, 2018, 26, e345-e359.	1.6	36
25	Personal well-being networks, social capital and severe mental illness: exploratory study. British Journal of Psychiatry, 2018, 212, 308-317.	2.8	36
26	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. Health Technology Assessment, 2014, 18, 1-324.	2.8	36
27	Variation in referral and access to new psychological therapy services by age: an empirical quantitative study. British Journal of General Practice, 2017, 67, e453-e459.	1.4	36
28	Collaborative action for person-centred coordinated care (P3C): an approach to support the development of a comprehensive system-wide solution to fragmented care. Health Research Policy and Systems, 2017, 15, 98.	2.8	33
29	Exploratory cluster randomised controlled trial of shared care development for long-term mental illness. British Journal of General Practice, 2004, 54, 259-66.	1.4	33
30	Improving community health networks for people with severe mental illness: a case study investigation. Health Services and Delivery Research, 2015, 3, 1-234.	1.4	31
31	SHERPA: a new model for clinical decision making in patients with multimorbidity. Lancet, The, 2018, 392, 1397-1399.	13.7	26
32	Mental Health Link: the development and formative evaluation of a complex intervention to improve shared care for patients with long-term mental illness. Journal of Evaluation in Clinical Practice, 2004, 10, 27-36.	1.8	25
33	People and Teams Matter in Organizational Change: Professionals' and Managers' Experiences of Changing Governance and Incentives in Primary Care. Health Services Research, 2014, 49, 93-112.	2.0	25
34	Barriers and facilitators to GP's patient communication about emotional concerns in UK primary care: a systematic review. Family Practice, 2020, 37, 434-444.	1.9	24
35	The effectiveness and cost-effectiveness of shared care: protocol for a realist review. Systematic Reviews, 2013, 2, 12.	5.3	23
36	Assessing risk of suicide or self harm in adults. BMJ, The, 2013, 347, f4572-f4572.	6.0	22

#	ARTICLE	IF	CITATIONS
37	Reflections on the Researcher-in-Residence model co-producing knowledge for action in an Integrated Care Organisation: a mixed methods case study using an impact survey and field notes. <i>Evidence and Policy</i> , 2019, 15, 197-215.	1.0	22
38	Codesigning a Measure of Person-Centred Coordinated Care to Capture the Experience of the Patient. <i>Journal of Patient Experience</i> , 2018, 5, 201-211.	0.9	21
39	Validation of the person-centred coordinated care experience questionnaire (P3CEQ). <i>International Journal for Quality in Health Care</i> , 2019, 31, 506-512.	1.8	21
40	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , 2016, 18, 289-297.	2.6	20
41	Identifying enablers and barriers to individually tailored prescribing: a survey of healthcare professionals in the UK. <i>BMC Family Practice</i> , 2018, 19, 17.	2.9	20
42	Not all waits are equal: an exploratory investigation of emergency care patient pathways. <i>BMC Health Services Research</i> , 2017, 17, 436.	2.2	19
43	Use of the Patient Health Questionnaire (PHQ-9) in Practice: Interactions between patients and physicians. <i>Qualitative Health Research</i> , 2020, 30, 2146-2159.	2.1	19
44	Staff and patient experience of improving access to psychological therapy group interventions for anxiety and depression. <i>Journal of Mental Health</i> , 2013, 22, 456-464.	1.9	18
45	Practices used for recommending sickness certification by general practitioners: A conversation analytic study of UK primary care consultations. <i>Social Science and Medicine</i> , 2015, 126, 48-58.	3.8	18
46	Core outcome sets for use in effectiveness trials involving people with bipolar and schizophrenia in a community-based setting (PARTNERS2): study protocol for the development of two core outcome sets. <i>Trials</i> , 2015, 16, 47.	1.6	18
47	Bridging the discursive gap between lay and medical discourse in care coordination. <i>Sociology of Health and Illness</i> , 2017, 39, 1019-1034.	2.1	18
48	Pilot randomised controlled trial of the ENGAGER collaborative care intervention for prisoners with common mental health problems, near to and after release. <i>Pilot and Feasibility Studies</i> , 2018, 4, 15.	1.2	18
49	Moral narratives and mental health: rethinking understandings of distress and healthcare support in contexts of austerity and welfare reform. <i>Palgrave Communications</i> , 2018, 4, .	4.7	17
50	Refining a model of collaborative care for people with a diagnosis of bipolar, schizophrenia or other psychoses in England: a qualitative formative evaluation. <i>BMC Psychiatry</i> , 2019, 19, 7.	2.6	17
51	Sex, gender and gender identity: a re-evaluation of the evidence. <i>BJPsych Bulletin</i> , 2021, 45, 291-299.	1.1	17
52	The practice of commissioning healthcare from a private provider: learning from an in-depth case study. <i>BMC Health Services Research</i> , 2013, 13, S4.	2.2	15
53	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). <i>Health Technology Assessment</i> , 2017, 21, 1-164.	2.8	15
54	Evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e017931.	1.9	14

#	ARTICLE	IF	CITATIONS
55	Integration and continuity of primary care: polyclinics and alternatives – a patient-centred analysis of how organisation constrains care co-ordination. <i>Health Services and Delivery Research</i> , 2015, 3, 1-148.	1.4	14
56	How managed a market? Modes of commissioning in England and Germany. <i>BMC Health Services Research</i> , 2013, 13, S8.	2.2	13
57	Learning from people with long-term conditions: new insights for governance in primary healthcare. <i>Health and Social Care in the Community</i> , 2014, 22, 405-416.	1.6	13
58	Engaging ‘‘seldom heard’’ groups in research and intervention development: Offender mental health. <i>Health Expectations</i> , 2018, 21, 1104-1110.	2.6	13
59	Asking about self-harm and suicide in primary care: Moral and practical dimensions. <i>Patient Education and Counseling</i> , 2021, 104, 826-835.	2.2	13
60	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. <i>Trials</i> , 2014, 15, 217.	1.6	12
61	Pathways to suicide attempts among male offenders: the role of agency. <i>Sociology of Health and Illness</i> , 2015, 37, 936-951.	2.1	12
62	Creating and facilitating change for Person-Centred Coordinated Care (P3C): The development of the Organisational Change Tool (P3C-OCT). <i>Health Expectations</i> , 2018, 21, 448-456.	2.6	12
63	Impact of graduate mental health workers upon primary care mental health: a qualitative study. <i>Health and Social Care in the Community</i> , 2007, 15, 486-493.	1.6	11
64	Improving access to psychological therapies: implications for mental health care in general practice. <i>British Journal of General Practice</i> , 2009, 59, 640-641.	1.4	11
65	Guided self-help supported by paraprofessional mental health workers: an uncontrolled before-after cohort study. <i>Health and Social Care in the Community</i> , 2009, 17, 9-17.	1.6	11
66	Outcomes of specialist discharge coordination and intermediate care schemes for patients who are homeless: analysis protocol for a population-based historical cohort. <i>BMJ Open</i> , 2017, 7, e019282.	1.9	11
67	Managerial workarounds in three European DRG systems. <i>Journal of Health Organization and Management</i> , 2020, 34, 295-311.	1.3	11
68	NHS commissioning practice and health system governance: a mixed-methods realistic evaluation. <i>Health Services and Delivery Research</i> , 2015, 3, 1-184.	1.4	11
69	Under/over-recruitment to mental health trials. <i>Acta Psychiatrica Scandinavica</i> , 2007, 116, 158-158.	4.5	10
70	Estimating probability of sustained recovery from mild to moderate depression in primary care: evidence from the THREAD study. <i>Psychological Medicine</i> , 2011, 41, 141-150.	4.5	10
71	Realising the full potential of primary care: uniting the ‘‘two faces’’ of generalism. <i>British Journal of General Practice</i> , 2017, 67, 292-293.	1.4	10
72	From programme theory to logic models for multispecialty community providers: a realist evidence synthesis. <i>Health Services and Delivery Research</i> , 2018, 6, 1-210.	1.4	10

#	ARTICLE	IF	CITATIONS
73	Implementing a patient-initiated review system in rheumatoid arthritis: a qualitative evaluation. BMC Health Services Research, 2015, 15, 157.	2.2	9
74	The feasibility of following up prisoners, with mental health problems, after release: a pilot trial employing an innovative system, for engagement and retention in research, with a harder-to-engage population. Trials, 2018, 19, 530.	1.6	9
75	Women offenders: Promoting a holistic approach and continuity of care across criminal justice and health interventions. Criminology and Criminal Justice, 2019, 19, 385-403.	1.3	9
76	“Every structure we're taught goes out the window” General practitioners' experiences of providing help for patients with emotional concerns'. Health and Social Care in the Community, 2020, 28, 260-269.	1.6	9
77	Financial and Clinical Risk in Health Care Reform: A View from Below. Journal of Health Services Research and Policy, 2012, 17, 11-17.	1.7	8
78	Gender incongruence in children, adolescents, and adults. British Journal of General Practice, 2019, 69, 170-171.	1.4	8
79	Longitudinal evaluation of a countywide alternative to the Quality and Outcomes Framework in UK General Practice aimed at improving Person Centred Coordinated Care. BMJ Open, 2019, 9, e029721.	1.9	8
80	Exploring how patients respond to GP recommendations for mental health treatment: an analysis of communication in primary care consultations. BJGP Open, 2019, 3, bjgpopen19X101670.	1.8	8
81	Patients' experiences of seeking help for emotional concerns in primary care: doctor as drug, detective and collaborator. BMC Family Practice, 2020, 21, 35.	2.9	7
82	“Watchful waiting” or “active monitoring” in depression management in primary care: Exploring the recalled content of general practitioner consultations. Journal of Affective Disorders, 2013, 145, 120-125.	4.1	6
83	Treatment resistant depression in primary care: Co-constructing difficult encounters. Health (United Kingdom) 2019; 13(1): 1-8.	1.5	6
84	Individual health trainers to support health and well-being for people under community supervision in the criminal justice system: the STRENGTHEN pilot RCT. Public Health Research, 2019, 7, 1-136.	1.3	6
85	Capturing the Role of Context in Complex System Change: An Application of the Canadian Context and Capabilities for Integrating Care (CCIC) Framework to an Integrated Care Organisation in the UK. International Journal of Integrated Care, 2020, 20, 4.	0.2	6
86	Recognition of distress and depression in primary care: how far should we go?. Family Practice, 2012, 29, 1-2.	1.9	5
87	Implementing a patient-initiated review system for people with rheumatoid arthritis: a prospective, comparative service evaluation. Journal of Evaluation in Clinical Practice, 2016, 22, 439-445.	1.8	5
88	Health trainer-led motivational intervention plus usual care for people under community supervision compared with usual care alone: a study protocol for a parallel-group pilot randomised controlled trial (STRENGTHEN). BMJ Open, 2018, 8, e023123.	1.9	5
89	From mental disorder to shared understanding: a non-categorical approach to support individuals with distress in primary care. British Journal of General Practice, 2019, 69, 110-111.	1.4	5
90	Long covid clinics should be run as research hubs. BMJ, The, 2021, 374, n1996.	6.0	5

#	ARTICLE	IF	CITATIONS
91	Improving care transfers for homeless patients after hospital discharge: a realist evaluation. Health Services and Delivery Research, 2021, 9, 1-186.	1.4	5
92	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. BMJ Open, 2020, 10, e033892.	1.9	5
93	Impact of "Enhanced"™ Intermediate Care Integrating Acute, Primary and Community Care and the Voluntary Sector in Torbay and South Devon, UK. International Journal of Integrated Care, 2022, 22, 14.	0.2	5
94	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. Clinical Psychological Science, 2023, 11, 59-76.	4.0	5
95	Should we, can we, halt the rise in prescribing for pain and distress?. British Journal of General Practice, 2020, 70, 432-433.	1.4	4
96	Improving Hospital Discharge Arrangements for People who are Homeless: The Role of Specialist Integrated Care. International Journal of Integrated Care, 2018, 18, 18.	0.2	4
97	What makes a realistic evaluation?. Family Medicine, 2011, 43, 112-3.	0.5	4
98	Primary mental health care in Nicaragua. Social Science and Medicine, 1993, 36, 625-629.	3.8	3
99	Link Workers and Liaison with Primary Care: Lessons from Case Studies. Mental Health Review Journal, 2004, 9, 13-18.	0.7	3
100	Redesigning gender identity services: an opportunity to generate evidence. BMJ: British Medical Journal, 2018, 363, k4490.	2.3	3
101	Integrating the voluntary sector in personalised care: mixed methods study of the outcomes from wellbeing co-ordination for adults with complex needs. Journal of Integrated Care, 2020, 28, 405-418.	0.5	3
102	Evaluation of a primary care-based collaborative care model (PARTNERS2) for people with diagnoses of schizophrenia, bipolar, or other psychoses: study protocol for a cluster randomised controlled trial. BJGP Open, 2021, 5, BJGPO.2021.0033.	1.8	3
103	Achieving optimal treatment organisation in different countries. , 0, , 236-252.		2
104	The social, relational and mental health characteristics of justice-involved men in the south-west England. Journal of Forensic Psychiatry and Psychology, 2016, 27, 835-852.	1.0	2
105	Adapting QOF to focus on wellbeing and health. BMJ: British Medical Journal, 2017, 359, j5541.	2.3	2
106	Sweden shows how the Nordic model could improve women's wellbeing and create a better society. BMJ: British Medical Journal, 2018, 362, k3629.	2.3	2
107	Status of primary and secondary mental healthcare of people with severe mental illness: an epidemiological study from the UK PARTNERS2 programme. BJPsych Open, 2021, 7, e53.	0.7	2
108	GPs' beliefs about their management of depression and needs for supporting change in practice.. Primary Care and Community Psychiatry, 2003, 8, 121-125.	0.4	2

#	ARTICLE	IF	CITATIONS
109	Roles undertaken by graduate mental health workers across South West England. Primary Care and Community Psychiatry, 2006, 11, 21-27.	0.4	2
110	Utilising theories of change to understand the engagement of general practitioners in service improvement: a formative evaluation of the Lewisham Depression Programme. Quality in Primary Care, 2008, 16, 17-26.	0.8	2
111	Care for common mental health problems: applying evidence beyond RCTs. Family Practice, 2012, 29, 3-7.	1.9	1
112	Fit for work? How GPs'™ decisions about fitness to work can improve health. British Journal of General Practice, 2015, 65, 338-339.	1.4	1
113	Using interpersonal process recall to understand empowerment processes in a collaborative care intervention for people with a diagnosis of psychosis. Psychosis, 2019, 11, 350-361.	0.8	1
114	GP trainee responses to using SHERPA for multimorbidity consultations. Education for Primary Care, 2021, 32, 272-279.	0.6	1
115	Recognizing and managing psychosis in primary care. Psychiatry (Abingdon, England), 2005, 4, 61-64.	0.2	0
116	Recognizing and managing psychosis in primary care. Psychiatry (Abingdon, England), 2008, 7, 477-481.	0.2	0
117	Invest in community-based solutions that address individuals'™ needs: not more beds. British Journal of General Practice, 2015, 65, 174.2-175.	1.4	0
118	Supporting help-seeking across the ages by reducing our use of stigmatising labels. British Journal of General Practice, 2017, 67, 112.1-112.	1.4	0
119	Mental Health in Offenders and Prison Populations. , 0, , 343-352.		0