Richard Byng

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1154651/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Development and Internal Evaluation of a Predictive Model to Identify for Whom Mindfulness-Based Cognitive Therapy Offers Superior Relapse Prevention for Recurrent Depression Versus Maintenance Antidepressant Medication. Clinical Psychological Science, 2023, 11, 59-76.	4.0	5
2	Impact of â€~Enhanced' Intermediate Care Integrating Acute, Primary and Community Care and the Voluntary Sector in Torbay and South Devon, UK. International Journal of Integrated Care, 2022, 22, 14.	0.2	5
3	Sex, gender and gender identity: a re-evaluation of the evidence. BJPsych Bulletin, 2021, 45, 291-299.	1.1	17
4	Asking about self-harm and suicide in primary care: Moral and practical dimensions. Patient Education and Counseling, 2021, 104, 826-835.	2.2	13
5	Status of primary and secondary mental healthcare of people with severe mental illness: an epidemiological study from the UK PARTNERS2 programme. BJPsych Open, 2021, 7, e53.	0.7	2
6	GP trainee responses to using SHERPA for multimorbidity consultations. Education for Primary Care, 2021, 32, 272-279.	0.6	1
7	Evaluation of a primary care-based collaborative care model (PARTNERS2) for people with diagnoses of schizophrenia, bipolar, or other psychoses: study protocol for a cluster randomised controlled trial. BJGP Open, 2021, 5, BJGPO.2021.0033.	1.8	3
8	Long covid clinics should be run as research hubs. BMJ, The, 2021, 374, n1996.	6.0	5
9	Improving care transfers for homeless patients after hospital discharge: a realist evaluation. Health Services and Delivery Research, 2021, 9, 1-186.	1.4	5
10	What approaches to social prescribing work, for whom, and in what circumstances? A realist review. Health and Social Care in the Community, 2020, 28, 309-324.	1.6	167
11	"Every structure we're taught goes out the windowâ€: General practitioners' experiences of providing help for patients with emotional concerns'. Health and Social Care in the Community, 2020, 28, 260-269.	1.6	9
12	Managerial workarounds in three European DRG systems. Journal of Health Organization and Management, 2020, 34, 295-311.	1.3	11
13	Integrating the voluntary sector in personalised care: mixed methods study of the outcomes from wellbeing co-ordination for adults with complex needs. Journal of Integrated Care, 2020, 28, 405-418.	0.5	3
14	Should we, can we, halt the rise in prescribing for pain and distress?. British Journal of General Practice, 2020, 70, 432-433.	1.4	4
15	Use of the Patient Health Questionnaire (PHQ-9) in Practice: Interactions between patients and physicians. Qualitative Health Research, 2020, 30, 2146-2159.	2.1	19
16	Patients' experiences of seeking help for emotional concerns in primary care: doctor as drug, detective and collaborator. BMC Family Practice, 2020, 21, 35.	2.9	7
17	Barriers and facilitators to GP–patient communication about emotional concerns in UK primary care: a systematic review. Family Practice, 2020, 37, 434-444.	1.9	24
18	Capturing the Role of Context in Complex System Change: An Application of the Canadian Context and Capabilities for Integrating Care (CCIC) Framework to an Integrated Care Organisation in the UK. International Journal of Integrated Care, 2020, 20, 4.	0.2	6

#	Article	lF	CITATIONS
19	Recovery from recurrent depression with mindfulness-based cognitive therapy and antidepressants: a qualitative study with illustrative case studies. BMJ Open, 2020, 10, e033892.	1.9	5
20	Does a social prescribing â€~holistic' link-worker for older people with complex, multimorbidity improve well-being and frailty and reduce health and social care use and costs? A 12-month before-and-after evaluation. Primary Health Care Research and Development, 2019, 20, e135.	1.2	46
21	Using interpersonal process recall to understand empowerment processes in a collaborative care intervention for people with a diagnosis of psychosis. Psychosis, 2019, 11, 350-361.	0.8	1
22	Validation of the person-centred coordinated care experience questionnaire (P3CEQ). International Journal for Quality in Health Care, 2019, 31, 506-512.	1.8	21
23	Gender incongruence in children, adolescents, and adults. British Journal of General Practice, 2019, 69, 170-171.	1.4	8
24	From mental disorder to shared understanding: a non-categorical approach to support individuals with distress in primary care. British Journal of General Practice, 2019, 69, 110-111.	1.4	5
25	Refining a model of collaborative care for people with a diagnosis of bipolar, schizophrenia or other psychoses in England: a qualitative formative evaluation. BMC Psychiatry, 2019, 19, 7.	2.6	17
26	Longitudinal evaluation of a countywide alternative to the Quality and Outcomes Framework in UK General Practice aimed at improving Person Centred Coordinated Care. BMJ Open, 2019, 9, e029721.	1.9	8
27	Reflections on the Researcher-in-Residence model co-producing knowledge for action in an Integrated Care Organisation: a mixed methods case study using an impact survey and field notes. Evidence and Policy, 2019, 15, 197-215.	1.0	22
28	Building programme theory to develop more adaptable and scalable complex interventions: Realist formative process evaluation prior to full trial. Evaluation, 2019, 25, 149-170.	1.8	40
29	Women offenders: Promoting a holistic approach and continuity of care across criminal justice and health interventions. Criminology and Criminal Justice, 2019, 19, 385-403.	1.3	9
30	Causes of death among homeless people: a population-based cross-sectional study of linked hospitalisation and mortality data in England Wellcome Open Research, 2019, 4, 49.	1.8	85
31	Individual health trainers to support health and well-being for people under community supervision in the criminal justice system: the STRENGTHEN pilot RCT. Public Health Research, 2019, 7, 1-136.	1.3	6
32	Exploring how patients respond to GP recommendations for mental health treatment: an analysis of communication in primary care consultations. BJGP Open, 2019, 3, bjgpopen19X101670.	1.8	8
33	Moral narratives and mental health: rethinking understandings of distress and healthcare support in contexts of austerity and welfare reform. Palgrave Communications, 2018, 4, .	4.7	17
34	Identifying enablers and barriers to individually tailored prescribing: a survey of healthcare professionals in the UK. BMC Family Practice, 2018, 19, 17.	2.9	20
35	Improving hospital discharge arrangements for people who are homeless: A realist synthesis of the intermediate care literature. Health and Social Care in the Community, 2018, 26, e345-e359.	1.6	36
36	Personal well-being networks, social capital and severe mental illness: exploratory study. British Journal of Psychiatry, 2018, 212, 308-317.	2.8	36

#	Article	IF	CITATIONS
37	Creating and facilitating change for Personâ€Centred Coordinated Care (P3C): The development of the Organisational Change Tool (P3Câ€ <scp>OCT</scp>). Health Expectations, 2018, 21, 448-456.	2.6	12
38	Engaging "seldom heard―groups in research and intervention development: Offender mental health. Health Expectations, 2018, 21, 1104-1110.	2.6	13
39	Evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: study protocol for a randomised controlled trial. BMJ Open, 2018, 8, e017931.	1.9	14
40	The feasibility of following up prisoners, with mental health problems, after release: a pilot trial employing an innovative system, for engagement and retention in research, with a harder-to-engage population. Trials, 2018, 19, 530.	1.6	9
41	SHERPA: a new model for clinical decision making in patients with multimorbidity. Lancet, The, 2018, 392, 1397-1399.	13.7	26
42	Redesigning gender identity services: an opportunity to generate evidence. BMJ: British Medical Journal, 2018, 363, k4490.	2.3	3
43	Sweden shows how the Nordic model could improve women's wellbeing and create a better society. BMJ: British Medical Journal, 2018, 362, k3629.	2.3	2
44	Health trainer-led motivational intervention plus usual care for people under community supervision compared with usual care alone: a study protocol for a parallel-group pilot randomised controlled trial (STRENGTHEN). BMJ Open, 2018, 8, e023123.	1.9	5
45	Codesigning a Measure of Person-Centred Coordinated Care to Capture the Experience of the Patient. Journal of Patient Experience, 2018, 5, 201-211.	0.9	21
46	Pilot randomised controlled trial of the ENGAGER collaborative care intervention for prisoners with common mental health problems, near to and after release. Pilot and Feasibility Studies, 2018, 4, 15.	1.2	18
47	From programme theory to logic models for multispecialty community providers: a realist evidence synthesis. Health Services and Delivery Research, 2018, 6, 1-210.	1.4	10
48	Improving Hospital Discharge Arrangements for People who are Homeless: The Role of Specialist Integrated Care. International Journal of Integrated Care, 2018, 18, 18.	0.2	4
49	Bridging the discursive gap between lay and medical discourse in care coordination. Sociology of Health and Illness, 2017, 39, 1019-1034.	2.1	18
50	Supporting help-seeking across the ages by reducing our use of stigmatising labels. British Journal of General Practice, 2017, 67, 112.1-112.	1.4	0
51	How do healthcare professionals interview patients to assess suicide risk?. BMC Psychiatry, 2017, 17, 122.	2.6	42
52	Not all waits are equal: an exploratory investigation of emergency care patient pathways. BMC Health Services Research, 2017, 17, 436.	2.2	19
53	Realising the full potential of primary care: uniting the â€~two faces' of generalism. British Journal of General Practice, 2017, 67, 292-293.	1.4	10
54	Adapting QOF to focus on wellbeing and health. BMJ: British Medical Journal, 2017, 359, j5541.	2.3	2

#	Article	IF	CITATIONS
55	Outcomes of specialist discharge coordination and intermediate care schemes for patients who are homeless: analysis protocol for a population-based historical cohort. BMJ Open, 2017, 7, e019282.	1.9	11
56	Collaborative action for person-centred coordinated care (P3C): an approach to support the development of a comprehensive system-wide solution to fragmented care. Health Research Policy and Systems, 2017, 15, 98.	2.8	33
57	Debt Counselling for Depression in Primary Care: an adaptive randomised controlled pilot trial (DeCoDer study). Health Technology Assessment, 2017, 21, 1-164.	2.8	15
58	Variation in referral and access to new psychological therapy services by age: an empirical quantitative study. British Journal of General Practice, 2017, 67, e453-e459.	1.4	36
59	What approaches to social prescribing work, for whom, and in what circumstances? A protocol for a realist review. Systematic Reviews, 2016, 5, 93.	5.3	48
60	Implementing a patientâ€initiated review system for people with rheumatoid arthritis: a prospective, comparative service evaluation. Journal of Evaluation in Clinical Practice, 2016, 22, 439-445.	1.8	5
61	Efficacy of Mindfulness-Based Cognitive Therapy in Prevention of Depressive Relapse. JAMA Psychiatry, 2016, 73, 565.	11.0	558
62	What IAPT services can learn from those who do not attend. Journal of Mental Health, 2016, 25, 410-415.	1.9	40
63	The social, relational and mental health characteristics of justice-involved men in the south-west England. Journal of Forensic Psychiatry and Psychology, 2016, 27, 835-852.	1.0	2
64	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. Nicotine and Tobacco Research, 2016, 18, 289-297.	2.6	20
65	Fit for work? How GPs' decisions about fitness to work can improve health. British Journal of General Practice, 2015, 65, 338-339.	1.4	1
66	Pathways to suicide attempts among male offenders: the role of agency. Sociology of Health and Illness, 2015, 37, 936-951.	2.1	12
67	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. Trials, 2015, 16, 1.	1.6	108
68	Invest in community-based solutions that address individuals' needs: not more beds. British Journal of General Practice, 2015, 65, 174.2-175.	1.4	0
69	Solutions to problematic polypharmacy: learning from the expertise of patients. British Journal of General Practice, 2015, 65, 319-320.	1.4	66
70	Practices used for recommending sickness certification by general practitioners: A conversation analytic study of UK primary care consultations. Social Science and Medicine, 2015, 126, 48-58.	3.8	18
71	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. Lancet, The, 2015, 386, 63-73.	13.7	390
72	Implementing a patient-initiated review system in rheumatoid arthritis: a qualitative evaluation. BMC Health Services Research, 2015, 15, 157.	2.2	9

#	Article	IF	CITATIONS
73	Core outcome sets for use in effectiveness trials involving people with bipolar and schizophrenia in a community-based setting (PARTNERS2): study protocol for the development of two core outcome sets. Trials, 2015, 16, 47.	1.6	18
74	Improving community health networks for people with severe mental illness: a case study investigation. Health Services and Delivery Research, 2015, 3, 1-234.	1.4	31
75	NHS commissioning practice and health system governance: a mixed-methods realistic evaluation. Health Services and Delivery Research, 2015, 3, 1-184.	1.4	11
76	Integration and continuity of primary care: polyclinics and alternatives – a patient-centred analysis of how organisation constrains care co-ordination. Health Services and Delivery Research, 2015, 3, 1-148.	1.4	14
77	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). Health Technology Assessment, 2015, 19, 1-124.	2.8	49
78	The work and social adjustment scale: Reliability, sensitivity and value. International Journal of Psychiatry in Clinical Practice, 2014, 18, 131-138.	2.4	89
79	Learning from people with long-term conditions: new insights for governance in primary healthcare. Health and Social Care in the Community, 2014, 22, 405-416.	1.6	13
80	People and Teams Matter in Organizational Change: Professionals' and Managers' Experiences of Changing Governance and Incentives in Primary Care. Health Services Research, 2014, 49, 93-112.	2.0	25
81	Treatment resistant depression in primary care: Co-constructing difficult encounters. Health (United) Tj ETQq1 1	0.784314 1.5	rgBT /Oved
82	Update to the study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment depressive relapse/recurrence: the PREVENT trial. Trials, 2014, 15, 217.	1.6	12
83	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. Health Technology Assessment, 2014, 18, 1-324.	2.8	36
84	The effectiveness and cost-effectiveness of shared care: protocol for a realist review. Systematic Reviews, 2013, 2, 12.	5.3	23
85	The practice of commissioning healthcare from a private provider: learning from an in-depth case study. BMC Health Services Research, 2013, 13, S4.	2.2	15
86	How managed a market? Modes of commissioning in England and Germany. BMC Health Services Research, 2013, 13, S8.	2.2	13
87	Staff and patient experience of improving access to psychological therapy group interventions for anxiety and depression. Journal of Mental Health, 2013, 22, 456-464.	1.9	18
88	â€~Watchful waiting' or â€~active monitoring' in depression management in primary care: Exploring the recalled content of general practitioner consultations. Journal of Affective Disorders, 2013, 145, 120-125.	4.1	6
89	Assessing risk of suicide or self harm in adults. BMJ, The, 2013, 347, f4572-f4572.	6.0	22
90	Care for common mental health problems: applying evidence beyond RCTs. Family Practice, 2012, 29, 3-7.	1.9	1

#	Article	IF	CITATIONS
91	Recognition of distress and depression in primary care: how far should we go?. Family Practice, 2012, 29, 1-2.	1.9	5
92	Financial and Clinical Risk in Health Care Reform: A View from Below. Journal of Health Services Research and Policy, 2012, 17, 11-17.	1.7	8
93	What we talk about when we talk about depression: doctor-patient conversations and treatment decision outcomes. British Journal of General Practice, 2012, 62, e55-e63.	1.4	40
94	Guided self-help concreteness training as an intervention for major depression in primary care: a Phase II randomized controlled trial. Psychological Medicine, 2012, 42, 1359-1371.	4.5	165
95	Estimating probability of sustained recovery from mild to moderate depression in primary care: evidence from the THREAD study. Psychological Medicine, 2011, 41, 141-150.	4.5	10
96	What makes a realistic evaluation?. Family Medicine, 2011, 43, 112-3.	0.5	4
97	Study protocol for a randomized controlled trial comparing mindfulness-based cognitive therapy with maintenance anti-depressant treatment in the prevention of depressive relapse/recurrence: the PREVENT trial. Trials, 2010, 11, 99.	1.6	40
98	Improving access to psychological therapies: implications for mental health care in general practice. British Journal of General Practice, 2009, 59, 640-641.	1.4	11
99	The Consolations of Going Back to Prison: What â€ [~] Revolving Door' Prisoners Think of Their Prospects. Journal of Offender Rehabilitation, 2009, 48, 439-461.	0.8	43
100	Guided self-help supported by paraprofessional mental health workers: an uncontrolled before-after cohort study. Health and Social Care in the Community, 2009, 17, 9-17.	1.6	11
101	Exposing the key functions of a complex intervention for shared care in mental health: case study of a process evaluation. BMC Health Services Research, 2008, 8, 274.	2.2	79
102	Recognizing and managing psychosis in primary care. Psychiatry (Abingdon, England), 2008, 7, 477-481.	0.2	0
103	Mindfulness-based cognitive therapy to prevent relapse in recurrent depression Journal of Consulting and Clinical Psychology, 2008, 76, 966-978.	2.0	635
104	Utilising theories of change to understand the engagement of general practitioners in service improvement: a formative evaluation of the Lewisham Depression Programme. Quality in Primary Care, 2008, 16, 17-26.	0.8	2
105	Understanding help seeking behaviour among male offenders: qualitative interview study. BMJ: British Medical Journal, 2007, 334, 303.	2.3	114
106	Impact of graduate mental health workers upon primary care mental health: a qualitative study. Health and Social Care in the Community, 2007, 15, 486-493.	1.6	11
107	Under/over-recruitment to mental health trials. Acta Psychiatrica Scandinavica, 2007, 116, 158-158.	4.5	10
108	Primary care professionals' perceptions of depression in older people: a qualitative study. Social Science and Medicine, 2006, 63, 1363-1373.	3.8	89

#	Article	IF	CITATIONS
109	Concepts and Causation of Depression: A Cross-Cultural Study of the Beliefs of Older Adults. Gerontologist, The, 2006, 46, 23-32.	3.9	85
110	Roles undertaken by graduate mental health workers across South West England. Primary Care and Community Psychiatry, 2006, 11, 21-27.	0.4	2
111	Recognizing and managing psychosis in primary care. Psychiatry (Abingdon, England), 2005, 4, 61-64.	0.2	0
112	Using Realistic Evaluation to Evaluate a Practice-level Intervention to Improve Primary Healthcare for Patients with Long-term Mental Illness. Evaluation, 2005, 11, 69-93.	1.8	129
113	Mental Health Link: the development and formative evaluation of a complex intervention to improve shared care for patients with long-term mental illness. Journal of Evaluation in Clinical Practice, 2004, 10, 27-36.	1.8	25
114	Link Workers and Liaison with Primary Care: Lessons from Case Studies. Mental Health Review Journal, 2004, 9, 13-18.	0.7	3
115	Exploratory cluster randomised controlled trial of shared care development for long-term mental illness. British Journal of General Practice, 2004, 54, 259-66.	1.4	33
116	GPs' beliefs about their management of depression and needs for supporting change in practice Primary Care and Community Psychiatry, 2003, 8, 121-125.	0.4	2
117	Primary mental health care in Nicaragua. Social Science and Medicine, 1993, 36, 625-629.	3.8	3
118	Achieving optimal treatment organisation in different countries. , 0, , 236-252.		2
119	Mental Health in Offenders and Prison Populations. , 0, , 343-352.		Ο