Bradley N Axelrod

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/11551263/publications.pdf Version: 2024-02-01



RDADLEY N AVELDOD

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Differentiating poor validity from probable impairment on the medical symptom validity test: a cross-validation study. International Journal of Neuroscience, 2019, 129, 217-224. | 0.8 | Ο |
| 2 | Strategies of successful and unsuccessful simulators coached to feign traumatic brain injury. Clinical Neuropsychologist, 2017, 31, 644-653. | 1.5 | 32 |
| 3 | Clinimetric validity of the Trail Making Test Czech version in Parkinson's disease and normative data for older adults. Clinical Neuropsychologist, 2017, 31, 42-60. | 1.5 | 12 |
| 4 | Use of Latent Class Analysis to define groups based on validity, cognition, and emotional functioning. Clinical Neuropsychologist, 2017, 31, 1087-1099. | 1.5 | 6 |
| 5 | Is Co-norming Required?. Archives of Clinical Neuropsychology, 2015, 30, 611-633. | 0.3 | 17 |
| 6 | Making Sure Neuropsychological Data Are Meaningful: Use of Performance Validity Testing in Medicolegal and Clinical Contexts. Psychological Injury and Law, 2015, 8, 100-105. | 1.0 | 29 |
| 7 | The Prague Stroop Test: Normative standards in older Czech adults and discriminative validity for mild cognitive impairment in Parkinson's disease. Journal of Clinical and Experimental Neuropsychology, 2015, 37, 794-807. | 0.8 | 33 |
| 8 | Wechsler Adult Intelligence Scale–IV Dyads for Estimating Global Intelligence. Assessment, 2015, 22, 441-448. | 1.9 | 32 |
| 9 | Czech version of Rey Auditory Verbal Learning test: Normative data. Aging, Neuropsychology, and Cognition, 2014, 21, 693-721. | 0.7 | 54 |
| 10 | Finger Tapping Test Performance as a Measure of Performance Validity. Clinical Neuropsychologist, 2014, 28, 876-888. | 1.5 | 59 |
| 11 | Comparisons of Five Performance Validity Indices in Bona Fide and Simulated Traumatic Brain Injury. Clinical Neuropsychologist, 2014, 28, 851-875. | 1.5 | 42 |
| 12 | Cross-Validation of Supplemental Test of Memory Malingering Scores as Performance Validity Measures. Psychological Injury and Law, 2014, 7, 236-244. | 1.0 | 59 |
| 13 | Number of impaired scores as a performance validity indicator. Journal of Clinical and Experimental Neuropsychology, 2013, 35, 413-420. | 0.8 | 14 |
| 14 | WAIS-IV Reliable Digit Span is no More Accurate Than Age Corrected Scaled Score as an Indicator of Invalid Performance in a Veteran Sample Undergoing Evaluation for mTBI. Clinical Neuropsychologist, 2013, 27, 1362-1372. | 1.5 | 75 |
| 15 | Parsimonious Estimation of the Wechsler Memory Scale, Fourth Edition Demographically Adjusted Index Scores: Immediate and Delayed Memory. Clinical Neuropsychologist, 2012, 26, 490-500. | 1.5 | 1 |
| 16 | Performance Validity and Neuropsychological Outcomes in Litigants and Disability Claimants. Clinical Neuropsychologist, 2012, 26, 850-865. | 1.5 | 17 |
| 17 | Derivation of an Embedded Rey Auditory Verbal Learning Test Performance Validity Indicator. Clinical Neuropsychologist, 2012, 26, 1397-1408. | 1.5 | 20 |
| 18 | Czech Version of the Trail Making Test: Normative Data and Clinical Utility. Archives of Clinical Neuropsychology, 2012, 27, 906-914. | 0.3 | 70 |

BRADLEY N AXELROD

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Parsimonious prediction of Wechsler Memory Scale, Fourth Edition scores: Immediate and delayed memory indexes. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 531-542. | 0.8 | 6 |
| 20 | Concurrent Validity of Three Forced-Choice Measures of Symptom Validity. Applied Neuropsychology, 2011, 18, 27-33. | 1.5 | 31 |
| 21 | Embedded Symptom Validity Tests and Overall Neuropsychological Test Performance. Archives of Clinical Neuropsychology, 2011, 26, 8-15. | 0.3 | 110 |
| 22 | Comparison of WAIS-III Short Forms for Measuring Index and Full-Scale Scores. Assessment, 2010, 17, 400-405. | 1.9 | 25 |
| 23 | Analysis of the dementia profile on The Medical Symptom Validity Test. Clinical Neuropsychologist, 2010, 24, 873-881. | 1.5 | 40 |
| 24 | Folic acid supplementation inhibits recurrence of colorectal adenomas: A randomized chemoprevention trial. World Journal of Gastroenterology, 2008, 14, 4492. | 1.4 | 86 |
| 25 | Agitation in Acquired Brain Injury. Journal of Head Trauma Rehabilitation, 2007, 22, 177-183. | 1.0 | 66 |
| 26 | Detecting Incomplete Effort with Digit Span from the Wechsler Adult Intelligence Scale—Third Edition. Clinical Neuropsychologist, 2006, 20, 513-523. | 1.5 | 131 |
| 27 | Interpreting symptoms in military personnel after combat. Lancet, The, 2006, 367, 1709-1710. | 6.3 | 4 |
| 28 | Psychometric properties of the rehabilitation therapy engagement scale when used among individuals with acquired brain injury Rehabilitation Psychology, 2006, 51, 331-337. | 0.7 | 30 |
| 29 | Folic acid reduces nuclear translocation of β-catenin in rectal mucosal crypts of patients with colorectal adenomas. Cancer Letters, 2004, 206, 27-33. | 3.2 | 13 |
| 30 | Validity of the Wechsler Abbreviated Scale of Intelligence and Other Very Short Forms of Estimating Intellectual Functioning. Assessment, 2002, 9, 17-23. | 1.9 | 205 |
| 31 | Comparison of seven-subtest and Satz-Mogel short forms of the WAIS-III. Journal of Clinical Psychology, 2002, 58, 773-782. | 1.0 | 16 |
| 32 | Evaluation of seven-subtest short forms of the Wechsler Adult Intelligence Scale-III in a referred sample. Archives of Clinical Neuropsychology, 2001, 16, 1-8. | 0.3 | 33 |
| 33 | Cross Validation of Prediction Equations for Wechsler Memory Scale-Ill Indexes. Assessment, 2001, 8, 367-372. | 1.9 | 6 |
| 34 | Prorating Wechsler Adult Intelligence Scale-III summary scores. , 2000, 56, 807-811. | | 28 |
| 35 | Estimation of Wechsler Adult Intelligence Scale-Ill Index Scores with the 7-Subtest Short form in a Clinical Sample. Assessment, 2000, 7, 157-161. | 1.9 | 25 |
| 36 | Creating Interpretation Guidelines for the Hebrew Trail Making Test. Applied Neuropsychology, 2000, 7, 186-188. | 1.5 | 24 |

BRADLEY N AXELROD

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Clinical Utility of Incomplete Effort WAIS-R Formulas. Journal of Forensic Neuropsychology, 1999, 1, 15-27. | 0.7 | 16 |
| 38 | Comparing Methods for Estimating Premorbid Intellectual Functioning. Archives of Clinical Neuropsychology, 1999, 14, 341-346. | 0.3 | 48 |
| 39 | WAIS-R Prediction Equations in Patients with Traumatic Brain Injury. Journal of Clinical and Experimental Neuropsychology, 1999, 21, 368-374. | 0.8 | 8 |
| 40 | Comparing Methods for Estimating Premorbid Intellectual Functioning. Archives of Clinical Neuropsychology, 1999, 14, 341-346. | 0.3 | 16 |
| 41 | Evaluation of Two Brief and Reliable Estimates of the Wais-R. International Journal of Neuroscience, 1998, 94, 85-91. | 0.8 | 5 |
| 42 | Intermanual and Alternate-Form Equivalence on the Trail Making Tests. Journal of Clinical and Experimental Neuropsychology, 1998, 20, 107-110. | 0.8 | 19 |
| 43 | Effects of Coaching on Malingered Motor Function Profiles. Journal of Clinical and Experimental Neuropsychology, 1998, 20, 89-97. | 0.8 | 26 |
| 44 | Effects of Practice in Repeated Administrations of the Wechsler Memory Scale-Revised in Normal Adults. Assessment, 1998, 5, 85-92. | 1.9 | 65 |
| 45 | Utility of WAIS-R seven-subtest short form as applied to the standardization sample Psychological Assessment, 1998, 10, 33-37. | 1.2 | 15 |
| 46 | Comparison of WAIS-R Selected Subtest Short Forms in a Mixed Clinical Population. Assessment, 1997, 4, 409-417. | 1.9 | 10 |
| 47 | Do Normative Data From the Full WCST Extend to the Abbreviated WCST?. Assessment, 1997, 4, 41-46. | 1.9 | 13 |
| 48 | Gulf war veterans: A neuropsychological examination. Journal of Clinical and Experimental Neuropsychology, 1997, 19, 211-219. | 0.8 | 27 |
| 49 | Relationship of iq to verbal learning and memory: Test and retest. Journal of Clinical and Experimental Neuropsychology, 1997, 19, 655-666. | 0.8 | 47 |
| 50 | Application of the oral trail making test to a mixed clinical sample. Archives of Clinical Neuropsychology, 1996, 11, 697-701. | 0.3 | 16 |
| 51 | Cross-validation of predicted Wechsler Memory Scale—Revised scores Psychological Assessment, 1996, 8, 73-75. | 1.2 | 13 |
| 52 | Estimation of WAIS—R premorbid intelligence: Current ability and demographic data used in a best-performance fashion Psychological Assessment, 1996, 8, 404-411. | 1.2 | 48 |
| 53 | Corrected estimates of WAIS—R short form reliability and standard error of measurement Psychological Assessment, 1996, 8, 222-223. | 1.2 | 21 |
| 54 | Utility of a Wisconsin card sorting test short form in persons with Alzheimer's and Parkinson's disease. Journal of Clinical and Experimental Neuropsychology, 1996, 18, 892-897. | 0.8 | 52 |

BRADLEY N AXELROD

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Use of demographic corrections in neuropsychological interpretation: How standard are standard scores?. Clinical Neuropsychologist, 1996, 10, 159-162. | 1.5 | 13 |
| 56 | Test-Retest Stability of the Wisconsin Card Sorting Test. Assessment, 1996, 3, 137-143. | 1.9 | 35 |
| 57 | Parsimonious prediction of Wechsler Memory Scale—Revised memory indices Psychological Assessment, 1995, 7, 445-449. | 1.2 | 34 |
| 58 | Analysis of an Oral Paradigm for the Trail Making Test. Assessment, 1994, 1, 47-51. | 1.9 | 124 |
| 59 | Comparison of Four Wisconsin Card Sorting Test Scoring Guides with Novice Raters. Assessment, 1994, 1, 115-121. | 1.9 | 24 |
| 60 | Factor structure of the negative symptom assessment. Psychiatry Research, 1994, 52, 173-179. | 1.7 | 28 |
| 61 | Administration accuracy of the wisconsin card sorting test. Neuropsychology, Development and Cognition Section D: the Clinical Neuropsychologist, 1994, 8, 112-116. | 1.4 | 10 |
| 62 | Validation of the 16-item negative symptom assessment. Journal of Psychiatric Research, 1993, 27, 253-258. | 1.5 | 104 |
| 63 | Performance of adults ages 20 to 90 on the abbreviated Wisconsin card sorting test. Neuropsychology, Development and Cognition Section D: the Clinical Neuropsychologist, 1993, 7, 205-209. | 1.4 | 35 |
| 64 | Training novice raters on the Negative Symptom Assessment scale. Schizophrenia Research, 1993, 9, 25-28. | 1.1 | 9 |
| 65 | Interrater reliability in scoring the Wisconsin card sorting test. Neuropsychology, Development and Cognition Section D: the Clinical Neuropsychologist, 1992, 6, 143-155. | 1.4 | 36 |
| 66 | Analysis of an abbreviated form of the Wisconsin card sorting test. Neuropsychology, Development and Cognition Section D: the Clinical Neuropsychologist, 1992, 6, 27-31. | 1.4 | 53 |