

Xiang Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1155531/publications.pdf>

Version: 2024-02-01

89
papers

1,297
citations

394421

19
h-index

477307

29
g-index

89
all docs

89
docs citations

89
times ranked

327
citing authors

#	ARTICLE	IF	CITATIONS
1	Enhanced temperature coefficient of resistance and magnetoresistance of Co-doped La _{0.67} Ca _{0.33} MnO ₃ polycrystalline ceramics. <i>Ceramics International</i> , 2022, 48, 407-414.	4.8	8
2	Large temperature coefficient of resistivity (TCR) of La _{1-x} Ca _x MnO ₃ films prepared by spin-coating method. <i>Journal of Alloys and Compounds</i> , 2022, 890, 161788.	5.5	7
3	High-performance La _{0.75} K _{0.25} MnO ₃ :xAg ₂ O composites based on electron-lattice and electron-magnetic coupling mechanism. <i>Journal of Alloys and Compounds</i> , 2022, 895, 162555.	5.5	7
4	Bivalent Sr ²⁺ doping to improve room-temperature TCR of La _{0.8} Sr _{0.2} MnO ₃ polycrystalline ceramics. <i>Journal of Alloys and Compounds</i> , 2022, 902, 163691.	5.5	2
5	A-site Ca/Sr co-doping to optimize room-temperature TCR of La _{0.7} Ca _{0.3} Sr _x MnO ₃ films. <i>Ceramics International</i> , 2022, 48, 11094-11102.	4.8	9
6	Optimization of temperature coefficient of resistivity of La _{0.7} Ca _{0.2} Sr _x K _{0.1} MnO ₃ films by Sr at room-temperature. <i>Applied Physics A: Materials Science and Processing</i> , 2022, 128, 1.	2.3	3
7	Adjusting the K-doping of La _{1-x} K _x MnO ₃ (0.1 ≤ x ≤ 0.35) films to obtain high TCR and LFMR at room-temperature. <i>Applied Surface Science</i> , 2022, 589, 152905.	6.1	10
8	Effect of deposition time on electrical properties of La _{0.67} Ca _{0.33} MnO ₃ :Ag _{0.2} thin films by pulsed laser deposition. <i>Applied Physics A: Materials Science and Processing</i> , 2022, 128, 1.	2.3	1
9	Co-optimization of Na and K doping for improved room-temperature TCR of La _{0.7} (Na _{0.3-x} K _x)MnO ₃ polycrystalline ceramics. <i>Ceramics International</i> , 2022, 48, 24290-24297.	4.8	5
10	Impact of the transition metal ion-doped on the electrical and magnetic properties of La _{0.67} Ca _{0.33} MnO ₃ Ag _{0.15} -based polycrystalline ceramics. <i>Advanced Powder Technology</i> , 2022, 33, 103714.	4.1	0
11	Structural, electrical and magnetic transport properties of Pr _{1-x} Sr _x MnO ₃ (0.30 ≤ x ≤ 0.35) ceramics prepared by sol-gel method. <i>Journal of Magnetism and Magnetic Materials</i> , 2022, 560, 169679.	2.3	3
12	Optimization of room-temperature TCR of polycrystalline La _{0.9} Sr _{0.1} K _{0.1} MnO ₃ ceramics by Sr adjustment. <i>Ceramics International</i> , 2021, 47, 94-101.	4.8	10
13	High-density sol-gel derived, cold-isostatically pressed La _{0.67} Ca _{0.27} Sr _{0.06} MnO ₃ polycrystalline ceramics and their room-temperature TCR improvement. <i>Ceramics International</i> , 2021, 47, 7674-7682.	4.8	3
14	Improved room-temperature TCR and MR of La _{0.9-x} K _x Ca _{0.1} MnO ₃ ceramics by A-sites vacancy and disorder degree adjustment. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 8848-8862.	2.2	8
15	A comparative study on high TCR and MR of La _{0.67} Ca _{0.33} MnO ₃ polycrystalline ceramics prepared by solid-state and sol-gel methods. <i>Ceramics International</i> , 2021, 47, 13469-13479.	4.8	32
16	TCR and MR room-temperature enhancing mechanism of La _{0.7} K _{0.3} Sr _x MnO ₃ ceramics for uncooling infrared bolometers and magnetic sensor devices. <i>Ceramics International</i> , 2021, 47, 18931-18941.	4.8	12
17	High room-temperature TCR of La _{0.7} (K _{0.25} Sr _{0.05})MnO ₃ :xAg ₂ O composites obtained at optimized Ag ₂ O ratio. <i>Journal of Alloys and Compounds</i> , 2021, 873, 159762.	5.5	2
18	Significantly enhanced room-temperature TCR and MR of La _{0.67} K _{0.33} Sr _x MnO ₃ ceramics by adjusting Sr content. <i>Ceramics International</i> , 2021, 47, 33202-33202.	4.8	4

#	ARTICLE	IF	CITATIONS
19	Electrical properties of La _{0.72} Ca _{0.28} MnO ₃ :Ag _{0.2} thin films of different deposition time prepared by deposited pulsed laser method. Journal of Materials Science: Materials in Electronics, 2021, 32, 22999-23006.	2.2	0
20	Impact of K doping on room-temperature temperature coefficient of resistivity of La _{0.7} (Ag _{0.3} -K) _{0.160} x _{0.180} polycrystalline ceramics. Ceramics International, 2021, 47, 24721-24731.	4.8	9
21	Using spin coating method to prepare near room-temperature TCR of La _{0.7} Ca _{0.205} Sr _{0.095} MnO ₃ films for uncooled infrared bolometers. Journal of Alloys and Compounds, 2021, 876, 160173.	5.5	12
22	A-site Na-doping to enhance room-temperature TCR of La ₁ -Na MnO ₃ polycrystalline ceramics. Materials Today Communications, 2021, 28, 102496.	1.9	6
23	Improved room-temperature TCR of La _{0.7} Ag _{0.125} K _{0.175} MnO ₃ films by optimizing sintering temperatures. Applied Surface Science, 2021, 570, 151222.	6.1	14
24	High room-temperature TCR and MR of La ₁ -Sr MnO ₃ thin films for advanced uncooled infrared bolometers and magnetic sensors. Applied Surface Science, 2021, 570, 151221.	6.1	13
25	Co-optimization of matrix phase and second phase for improved room-temperature TCR of (La _{0.6} Na _{0.4} MnO ₃) ₁ ~Ag composites. Materials Letters, 2021, 304, 130714.	2.6	4
26	Electrical transport properties of (Pr ₁ -La) _{0.7} Sr _{0.3} MnO ₃ (0 ~ x ~ 0.3) polycrystalline ceramics prepared by sol-gel process for potential room temperature bolometer use. Ceramics International, 2020, 46, 4984-4991.	4.8	21
27	Effect of Na-doping on structural, electrical, and magnetoresistive properties of La _{0.7} (Ag _{0.3} -Na) ₁ Tj ETQq1 1 0.784314 rgBT /Overlock	4.8	18
28	Influence of different post-annealing temperatures on physical properties of La _{0.72} Ca _{0.28} MnO ₃ :Ag _{0.2} thin films by pulsed laser deposition technique. Ceramics International, 2020, 46, 6418-6423.	4.8	7
29	Enhanced room-temperature TCR of La _{0.67} Ca _{0.33} -Sr MnO ₃ (0.06 ~ x ~ 0.11) polycrystalline ceramics by Sr content adjustment. Ceramics International, 2020, 46, 7568-7575.	4.8	14
30	Utilization of metallic Ag and Ag ⁺ ions to optimize room-temperature TCR and MR of La _{0.7} (Ca _{0.205} Sr _{0.095})MnO ₃ :Ag _{0.2} O composites. Journal of Materials Chemistry C, 2020, 8, 17054-17064.	5.5	24
31	A-site K-doping to enhance room-temperature TCR of polycrystalline La _{0.8} Sr _{0.2} -K MnO ₃ ceramics. Journal of Alloys and Compounds, 2020, 847, 156417.	5.5	16
32	A-site mixed-valence co-doping to optimize room-temperature TCR of polycrystalline La _{0.8} K _{0.04} Ca _{0.16} -Sr MnO ₃ ceramics. Ceramics International, 2020, 46, 20640-20651.	4.8	16
33	Influence of Ag doping on room-temperature TCR of La _{0.67} Sr _{0.33} ~xAgxMnO ₃ polycrystalline ceramics. Journal of Materials Science: Materials in Electronics, 2020, 31, 12389-12397.	2.2	3
34	Strain-Insensitive Elastic Surface Electromyographic (sEMG) Electrode for Efficient Recognition of Exercise Intensities. Micromachines, 2020, 11, 239.	2.9	8
35	(Pr _{0.75} La _{0.25}) _{0.7} Sr _{0.3} MnO ₃ :Ag (0 ~ x ~ 0.25) polycrystalline ceramics with room-temperature TCR improvement for uncooled infrared bolometers. Ceramics International, 2020, 46, 19028-19037.	4.8	9
36	Electrical and magnetic properties of La ₁ -Ag MnO ₃ (0 ~ x ~ 0.5) polycrystalline ceramics by combination of first principles calculations and experimental methods. Journal of Alloys and Compounds, 2019, 808, 151709.	5.5	17

#	ARTICLE	IF	CITATIONS
37	Laser-induced transverse voltage in (111)-oriented TiO_{1+x} epitaxial thin films with cubic structure. <i>Applied Physics Letters</i> , 2019, 114, .	3.3	4
38	Electrical conduction in $\text{La}_{0.85}\text{Sr}_{0.15}\text{MnO}_3\text{:Ag}$ (0 at% x at% 0.5) ceramics with large room-temperature TCR. <i>Ceramics International</i> , 2019, 45, 24070-24077.	4.8	12
39	Room-temperature TCR and low-field MR of $\text{La}_{0.7}\text{Ca}_{0.3}\text{-Sr MnO}_3$ (0.06 at% x at% 0.1) polycrystalline ceramics. <i>Ceramics International</i> , 2019, 45, 21448-21456.	4.8	14
40	$\text{La}_{0.67}(\text{Ca}_{0.24}\text{Sr}_{0.09})\text{MnO}_3\text{:xAg}_2\text{O}$ (0 at% x at% 0.25) composites with improved room-temperature TCR and MR for advanced uncooling infrared bolometers and magnetic sensors. <i>Applied Surface Science</i> , 2019, 493, 448-457.	6.1	31
41	Influence of Ag on TCR and MR of $\text{La}_{0.7}(\text{Ca}_{0.27}\text{Sr}_{0.03})\text{MnO}_3\text{:Ag}_{0.2}$ ceramics subjected to cross magnetic fields. <i>Ceramics International</i> , 2019, 45, 20396-20404.	4.8	8
42	Structural, electrical and magnetic properties of $\text{La}_{0.625}\text{Ca}_{0.285}\text{Sr}_{0.09}\text{MnO}_3$ polycrystalline ceramics doped with Ag_2O . <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 19862-19870.	2.2	6
43	$\text{La}_{0.7}\text{Ca}_{0.3}\text{-Sr MnO}_3\text{:Ag}_{0.2}$ (0.0165 at% x at% 0.1) ceramics with large and stable TCR in different magnetic field environments. <i>Ceramics International</i> , 2019, 45, 24742-24749.	4.8	9
44	Impact of Ag doping on the structural, surface morphologic and electrical properties of $\text{La}_{0.625}(\text{Ca}_{0.285}\text{Sr}_{0.09})\text{MnO}_3$ polycrystalline ceramics. <i>Journal of Alloys and Compounds</i> , 2019, 811, 152018.	5.5	6
45	Electrical transport properties of $\text{La}_{0.845}\text{Sr}_{0.155}\text{MnO}_3\text{:K}$ (0 at% x at% 0.2) composites. <i>Journal of Alloys and Compounds</i> , 2019, 810, 151908.	5.5	29
46	Improved electrical transport properties of polycrystalline $\text{La}_{0.8}(\text{Ca}_{0.12}\text{Sr}_{0.08})\text{MnO}_3$ ceramics by Ag_2O doping. <i>RSC Advances</i> , 2019, 9, 1939-1948.	3.6	9
47	Enhanced room temperature coefficient of resistivity (RT-TCR) and broad metal-insulator transition temperature (TMI) of $\text{La}_{0.67}\text{Ca}_{0.33}\text{-Ag MnO}_3$ polycrystalline ceramics. <i>Ceramics International</i> , 2019, 45, 17073-17080.	4.8	16
48	Dependence of the electrical and magnetic properties of $\text{La}_{0.845}\text{Sr}_{0.155}\text{MnO}_3\text{:Ag}_{0.4}$ ceramics on its sintering time. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 12647-12658.	2.2	8
49	Dependence on sintering temperature of structure, optical and magnetic properties of $\text{La}_{0.625}\text{Ca}_{0.315}\text{Sr}_{0.06}\text{MnO}_3$ perovskite nanoparticles. <i>Ceramics International</i> , 2019, 45, 17467-17475.	4.8	25
50	Effect of sintering temperature on room-temperature electrical and magnetic properties of $\text{La}_{0.625}(\text{Ca}_{0.315}\text{Sr}_{0.06})\text{MnO}_3$ polycrystalline ceramics. <i>Materials Research Express</i> , 2019, 6, 086326.	1.6	4
51	Electrical and magnetic properties of $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ (0.1 at% x at% 0.25) ceramics prepared by sol-gel technique. <i>Ceramics International</i> , 2019, 45, 16323-16330.	4.8	35
52	Improvement of electromagnetic properties at room temperature in $\text{La}_{0.625}\text{Ca}_{0.375}\text{-Sr MnO}_3\text{:Ag}_{0.2}$ (x =) $\text{Tj ETQq000rgBT}_8/\text{Overlock}$	4.8	8
53	Structure and electromagnetic properties of $\text{La}_{0.7}\text{Ca}_{0.3}\text{-K MnO}_3$ polycrystalline ceramics. <i>Ceramics International</i> , 2019, 45, 10558-10564.	4.8	36
54	Structural and electrical properties of $\text{La}_{0.67}(\text{Ca}_{0.3}\text{Sr}_{0.03})\text{MnO}_3$ composites prepared with added Ag. <i>Journal of Alloys and Compounds</i> , 2019, 794, 365-373.	5.5	11

#	ARTICLE	IF	CITATIONS
55	Modulation of room-temperature TCR and MR in $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ polycrystalline ceramics via Sr doping. Journal of Sol-Gel Science and Technology, 2019, 90, 221-229.	2.4	23
56	Polycrystalline $\text{La}_{0.845}\text{Sr}_{0.155}\text{MnO}_3\text{:Ag}$ ceramics (O^{2-} vacancy concentration 0.5) with room-temperature TCR and MR for improved uncooling photoelectric and magnetic devices. Ceramics International, 2019, 45, 12162-12168.	4.8	15
57	Electrical transport properties and enhanced broad-temperature-range low field magnetoresistance in LCMO ceramics by Sm_2O_3 adding. Journal of Alloys and Compounds, 2019, 790, 240-247.	5.5	19
58	Influence of Ag doping on electrical and magnetic properties of $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ polycrystalline ceramics. Ceramics International, 2019, 45, 11006-11012.	4.8	35
59	$\text{La}_{1-x}\text{Sr}_x\text{MnO}_3\text{:Ag}_{0.2}$ ($0.1 \leq x \leq 0.2$) ceramics with large room-temperature TCR for uncooled infrared bolometers. Journal of the European Ceramic Society, 2019, 39, 352-357.	5.7	58
60	Improvement of room-temperature TCR and MR in polycrystalline $\text{La}_{0.67}(\text{Ca}_{0.27}\text{Sr}_{0.06})\text{MnO}_3$ ceramics by Ag_2O doping. Ceramics International, 2018, 44, 9865-9874.	4.8	46
61	Large temperature coefficient of resistance at near room temperature in Sr-doped $\text{La}_{0.72}\text{Ca}_{0.28}\text{MnO}_3\text{:Ag}_{0.2}$ polycrystalline composites. Ceramics International, 2018, 44, 1778-1784.	4.8	1
62	Enhanced room-temperature MR and TCR in polycrystalline $\text{La}_{0.67}(\text{Ca}_{0.33-x}\text{Sr}_x)\text{MnO}_3$ ceramics by oxygen assisted sintering. Ceramics International, 2018, 44, 2400-2406.	4.8	51
63	First-principles study on the electronic structure and optical properties of $\text{La}_{0.75}\text{Sr}_{0.25}\text{MnO}_{3-\delta}$ materials with oxygen vacancies defects. Current Applied Physics, 2018, 18, 200-208.	2.4	15
64	Influence of Ag doping on electrical and magnetic properties of $\text{La}_{0.625}(\text{Ca}_{0.315}\text{Sr}_{0.06})\text{MnO}_3$ ceramics. Ceramics International, 2018, 44, 3915-3920.	4.8	19
65	Enhancement of temperature coefficient of resistance (TCR) and Magneto-resistance (MR) in $\text{La}_{1-x}\text{Ca}_x\text{MnO}_3\text{:Ag}_{0.2}$ polycrystalline composites. Journal of Sol-Gel Science and Technology, 2017, 82, 193-200.	2.4	22
66	Effect of Ca-doping on the electrical properties of $\text{La}_{0.2}\text{Nd}_{0.47}\text{Sr}_{0.33}\text{MnO}_3$ ceramics prepared by sol-gel technique. Journal of Sol-Gel Science and Technology, 2017, 82, 177-183.	2.4	11
67	Enhancement of laser-induced voltage (LIV) in $\text{La}_{2/3}\text{Ca}_{1/3}\text{MnO}_3\text{:Ag}_{0.04}$ films. Applied Physics A: Materials Science and Processing, 2017, 123, 1.	2.3	7
68	Effects of Ag addition on the structural and electrical properties of $\text{La}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$ ceramics. Advances in Applied Ceramics, 2017, 116, 180-184.	1.1	3
69	Tuning room temperature T_p and MR of $\text{La}_{1-y}(\text{Ca}_{y-x}\text{Sr}_x)\text{MnO}_3$ polycrystalline ceramics by Sr doping. Ceramics International, 2017, 43, 4594-4598.	4.8	49
70	Influence of Sr doping on structural, electrical and magnetic properties of $\text{La}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ nanoparticles. Ceramics International, 2017, 43, 13240-13246.	4.8	29
71	Study on the electrical transport properties of $\text{La}_{2/3}\text{Ba}_{1/3}\text{MnO}_3\text{:Ag}_{0.04}/\text{LaAlO}_3$ (001) films. Physica B: Condensed Matter, 2017, 504, 92-95.	2.7	1
72	Improvement in electronic and magnetic transport of $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ manganites by optimizing sintering temperature. Journal of Sol-Gel Science and Technology, 2017, 81, 177-184.	2.4	11

#	ARTICLE	IF	CITATIONS
73	Effect of A-site cationic radius on polycrystalline ceramics $\text{La}_{1-x}\text{Sm}_{0.67x}\text{Sr}_{0.33}\text{MnO}_3$ prepared by sol-gel technique. Journal of Sol-Gel Science and Technology, 2016, 80, 474-479.	2.4	11
74	Fabrication of $\text{La}_{1-x}\text{Nd}_{0.67x}\text{Sr}_{0.33}\text{MnO}_3$ polycrystalline ceramics by sol-gel method. Journal of Sol-Gel Science and Technology, 2016, 80, 168-173.	2.4	16
75	Target effects on electrical properties and laser induced voltages of $\text{La}_{0.72}\text{Ca}_{0.28}\text{MnO}_3$ thin films prepared by pulsed laser deposition. Transactions of Nonferrous Metals Society of China, 2015, 25, 465-470.	4.2	3
76	Enhanced Electrical Properties of $\text{La}_{0.7}\text{Ca}_{0.2}\text{Sr}_{0.1}\text{MnO}_3$ Polycrystalline Composites with Ag Addition. Journal of Low Temperature Physics, 2015, 180, 356-362.	1.4	26
77	Effect of Ag addition on the magnetic and electrical properties of $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ films. Applied Surface Science, 2015, 349, 983-987.	6.1	13
78	Effect of annealing oxygen pressure on the enhancement of laser-induced voltage in $\text{La}_{2/3}\text{Ca}_{1/3}\text{MnO}_3\text{:Ag}_{0.04}$ films. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2014, 185, 105-108.	3.5	14
79	Effect of Ca doping level on the laser-induced voltages in tilted $\text{La}_{1-x}\text{Ca}_x\text{MnO}_3$ ($0.1 \leq x \leq 0.7$) thin films. Applied Physics A: Materials Science and Processing, 2014, 114, 1075-1078.	2.3	15
80	Preparation of $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3\text{:Ag}_x$ polycrystalline by sol-gel method. Journal of Sol-Gel Science and Technology, 2014, 70, 361-365.	2.4	41
81	Laser-induced voltage (LIV) enhancement of $\text{La}_{2/3}\text{Sr}_{1/3}\text{MnO}_3$ films with Ag addition. Applied Physics A: Materials Science and Processing, 2014, 115, 1371-1374.	2.3	14
82	Improved electrical properties of $\text{La}_{2/3}\text{Ba}_{1/3}\text{MnO}_3\text{:Ag}_{0.04}$ thin films by thermal annealing. Applied Physics A: Materials Science and Processing, 2014, 116, 1853-1856.	2.3	2
83	Influence of pulse laser energy on laser-induced voltage in $\text{La}_{2/3}\text{Ca}_{1/3}\text{MnO}_3\text{:Ag}_{0.04}$ films. Applied Physics A: Materials Science and Processing, 2014, 116, 561-565.	2.3	6
84	Effects of substrate-induced-strain on the electrical properties and laser induced voltages of tilted $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ thin films. Journal of Applied Physics, 2013, 114, .	2.5	11
85	High TCR (temperature coefficient of resistance) $\text{La}_{2/3}\text{Ca}_{1/3}\text{MnO}_3\text{:Ag}_x$ polycrystalline composites. Applied Surface Science, 2013, 283, 851-855.	6.1	54
86	Influence of synthesis methods and calcination temperature on electrical properties of $\text{La}_{1-x}\text{Ca}_x\text{MnO}_3$ ($x=0.33$ and 0.28) ceramics. Ceramics International, 2013, 39, 7839-7843.	4.8	37
87	Effect of Thermal Annealing on Structural, Electrical, and Magnetic Properties of Ag-doped $\text{La}_{0.67}\text{Ca}_{0.33}\text{MnO}_3$ Thin Films Grown on LaAlO_3 Substrates. Japanese Journal of Applied Physics, 2006, 45, 727-729.	1.5	9
88	Preparation and Properties of $\text{La}_{2/3}\text{Sr}_{1/3}\text{MnO}_3\text{:Ag}_x$ Polycrystalline Composites. Key Engineering Materials, 0, 519, 45-48.	0.4	1
89	Effects of Film Thickness on Laser Induced Voltage (LIV) of $\text{La}_{2/3}\text{Ca}_{1/3}\text{MnO}_3\text{:Ag}_{0.05}$ Thin Films Grown on LaAlO_3 Substrates. Advanced Materials Research, 0, 721, 54-58.	0.3	1