## **Rajnish Singh**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1155695/publications.pdf Version: 2024-02-01



PAINISH SINCH

#	Article	IF	CITATIONS
1	HIF1α-Regulated Expression of the Fatty Acid Binding Protein Family Is Important for Hypoxic Reactivation of Kaposi's Sarcoma-Associated Herpesvirus. Journal of Virology, 2021, 95, .	1.5	3
2	KSHV-encoded vCyclin can modulate HIF1α levels to promote DNA replication in hypoxia. ELife, 2021, 10, .	2.8	12
3	Vascular endothelial growth factor encoded by Parapoxviruses can regulate metabolism and survival of triple negative breast cancer cells. Cell Death and Disease, 2020, 11, 996.	2.7	4
4	Quassinoid analogs with enhanced efficacy for treatment of hematologic malignancies target the PI3KÎ <sup>3</sup> isoform. Communications Biology, 2020, 3, 267.	2.0	21
5	Role of ectopically expressed mtDNA encoded cytochrome c oxidase subunit I (MT-COI) in tumorigenesis. Mitochondrion, 2019, 49, 56-65.	1.6	13
6	KSHV-encoded LANA protects the cellular replication machinery from hypoxia induced degradation. PLoS Pathogens, 2019, 15, e1008025.	2.1	17
7	EBV epitranscriptome reprogramming by METTL14 is critical for viral-associated tumorigenesis. PLoS Pathogens, 2019, 15, e1007796.	2.1	91
8	EBNA3C facilitates RASSF1A downregulation through ubiquitin-mediated degradation and promoter hypermethylation to drive B-cell proliferation. PLoS Pathogens, 2019, 15, e1007514.	2.1	10
9	MicroRNA (hsa-miR-19b-2-5p) targets key mitochondrial biogenesis genes-a bioinformatics analysis. Mitochondrion, 2018, 43, 30-36.	1.6	4
10	Shugoshin 1 is dislocated by KSHV-encoded LANA inducing aneuploidy. PLoS Pathogens, 2018, 14, e1007253.	2.1	12
11	Metabolic reprogramming of Kaposi's sarcoma associated herpes virus infected B-cells in hypoxia. PLoS Pathogens, 2018, 14, e1007062.	2.1	41
12	Epstein-Barr Virus Nuclear Antigen 3C Facilitates Cell Proliferation by Regulating Cyclin D2. Journal of Virology, 2018, 92, .	1.5	18
13	Mitochondrial ND5 mutation mediated elevated ROS regulates apoptotic pathway epigenetically in a P53 dependent manner for generating pro-cancerous phenotypes. Mitochondrion, 2017, 35, 35-43.	1.6	23
14	Pyruvate kinase M knockdown–induced signaling via AMP-activated protein kinase promotes mitochondrial biogenesis, autophagy, and cancer cell survival. Journal of Biological Chemistry, 2017, 292, 15561-15576.	1.6	51
15	Emerging targets for radioprotection and radiosensitization in radiotherapy. Tumor Biology, 2016, 37, 11589-11609.	0.8	23
16	KSHV-Mediated Regulation of Par3 and SNAIL Contributes to B-Cell Proliferation. PLoS Pathogens, 2016, 12, e1005801.	2.1	26
17	AMP-Activated Protein Kinase (AMPK). , 2016, , 1-12.		0
18	Resveratrol inhibits TIGAR to promote ROS induced apoptosis and autophagy. Biochimie, 2015, 118, 26-35.	1.3	47

**RAJNISH SINGH** 

#	Article	IF	CITATIONS
19	NOS2A promoter (CCTTT)n association with TB lacks independent functional correlation amongst Indians. Tuberculosis, 2014, 94, 81-86.	0.8	2
20	mtDNA germ line variation mediated ROS generates retrograde signaling and induces pro-cancerous metabolic features. Scientific Reports, 2014, 4, 6571.	1.6	24
21	Key Residues in Mycobacterium tuberculosis Protein Kinase G Play a Role in Regulating Kinase Activity and Survival in the Host. Journal of Biological Chemistry, 2009, 284, 27467-27479.	1.6	53