

# Osamu Takahashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11557019/publications.pdf>

Version: 2024-02-01

20  
papers

286  
citations

933447

10  
h-index

888059

17  
g-index

20  
all docs

20  
docs citations

20  
times ranked

382  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrastructural observation of a symbiotic dinoflagellate <i>Zooxanthella nutricula</i> from radiolarians collected off the northwestern coast of Okinawa Island, Japan. <i>Galaxea</i> , 2021, 24, .	0.7	1
2	<i>Chrysochromulina andersonii</i> sp. nov. (Prymnesiophyceae), a new flagellate haptophyte symbiotic with radiolarians. <i>Phycologia</i> , 2019, 58, 211-224.	1.4	2
3	<i>Gymnoxanthella radiolariae</i> gen. et sp. nov. (Dinophyceae), a dinoflagellate symbiont from solitary polycystine radiolarians. <i>Journal of Phycology</i> , 2016, 52, 89-104.	2.3	22
4	Light and electron microscopic observations of the reproductive swarmer cells of nassellarian and spumellarian polycystines (Radiolaria). <i>European Journal of Protistology</i> , 2016, 54, 19-32.	1.5	10
5	Ultrastructural morphology of the reproductive swarmers of <i>Sphaerozoum punctatum</i> (Huxley) from the East China Sea. <i>European Journal of Protistology</i> , 2014, 50, 194-204.	1.5	10
6	Radiolarians from the Upper Cretaceous Himenoura Group, Nakakoshiki-jima Island, Kagoshima Prefecture, Japan.. <i>Journal of the Geological Society of Japan</i> , 2013, 119, 45-50.	0.6	3
7	Ultrastructural and molecular characterization of cyanobacterial symbionts in <i>Dictyocoryne profunda</i> (polycystine radiolaria). <i>Symbiosis</i> , 2012, 57, 51-55.	2.3	25
8	Molecular identification of reproductive cells released from <i>Cypassis irregularis</i> Nigrini (Radiolaria). <i>Environmental Microbiology Reports</i> , 2011, 3, 86-90.	2.4	21
9	Stratigraphy and detailed age of the Upper Cretaceous Himenoura Group in the eastern part of Amakusa-Kamishima Island, Kumamoto, Japan. <i>Journal of the Geological Society of Japan</i> , 2011, 117, 398-416.	0.6	12
10	Molecular phylogenetic position of <i>Hexacontium pachydermum</i> JÃrgensen (Radiolaria). <i>Marine Micropaleontology</i> , 2009, 73, 129-134.	1.2	17
11	Molecular Diversity of Alveolates Associated with Neritic North Atlantic Radiolarians. <i>Protist</i> , 2007, 158, 65-76.	1.5	69
12	Phylogenetic analyses of the polycystine Radiolaria based on the 18s rDNA sequences of the Spumellarida and the Nassellarida. <i>European Journal of Protistology</i> , 2005, 41, 287-298.	1.5	29
13	Molecular phylogeny of solitary shell-bearing Polycystinea (Radiolaria). <i>Revue De Micropaleontologie</i> , 2004, 47, 111-118.	0.4	19
14	Oceanward shifting of the Hauterivian (Early Cretaceous) arc-trench system in East Asia. <i>Geosciences Journal</i> , 2000, 4, 187-199.	1.2	5
15	Polyphase accretionary tectonics in the Jurassic to Cretaceous accretionary belts of central Japan. <i>Island Arc</i> , 1999, 8, 349-358.	1.1	17
16	Radiolarian Assemblage-zones in the Jurassic and Cretaceous Sequence in the Kanto Mountains, Central Japan. <i>Memoirs of the Faculty of Science, Kyushu University Series D, Earth and Planetary Sciences</i> , 1995, 29, 49-85.	0.4	12
17	Accretion complexes and related forearc basins in the Cretaceous of central Japan, with special reference to the continuity of accretion tectonism and associated metamorphism. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1993, 105, 111-124.	2.3	4
18	Occurrence of Late Cretaceous fossils from the Tochiya Formation, northeastern part of the Kanto Mountains, central Japan. <i>Journal of the Geological Society of Japan</i> , 1990, 96, 683-685_1.	0.6	5

#	ARTICLE	IF	CITATIONS
19	Occurrence of Cretaceous radiolarians from the Otaki Group, Kanto Mountains, central Japan. Journal of the Geological Society of Japan, 1989, 95, 483-485_1.	0.6	1
20	Radiolarian fossils from the Masutomi Group, southwestern part of the Kanto Mountains, central Japan, and their significance. Journal of the Geological Society of Japan, 1989, 95, 953-955_1.	0.6	2