

# Benjamas Cheirsilp

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1155869/publications.pdf>

Version: 2024-02-01

115  
papers

4,827  
citations

101384

36  
h-index

102304

66  
g-index

115  
all docs

115  
docs citations

115  
times ranked

4988  
citing authors

#	ARTICLE	IF	CITATIONS
1	Palm oil decanter cake wastes as alternative nutrient sources for production of enzymes from <i>Streptomyces philanthi</i> RM-1-138 and the efficacy of its culture filtrate as an antimicrobial agent against plant pathogenic fungi and bacteria. <i>Biomass Conversion and Biorefinery</i> , 2024, 14, 1895-1904.	2.9	2
2	Biovalorization of whole old oil palm trunk as low-cost nutrient sources for biomass and lipid production by oleaginous yeasts through batch and fed-batch fermentation. <i>Biomass Conversion and Biorefinery</i> , 2024, 14, 5251-5260.	2.9	0
3	Characterization of bio-oil and biochar from slow pyrolysis of oil palm plantation and palm oil mill wastes. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 13813-13825.	2.9	6
4	Purification and characterization of a highly-stable fungal xylanase from <i>Aspergillus tubingensis</i> cultivated on palm wastes through combined solid-state and submerged fermentation. <i>Preparative Biochemistry and Biotechnology</i> , 2022, 52, 311-317.	1.0	11
5	Utilization of palm oil mill effluent as a novel substrate for the production of antifungal compounds by <i>Streptomyces philanthi</i> RM-1-138 and evaluation of its efficacy in suppression of three strains of oil palm pathogen. <i>Journal of Applied Microbiology</i> , 2022, 132, 1990-2003.	1.4	4
6	Optimization of protease production by <i>Bacillus cereus</i> HMRSC30 for simultaneous extraction of chitin from shrimp shell with value-added recovered products. <i>Environmental Science and Pollution Research</i> , 2022, 29, 22163-22178.	2.7	7
7	Microbial fuel cells with Photosynthetic-Cathodic chamber in vertical cascade for integrated Bioelectricity, biodiesel feedstock production and wastewater treatment. <i>Bioresource Technology</i> , 2022, 346, 126559.	4.8	31
8	Impact of environmental factors on <i>Streptomyces</i> spp. metabolites against <i>Botrytis cinerea</i> . <i>Journal of Basic Microbiology</i> , 2022, 62, 611-622.	1.8	5
9	Lipid Profile, Antioxidant and Antihypertensive Activity, and Computational Molecular Docking of Diatom Fatty Acids as ACE Inhibitors. <i>Antioxidants</i> , 2022, 11, 186.	2.2	15
10	Potential use of industrial by-products as promising feedstock for microbial lipid and lipase production and direct transesterification of wet yeast into biodiesel by lipase and acid catalysts. <i>Bioresource Technology</i> , 2022, 348, 126742.	4.8	9
11	Application of palm oil mill waste to enhance biogas upgrading and hornwort cultivation. <i>Journal of Environmental Management</i> , 2022, 309, 114678.	3.8	5
12	Insight on zero waste approach for sustainable microalgae biorefinery: Sequential fractionation, conversion and applications for high-to-low value-added products. <i>Bioresource Technology Reports</i> , 2022, 18, 101003.	1.5	14
13	Biodegradation efficiencies and economic feasibility of single-stage and two-stage anaerobic digestion of desulfated Skim Latex Serum (SLS) by using rubber wood ash. <i>Chemical Engineering Research and Design</i> , 2022, 162, 721-732.	2.7	8
14	Enhanced production of astaxanthin and co-bioproducts from microalga <i>Haematococcus</i> sp. integrated with valorization of industrial wastewater under two-stage LED light illumination strategy. <i>Environmental Technology and Innovation</i> , 2022, 28, 102620.	3.0	12
15	Effectiveness of using two-stage anaerobic digestion to recover bio-energy from high strength palm oil mill effluents with simultaneous treatment. <i>Journal of Water Process Engineering</i> , 2021, 39, 101661.	2.6	21
16	Production of Chitosanase by <i>Lentzea</i> sp. OUR-I1 Using Acid-Pretreated Shrimp Shell in an Air-Lift Bioreactor and the Feasibility of Utilizing the Residual Biomass. <i>Waste and Biomass Valorization</i> , 2021, 12, 2445-2458.	1.8	3
17	Multilayered Nano-Entrapment of Lipase through Organic-Inorganic Hybrid Formation and the Application in Cost-Effective Biodiesel Production. <i>Applied Biochemistry and Biotechnology</i> , 2021, 193, 165-187.	1.4	7
18	Statistical optimization of halophilic chitosanase and protease production by <i>Bacillus cereus</i> HMRSC30 isolated from Terasi simultaneous with chitin extraction from shrimp shell waste. <i>Biocatalysis and Agricultural Biotechnology</i> , 2021, 31, 101918.	1.5	9

#	ARTICLE	IF	CITATIONS
19	The Occurrence of Triple Catalytic Characteristics of Yeast Lipases and Their Application Prospects in Biodiesel Production from Non-Edible <i>Jatropha curcas</i> Oil in a Solvent-Free System. <i>Current Microbiology</i> , 2021, 78, 1914-1925.	1.0	9
20	Valorization of palm oil mill wastewater for integrated production of microbial oil and biogas in a biorefinery approach. <i>Journal of Cleaner Production</i> , 2021, 296, 126606.	4.6	11
21	Stepwise-incremental physicochemical factors induced acclimation and tolerance in oleaginous microalgae to crucial outdoor stresses and improved properties as biodiesel feedstocks. <i>Bioresource Technology</i> , 2021, 328, 124850.	4.8	23
22	Catalytic pyrolysis of petroleum-based and biodegradable plastic waste to obtain high-value chemicals. <i>Waste Management</i> , 2021, 127, 101-111.	3.7	66
23	Symbiotic <i>Bacteroides</i> and <i>Clostridium</i> -rich methanogenic consortium enhanced biogas production of high-solid anaerobic digestion systems. <i>Bioresource Technology Reports</i> , 2021, 14, 100685.	1.5	20
24	A modified approach for high-quality RNA extraction of spore-forming <i>Bacillus subtilis</i> at varied physiological stages. <i>Molecular Biology Reports</i> , 2021, 48, 6757-6768.	1.0	1
25	Palm Oil Decanter Cake Wastes as Alternative Nutrient Sources and Biomass Support Particles for Production of Fungal Whole-Cell Lipase and Application as Low-Cost Biocatalyst for Biodiesel Production. <i>Processes</i> , 2021, 9, 1365.	1.3	3
26	Synergistic production of highly active enzymatic cocktails from lignocellulosic palm wastes by sequential solid state-submerged fermentation and co-cultivation of different filamentous fungi. <i>Biochemical Engineering Journal</i> , 2021, 173, 108086.	1.8	27
27	Optimizing physicochemical factors for two-stage cultivation of newly isolated oleaginous microalgae from local lake as promising sources of pigments, PUFAs and biodiesel feedstocks. <i>Bioresource Technology Reports</i> , 2021, 15, 100738.	1.5	10
28	Mathematical modeling of ethanol production from glycerol by <i>Enterobacter aerogenes</i> concerning the influence of impurities, substrate, and product concentration. <i>Biochemical Engineering Journal</i> , 2020, 155, 107471.	1.8	16
29	Metagenomic insights into bioaugmentation and biovalorization of oily industrial wastes by lipolytic oleaginous yeast <i>Yarrowia lipolytica</i> during successive batch fermentation. <i>Biotechnology and Applied Biochemistry</i> , 2020, 67, 1020-1029.	1.4	7
30	Efficient Harvesting of Microalgal biomass and Direct Conversion of Microalgal Lipids into Biodiesel. , 2020, , 83-96.		6
31	Valorization of palm biomass wastes for biodiesel feedstock and clean solid biofuel through non-sterile repeated solid-state fermentation. <i>Bioresource Technology</i> , 2020, 298, 122551.	4.8	32
32	Mixotrophic Cultivation: Biomass and Biochemical Biosynthesis for Biofuel Production. , 2020, , 51-67.		7
33	Oleaginous Microalgae Cultivation for Biogas Upgrading and Phytoremediation of Wastewater. , 2020, , 69-82.		6
34	Consolidated bioprocesses for efficient bioconversion of palm biomass wastes into biodiesel feedstocks by oleaginous fungi and yeasts. <i>Bioresource Technology</i> , 2020, 315, 123893.	4.8	22
35	Integrated protein extraction with bio-oil production for microalgal biorefinery. <i>Algal Research</i> , 2020, 48, 101918.	2.4	23
36	Marine Protists and <i>Rhodotorula</i> Yeast as Bio-Convertors of Marine Waste into Nutrient-Rich Deposits for Mangrove Ecosystems. <i>Protist</i> , 2020, 171, 125738.	0.6	11

#	ARTICLE	IF	CITATIONS
37	Techno-economic analysis and environmental impact of biovalorization of agro-industrial wastes for biodiesel feedstocks by oleaginous yeasts. <i>Sustainable Environment Research</i> , 2020, 30, .	2.1	14
38	Improve biotransformation of crude glycerol to ethanol of <i>Enterobacter aerogenes</i> by two-stage redox potential fed-batch process under microaerobic environment. <i>Biomass and Bioenergy</i> , 2020, 134, 105503.	2.9	10
39	Zero-waste biorefinery of oleaginous microalgae as promising sources of biofuels and biochemicals through direct transesterification and acid hydrolysis. <i>Process Biochemistry</i> , 2020, 95, 214-222.	1.8	29
40	Enhanced valorization of industrial wastes for biodiesel feedstocks and biocatalyst by lipolytic oleaginous yeast and biosurfactant-producing bacteria. <i>International Biodeterioration and Biodegradation</i> , 2020, 148, 104911.	1.9	34
41	Combination of Superheated Steam Explosion and Alkaline Autoclaving Pretreatment for Improvement of Enzymatic Digestibility of the Oil Palm Tree Residues as Alternative Sugar Sources. <i>Waste and Biomass Valorization</i> , 2019, 10, 3009-3023.	1.8	13
42	Acid Hydrolysis of Brewers'™ Industrial Wastes and Their Use for Lipid Production by Oleaginous Yeasts. <i>Journal of Water and Environment Technology</i> , 2019, 17, 336-344.	0.3	3
43	Biodiesel derived crude glycerol and tuna condensate as an alternative low-cost fermentation medium for ethanol production by <i>Enterobacter aerogenes</i> . <i>Industrial Crops and Products</i> , 2019, 138, 111451.	2.5	16
44	Biological Pretreatment of Empty Fruit Bunch (EFB) Using Oleaginous &Aspergillus tubingensis& TSIP9. <i>Journal of Water and Environment Technology</i> , 2019, 17, 244-250.	0.3	10
45	Designation of rice cake starters for fermented rice products with desired characteristics and fast fermentation. <i>Journal of Food Science and Technology</i> , 2019, 56, 3014-3022.	1.4	3
46	Use of low-cost substrates for cost-effective production of extracellular and cell-bound lipases by a newly isolated yeast <i>Dipodascus capitatus</i> A4C. <i>Biocatalysis and Agricultural Biotechnology</i> , 2019, 19, 101102.	1.5	10
47	Immobilized oleaginous microalgae as effective two-phase purify unit for biogas and anaerobic digester effluent coupling with lipid production. <i>Bioresource Technology</i> , 2019, 281, 149-157.	4.8	38
48	Potential use of flocculating oleaginous yeasts for bioconversion of industrial wastes into biodiesel feedstocks. <i>Renewable Energy</i> , 2019, 136, 1311-1319.	4.3	26
49	Strategies to increase the potential use of oleaginous microalgae as biodiesel feedstocks: Nutrient starvations and cost-effective harvesting process. <i>Renewable Energy</i> , 2018, 122, 507-516.	4.3	60
50	Effective biogas upgrading and production of biodiesel feedstocks by strategic cultivation of oleaginous microalgae. <i>Energy</i> , 2018, 148, 766-774.	4.5	48
51	Efficient of Acid Hydrolysis of Oil Palm Empty Fruit Bunch Residues for Xylose and Highly Digestible Cellulose Pulp Productions. <i>Waste and Biomass Valorization</i> , 2018, 9, 2041-2051.	1.8	2
52	Co-production of functional exopolysaccharides and lactic acid by <i>Lactobacillus kefirifaciens</i> originated from fermented milk, kefir. <i>Journal of Food Science and Technology</i> , 2018, 55, 331-340.	1.4	36
53	Antioxidant and antimicrobial properties of encapsulated guava leaf oil in hydroxypropyl-beta-cyclodextrin. <i>Industrial Crops and Products</i> , 2018, 111, 219-225.	2.5	139
54	Photoautotrophic cultivation of oleaginous microalgae and co-pelletization with filamentous fungi for cost-effective harvesting process and improved lipid yield. <i>Aquaculture International</i> , 2018, 26, 1493-1509.	1.1	26

#	ARTICLE	IF	CITATIONS
55	A rapid method for harvesting and immobilization of oleaginous microalgae using pellet-forming filamentous fungi and the application in phytoremediation of secondary effluent. <i>International Journal of Phytoremediation</i> , 2018, 20, 1017-1024.	1.7	53
56	Direct transesterification of oleaginous yeast lipids into biodiesel: Development of vigorously stirred tank reactor and process optimization. <i>Biochemical Engineering Journal</i> , 2018, 137, 232-238.	1.8	29
57	Physico-chemical characterization and evaluation of bio-efficacies of black pepper essential oil encapsulated in hydroxypropyl-beta-cyclodextrin. <i>Food Hydrocolloids</i> , 2017, 65, 157-164.	5.6	145
58	Immobilized oleaginous microalgae for production of lipid and phytoremediation of secondary effluent from palm oil mill in fluidized bed photobioreactor. <i>Bioresource Technology</i> , 2017, 241, 787-794.	4.8	54
59	Encapsulation of yarrow essential oil in hydroxypropyl-beta-cyclodextrin: physicochemical characterization and evaluation of bio-efficacies. <i>CYTA - Journal of Food</i> , 2017, 15, 409-417.	0.9	56
60	Intensifying Clean Energy Production Through Cultivating Mixotrophic Microalgae from Digestates of Biogas Systems: Effects of Light Intensity, Medium Dilution, and Cultivating Time. <i>Bioenergy Research</i> , 2017, 10, 103-114.	2.2	9
61	Strategies to improve methane content in biogas by cultivation of oleaginous microalgae and the evaluation of fuel properties of the microalgal lipids. <i>Renewable Energy</i> , 2017, 113, 1229-1241.	4.3	29
62	Phytoremediation of Secondary Effluent from Palm Oil Mill by Using Oleaginous Microalgae for Integrated Lipid Production and Pollutant Removal. <i>Waste and Biomass Valorization</i> , 2017, 8, 2889-2897.	1.8	6
63	Biophotolysis-based hydrogen and lipid production by oleaginous microalgae using crude glycerol as exogenous carbon source. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 1970-1976.	3.8	70
64	Mitigation of carbon dioxide by oleaginous microalgae for lipids and pigments production: Effect of light illumination and carbon dioxide feeding strategies. <i>Bioresource Technology</i> , 2016, 219, 139-149.	4.8	61
65	Pilot-scale steam explosion for xylose production from oil palm empty fruit bunches and the use of xylose for ethanol production. <i>Bioresource Technology</i> , 2016, 203, 252-258.	4.8	30
66	Continuous production of $\beta$ -cyclodextrin by cyclodextrin glycosyltransferase immobilized in mixed gel beads: Comparative study in continuous stirred tank reactor and packed bed reactor. <i>Biochemical Engineering Journal</i> , 2016, 105, 107-113.	1.8	29
67	Valorization of Palm Oil Mill Effluent into Lipid and Cell-Bound Lipase by Marine Yeast <i>Yarrowia lipolytica</i> and Their Application in Biodiesel Production. <i>Waste and Biomass Valorization</i> , 2016, 7, 417-426.	1.8	67
68	Evaluation of optimal conditions for cultivation of marine <i>Chlorella</i> sp. as potential sources of lipids, exopolymeric substances and pigments. <i>Aquaculture International</i> , 2016, 24, 313-326.	1.1	20
69	Solid state fermentation by cellulolytic oleaginous fungi for direct conversion of lignocellulosic biomass into lipids: Fed-batch and repeated-batch fermentations. <i>Industrial Crops and Products</i> , 2015, 66, 73-80.	2.5	61
70	Optimization of flocculation efficiency of lipid-rich marine <i>Chlorella</i> sp. biomass and evaluation of its composition in different cultivation modes. <i>Bioresource Technology</i> , 2015, 182, 89-97.	4.8	23
71	Two-stage repeated-batch fermentation of immobilized <i>Clostridium beijerinckii</i> on oil palm fronds for solvents production. <i>Process Biochemistry</i> , 2015, 50, 1167-1176.	1.8	8
72	Enhanced thermal stability of cyclodextrin glycosyltransferase in alginate-gelatin mixed gel beads and the application for $\beta$ -cyclodextrin production. <i>Biocatalysis and Agricultural Biotechnology</i> , 2015, 4, 717-726.	1.5	17

#	ARTICLE	IF	CITATIONS
73	Lipid Production from Hemicellulose and Holocellulose Hydrolysate of Palm Empty Fruit Bunches by Newly Isolated Oleaginous Yeasts. Applied Biochemistry and Biotechnology, 2015, 176, 1801-1814.	1.4	26
74	Cultivation of <i>Chlorella</i> Using Industrial Effluents for Lipid Production. Advanced Materials Research, 2014, 931-932, 1111-1116.	0.3	0
75	Biocapture of CO <sub>2</sub> from biogas by oleaginous microalgae for improving methane content and simultaneously producing lipid. Bioresource Technology, 2014, 170, 90-99.	4.8	47
76	Low-Cost Production of Green Microalga <i>Botryococcus braunii</i> Biomass with High Lipid Content Through Mixotrophic and Photoautotrophic Cultivation. Applied Biochemistry and Biotechnology, 2014, 174, 116-129.	1.4	46
77	Enhanced Lipid Production by Co-cultivation and Co-encapsulation of Oleaginous Yeast <i>Trichosporonoides spathulata</i> with Microalgae in Alginate Gel Beads. Applied Biochemistry and Biotechnology, 2014, 173, 522-534.	1.4	52
78	Bioconversion of lignocellulosic palm byproducts into enzymes and lipid by newly isolated oleaginous fungi. Biochemical Engineering Journal, 2014, 88, 95-100.	1.8	29
79	Direct Conversion of Sugars and Organic Acids to Biobutanol by Non-growing Cells of <i>Clostridium</i> spp. Incubated in a Nitrogen-Free Medium. Applied Biochemistry and Biotechnology, 2013, 171, 1726-1738.	1.4	9
80	Calcium-binding peptides derived from tilapia ( <i>Oreochromis niloticus</i> ) protein hydrolysate. European Food Research and Technology, 2013, 236, 57-63.	1.6	73
81	Felled oil palm trunk as a renewable source for biobutanol production by <i>Clostridium</i> spp.. Bioresource Technology, 2013, 146, 200-207.	4.8	57
82	Decanter cake waste as a renewable substrate for biobutanol production by <i>Clostridium beijerinckii</i> . Process Biochemistry, 2013, 48, 1933-1941.	1.8	16
83	Industrial Waste Utilization for Low-Cost Production of Raw Material Oil Through Microbial Fermentation. Applied Biochemistry and Biotechnology, 2013, 169, 110-122.	1.4	35
84	Determination of reaction kinetics of hydrolysis of tilapia ( <i>Oreochromis niloticus</i> ) protein for manipulating production of bioactive peptides with antioxidant activity, angiotensin-converting enzyme inhibitory activity and C-binding properties. International Journal of Food Science and Technology, 2013, 48, 419-428.	1.3	12
85	Industrial wastes as a promising renewable source for production of microbial lipid and direct transesterification of the lipid into biodiesel. Bioresource Technology, 2013, 142, 329-337.	4.8	110
86	Enhancing Lipid Production from Crude Glycerol by Newly Isolated Oleaginous Yeasts: Strain Selection, Process Optimization, and Fed-Batch Strategy. Bioenergy Research, 2013, 6, 300-310.	2.2	58
87	Optimal conditions for the production of monoacylglycerol from crude palm oil by an enzymatic glycerolysis reaction and recovery of carotenoids from the reaction product. International Journal of Food Science and Technology, 2012, 47, 793-800.	1.3	11
88	Co-culture of an oleaginous yeast <i>Rhodotorula glutinis</i> and a microalga <i>Chlorella vulgaris</i> for biomass and lipid production using pure and crude glycerol as a sole carbon source. Annals of Microbiology, 2012, 62, 987-993.	1.1	61
89	Enhanced growth and lipid production of microalgae under mixotrophic culture condition: Effect of light intensity, glucose concentration and fed-batch cultivation. Bioresource Technology, 2012, 110, 510-516.	4.8	598
90	Production of Butanol from Palm Empty Fruit Bunches Hydrolyzate by <i>Clostridium Acetobutylicum</i> . Energy Procedia, 2011, 9, 140-146.	1.8	39

#	ARTICLE	IF	CITATIONS
91	Screening of Oleaginous Yeasts and Optimization for Lipid Production Using Crude Glycerol as a Carbon Source. <i>Energy Procedia</i> , 2011, 9, 274-282.	1.8	87
92	Development of Acetone Butanol Ethanol (ABE) Production from Palm Pressed Fiber by Mixed Culture of <i>Clostridium</i> sp. and <i>Bacillus</i> sp.. <i>Energy Procedia</i> , 2011, 9, 459-467.	1.8	12
93	Use of whey lactose from dairy industry for economical kefiran production by <i>Lactobacillus kefiranofaciens</i> in mixed cultures with yeasts. <i>New Biotechnology</i> , 2011, 28, 574-580.	2.4	38
94	Production and properties of two collagenases from bacteria and their application for collagen extraction. <i>New Biotechnology</i> , 2011, 28, 649-655.	2.4	33
95	Mixed culture of oleaginous yeast <i>Rhodotorula glutinis</i> and microalga <i>Chlorella vulgaris</i> for lipid production from industrial wastes and its use as biodiesel feedstock. <i>New Biotechnology</i> , 2011, 28, 362-368.	2.4	150
96	Effect of nitrogen, salt, and iron content in the growth medium and light intensity on lipid production by microalgae isolated from freshwater sources in Thailand. <i>Bioresource Technology</i> , 2011, 102, 3034-3040.	4.8	329
97	Effect of substrate concentration and temperature on the kinetics and thermal stability of cyclodextrin glycosyltransferase for the production of $\beta$ -cyclodextrin: Experimental results vs. mathematical model. <i>Process Biochemistry</i> , 2011, 46, 1399-1404.	1.8	12
98	Efficient concomitant production of lipids and carotenoids by oleaginous red yeast <i>Rhodotorula glutinis</i> cultured in palm oil mill effluent and application of lipids for biodiesel production. <i>Biotechnology and Bioprocess Engineering</i> , 2011, 16, 23-33.	1.4	132
99	Potential use of oleaginous red yeast <i>Rhodotorula glutinis</i> for the bioconversion of crude glycerol from biodiesel plant to lipids and carotenoids. <i>Process Biochemistry</i> , 2011, 46, 210-218.	1.8	292
100	Potential use of <i>Bacillus subtilis</i> in a co-culture with <i>Clostridium butylicum</i> for acetone-butanol-ethanol production from cassava starch. <i>Biochemical Engineering Journal</i> , 2010, 48, 260-267.	1.8	131
101	Mixed lipases for efficient enzymatic synthesis of biodiesel from used palm oil and ethanol in a solvent-free system. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2010, 67, 52-59.	1.8	88
102	Kinetic characteristics of $\beta$ -cyclodextrin production by cyclodextrin glycosyltransferase from newly isolated <i>Bacillus</i> sp. C26. <i>Electronic Journal of Biotechnology</i> , 2010, 13, .	1.2	10
103	Optimizing an alginate immobilized lipase for monoacylglycerol production by the glycerolysis reaction. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2009, 59, 206-211.	1.8	49
104	Impact of transesterification mechanisms on the kinetic modeling of biodiesel production by immobilized lipase. <i>Biochemical Engineering Journal</i> , 2008, 42, 261-269.	1.8	84
105	Sago starch as a low-cost carbon source for exopolysaccharide production by <i>Lactobacillus kefiranofaciens</i> . <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 1195-1201.	1.7	20
106	Continuous production of monoacylglycerols from palm olein in packed-bed reactor with immobilized lipase PS. <i>Biochemical Engineering Journal</i> , 2008, 40, 116-120.	1.8	25
107	PROCESSING OF BANANA-BASED WINE PRODUCT USING PECTINASE AND $\alpha$ -AMYLASE. <i>Journal of Food Process Engineering</i> , 2008, 31, 78-90.	1.5	34
108	Kinetic study of glycerolysis of palm olein for monoacylglycerol production by immobilized lipase. <i>Biochemical Engineering Journal</i> , 2007, 35, 71-80.	1.8	43

#	ARTICLE	IF	CITATIONS
109	Kinetic modeling of kefiran production in mixed culture of <i>Lactobacillus kefiranofaciens</i> and <i>Saccharomyces cerevisiae</i> . <i>Process Biochemistry</i> , 2007, 42, 570-579.	1.8	9
110	Development of Co-Culture Systems of Lactic Acid Bacteria and Yeasts for Bioproduction. <i>Japanese Journal of Lactic Acid Bacteria</i> , 2005, 16, 2-10.	0.1	2
111	Interactions between <i>Lactobacillus kefiranofaciens</i> and <i>Saccharomyces cerevisiae</i> in mixed culture for kefiran production. <i>Journal of Bioscience and Bioengineering</i> , 2003, 96, 279-284.	1.1	79
112	Enhanced kefiran production by mixed culture of and. <i>Journal of Biotechnology</i> , 2003, 100, 43-53.	1.9	91
113	Modelling and optimization of environmental conditions for kefiran production by <i>Lactobacillus kefiranofaciens</i> . <i>Applied Microbiology and Biotechnology</i> , 2001, 57, 639-646.	1.7	37
114	Encapsulation of Essential Oils by Cyclodextrins: Characterization and Evaluation. , 0, , .		3
115	Low-cost production of cell-bound lipases by pure and co-culture of yeast and bacteria in palm oil mill effluent and the applications in bioremediation and biodiesel synthesis. <i>Biomass Conversion and Biorefinery</i> , 0, , 1.	2.9	5