

Fiona P Gaughran

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1155896/fiona-p-gaughran-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

182
papers

7,216
citations

38
h-index

82
g-index

195
ext. papers

9,288
ext. citations

5.1
avg, IF

5.91
L-index

#	Paper	IF	Citations
182	Osteoporosis referral and treatment among people with severe mental illness: A ten-year data linkage study.. <i>Journal of Psychiatric Research</i> , 2022 , 147, 94-102	5.2	
181	Predictive value of cardiometabolic biomarkers and depressive symptoms for symptom severity and quality of life in patients with psychotic disorders. <i>Journal of Affective Disorders</i> , 2022 , 298, 95-103	6.6	
180	Real-world clinical and cost-effectiveness of community clozapine initiation: mirror cohort study.. <i>British Journal of Psychiatry</i> , 2022 , 1-8	5.4	0
179	An implementation framework and a feasibility evaluation of a clinical decision support system for diabetes management in secondary mental healthcare using CogStack.. <i>BMC Medical Informatics and Decision Making</i> , 2022 , 22, 100	3.6	
178	Implementation, Adoption, and Perceptions of Telemental Health During the COVID-19 Pandemic: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e31746	7.6	8
177	Study protocol for a pilot high-intensity interval training intervention in inpatient mental health settings: a two-part study using a randomised controlled trial and naturalistic study design. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 198	1.9	0
176	Outcomes in treatment-resistant schizophrenia: symptoms, function and clozapine plasma concentrations. <i>Therapeutic Advances in Psychopharmacology</i> , 2021 , 11, 20451253211037179	4.9	0
175	A feasibility hybrid II randomised controlled trial of volunteer Health Champions supporting people with serious mental illness manage their physical health: study protocol. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 116	1.9	1
174	Employment and relationship outcomes in first-episode psychosis: A systematic review and meta-analysis of longitudinal studies. <i>Schizophrenia Research</i> , 2021 , 231, 122-133	3.6	4
173	Perspectives on implementing HIIT interventions for service users in inpatient mental health settings: a qualitative study investigating patient, carer and staff attitudes. <i>BJPsych Open</i> , 2021 , 7, S269-S269	5.2	
172	Participant Experiences of Transcranial Direct Current Stimulation (tDCS) as a Treatment for Antipsychotic Medication Induced Weight Gain. <i>Frontiers in Psychology</i> , 2021 , 12, 694203	3.4	0
171	Implementation of Telemental Health Services Before COVID-19: Rapid Umbrella Review of Systematic Reviews. <i>Journal of Medical Internet Research</i> , 2021 , 23, e26492	7.6	16
170	Vitamin D in the time of the coronavirus (COVID-19) pandemic - a clinical review from a public health and public mental health perspective. <i>Therapeutic Advances in Psychopharmacology</i> , 2021 , 11, 20451253211027699	4.9	2
169	There Is Life After the UK Clozapine Central Non-Rechallenge Database. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1088-1098	1.3	5
168	DNA methylation meta-analysis reveals cellular alterations in psychosis and markers of treatment-resistant schizophrenia. <i>ELife</i> , 2021 , 10,	8.9	15
167	Development and rapid evaluation of services to support the physical health of people using psychiatric inpatient units during the COVID-19 pandemic: study protocol. <i>Implementation Science Communications</i> , 2021 , 2, 12	2.2	1
166	Perspectives on implementing HIIT interventions for service users in inpatient mental health settings: A qualitative study investigating patient, carer and staff attitudes. <i>Journal of Affective Disorders</i> , 2021 , 283, 198-206	6.6	2

165	Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. <i>Psychological Medicine</i> , 2021 , 1-11	6.9	1
164	Inequalities in glycemic management in people living with type 2 diabetes mellitus and severe mental illnesses: cohort study from the UK over 10 years. <i>BMJ Open Diabetes Research and Care</i> , 2021 , 9,	4.5	1
163	Increased rates of respiratory disease in schizophrenia: A systematic review and meta-analysis including 619,214 individuals with schizophrenia and 52,159,551 controls. <i>Schizophrenia Research</i> , 2021 , 237, 131-140	3.6	7
162	The Impact of Pharmacological and Non-Pharmacological Interventions to Improve Physical Health Outcomes in People With Schizophrenia: A Meta-Review of Meta-Analyses of Randomized Controlled Trials. <i>Focus (American Psychiatric Publishing)</i> , 2021 , 19, 116-128	1.1	3
161	Effect of Vitamin D Supplementation on Outcomes in People With Early Psychosis: The DFEND Randomized Clinical Trial.. <i>JAMA Network Open</i> , 2021 , 4, e2140858	10.4	2
160	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom. <i>PLoS ONE</i> , 2020 , 15, e0230674	3.7	6
159	Management of clozapine treatment during the COVID-19 pandemic. <i>Therapeutic Advances in Psychopharmacology</i> , 2020 , 10, 2045125320928167	4.9	22
158	Effects of Transcranial Direct Current Stimulation (tDCS) and Approach Bias Modification (ABM) training on food cravings in people taking antipsychotic medication. <i>Trials</i> , 2020 , 21, 245	2.8	1
157	Low levels of serum vitamin D in clozapine-treated schizophrenia patients are associated with high levels of the proinflammatory cytokine IL-6. <i>International Clinical Psychopharmacology</i> , 2020 , 35, 208-213 ²	3.2	4
156	A retrospective study of intramuscular clozapine prescription for treatment initiation and maintenance in treatment-resistant psychosis. <i>British Journal of Psychiatry</i> , 2020 , 217, 506-513	5.4	7
155	Vitamin D supplementation compared to placebo in people with First Episode psychosis - Neuroprotection Design (DFEND): a protocol for a randomised, double-blind, placebo-controlled, parallel-group trial. <i>Trials</i> , 2020 , 21, 14	2.8	5
154	A health promotion intervention to improve lifestyle choices and health outcomes in people with psychosis: a research programme including the IMPaCT RCT. <i>Programme Grants for Applied Research</i> , 2020 , 8, 1-124	1.5	2
153	Can high-intensity interval training improve physical and mental health outcomes? A meta-review of 33 systematic reviews across the lifespan. <i>Journal of Sports Sciences</i> , 2020 , 38, 430-469	3.6	51
152	Can high intensity interval training improve health outcomes among people with mental illness? A systematic review and preliminary meta-analysis of intervention studies across a range of mental illnesses. <i>Journal of Affective Disorders</i> , 2020 , 263, 629-660	6.6	13
151	Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. <i>Schizophrenia Research</i> , 2020 , 216, 408-415	3.6	14
150	Exploring healthcare professionals' perspectives of barriers and facilitators to supporting people with severe mental illness and Type 2 diabetes mellitus. <i>Health and Social Care in the Community</i> , 2020 , 28, 690-697	2.6	1
149	M189. A PILOT RANDOMISED CONTROLLED TRIAL TO ASSESS THE FEASIBILITY AND ACCEPTABILITY OF HIGH INTENSITY INTERVAL TRAINING (HIIT) AMONG INPATIENTS WITH SEVERE MENTAL ILLNESS (SMI). <i>Schizophrenia Bulletin</i> , 2020 , 46, S207-S208	1.3	78
148	Pathogenesis and management of Brugada syndrome in schizophrenia: A scoping review. <i>General Hospital Psychiatry</i> , 2020 , 67, 83-91	5.6	3

147	Prospective associations between vitamin D and depression in middle-aged adults: findings from the UK Biobank cohort. <i>Psychological Medicine</i> , 2020 , 1-9	6.9	7
146	Clozapine and COVID-19. <i>BJPsych Bulletin</i> , 2020 , 44, 179-180	1.2	3
145	Real-world effectiveness of admissions to a tertiary treatment-resistant psychosis service: 2-year mirror-image study. <i>BJPsych Open</i> , 2020 , 6, e82	5	4
144	Predicting onset of early- and late-treatment resistance in first-episode schizophrenia patients using advanced shrinkage statistical methods in a small sample. <i>Psychiatry Research</i> , 2020 , 294, 113527	9.9	5
143	Hospitalisation and length of hospital stay following first-episode psychosis: systematic review and meta-analysis of longitudinal studies. <i>Psychological Medicine</i> , 2020 , 50, 991-1001	6.9	5
142	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674		
141	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674		
140	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674		
139	Potential gains in life expectancy from reducing amenable mortality among people diagnosed with serious mental illness in the United Kingdom 2020 , 15, e0230674		
138	Walk this way? results from a pilot randomised controlled trial of a health coaching intervention to reduce sedentary behaviour and increase physical activity in people with serious mental illness. <i>BMC Psychiatry</i> , 2019 , 19, 287	4.2	12
137	Minocycline and the risk of acute psychiatric events in adolescence: A self-controlled case series. <i>Journal of Psychopharmacology</i> , 2019 , 33, 466-471	4.6	3
136	Tobacco smoking and nicotine dependence in first episode and established psychosis. <i>Asian Journal of Psychiatry</i> , 2019 , 43, 125-131	6.7	13
135	Place of death and other factors associated with unnatural mortality in patients with serious mental disorders: population-based retrospective cohort study. <i>BJPsych Open</i> , 2019 , 5, e23	5	5
134	Vitamin D in schizophrenia and depression: a clinical review. <i>BJ Psych Advances</i> , 2019 , 25, 240-248	0.8	4
133	Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). <i>Schizophrenia Research</i> , 2019 , 208, 138-144	3.6	5
132	Evaluation of a Physical health plan for people with psychosis: a protocol for a quality improvement study. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 8	1.9	3
131	The Lancet Psychiatry Commission: a blueprint for protecting physical health in people with mental illness. <i>Lancet Psychiatry</i> , 2019 , 6, 675-712	23.3	411
130	Unheard voices: outcomes of tertiary care for treatment-refractory psychosis - ADDENDUM. <i>BJPsych Bulletin</i> , 2019 , 43, 194	1.2	

129	Effect of lifestyle, medication and ethnicity on cardiometabolic risk in the year following the first episode of psychosis: prospective cohort study. <i>British Journal of Psychiatry</i> , 2019 , 215, 712-719	5.4	13
128	Real-World Outcomes in the Management of Refractory Psychosis. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	4
127	Serum Prolactin and Bone Mineral Density in Schizophrenia: A Systematic Review. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019 , 17, 333-342	3.4	10
126	Clozapine Rechallenge Following Neuroleptic Malignant Syndrome: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2019 , 39, 372-379	1.7	6
125	Need to bleed? Clozapine haematological monitoring approaches a time for change. <i>International Clinical Psychopharmacology</i> , 2019 , 34, 264-268	2.2	9
124	Vitamin D and clinical symptoms in First Episode Psychosis (FEP): A prospective cohort study. <i>Schizophrenia Research</i> , 2019 , 204, 381-388	3.6	9
123	Metabolic-inflammatory status as predictor of clinical outcome at 1-year follow-up in patients with first episode psychosis. <i>Psychoneuroendocrinology</i> , 2019 , 99, 145-153	5	20
122	The impact of pharmacological and non-pharmacological interventions to improve physical health outcomes in people with schizophrenia: a meta-review of meta-analyses of randomized controlled trials. <i>World Psychiatry</i> , 2019 , 18, 53-66	14.4	85
121	Treatment resistant schizophrenia - review and a call to action. <i>Irish Journal of Psychological Medicine</i> , 2019 , 36, 279-291	3	22
120	Structured lifestyle education for people with schizophrenia, schizoaffective disorder and first-episode psychosis (STEPWISE): randomised controlled trial. <i>British Journal of Psychiatry</i> , 2019 , 214, 63-73	5.4	46
119	Complement system biomarkers in first episode psychosis. <i>Schizophrenia Research</i> , 2019 , 204, 16-22	3.6	33
118	Pharmacological management of diabetes in severe mental illness: a comprehensive clinical review of efficacy, safety and tolerability. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 411-424	3.8	6
117	T130. ASSOCIATIONS BETWEEN DIFFERENT TYPES OF CHILDHOOD ADVERSITY AND 5-YEAR OUTCOMES IN FIRST-EPISEDE PSYCHOSIS PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S166-S166	1.3	78
116	Physical health problems in people with psychosis: The issue for informal carers. <i>International Journal of Social Psychiatry</i> , 2018 , 64, 381-388	8.5	6
115	Physical activity correlates among people with psychosis: Data from 47 low- and middle-income countries. <i>Schizophrenia Research</i> , 2018 , 193, 412-417	3.6	18
114	Utilising symptom dimensions with diagnostic categories improves prediction of time to first remission in first-episode psychosis. <i>Schizophrenia Research</i> , 2018 , 193, 391-398	3.6	6
113	Brain-relevant antibodies in first-episode psychosis: a matched case-control study. <i>Psychological Medicine</i> , 2018 , 48, 1257-1263	6.9	21
112	Sodium valproate and clozapine induced neutropenia: A case control study using register data. <i>Schizophrenia Research</i> , 2018 , 195, 267-273	3.6	22

111	Joint British Diabetes Societies for Inpatient Care: clinical guidelines and improving inpatient diabetes care. <i>Diabetic Medicine</i> , 2018 , 35, 988-991	3.5	8
110	Different types of childhood adversity and 5-year outcomes in a longitudinal cohort of first-episode psychosis patients. <i>Psychiatry Research</i> , 2018 , 269, 199-206	9.9	21
109	Structured lifestyle education to support weight loss for people with schizophrenia, schizoaffective disorder and first episode psychosis: the STEPWISE RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-160	4.4	24
108	Examining the potential preventative effects of minocycline prescribed for acne on the incidence of severe mental illnesses: A historical cohort study. <i>Journal of Psychopharmacology</i> , 2018 , 32, 559-568	4.6	3
107	Hepatitis, Interstitial Nephritis, and Pancreatitis in Association With Clozapine Treatment: A Systematic Review of Case Series and Reports. <i>Journal of Clinical Psychopharmacology</i> , 2018 , 38, 520-527	7.7	14
106	The Representativeness of Participants With Severe Mental Illness in a Psychosocial Clinical Trial. <i>Frontiers in Psychiatry</i> , 2018 , 9, 654	5	12
105	Physical Health Problems in Psychosis: Is It Time to Consider the Views of Family Carers?. <i>Frontiers in Psychiatry</i> , 2018 , 9, 668	5	4
104	EPA guidance on physical activity as a treatment for severe mental illness: a meta-review of the evidence and Position Statement from the European Psychiatric Association (EPA), supported by the International Organization of Physical Therapists in Mental Health (IOPTMH). <i>European Psychiatry</i> , 2018 , 54, 124-144	6	197
103	Predictors of falls and fractures leading to hospitalization in people with schizophrenia spectrum disorder: A large representative cohort study. <i>Schizophrenia Research</i> , 2018 , 201, 70-78	3.6	19
102	Is it possible for people with severe mental illness to sit less and move more? A systematic review of interventions to increase physical activity or reduce sedentary behaviour. <i>Schizophrenia Research</i> , 2018 , 202, 3-16	3.6	40
101	Type 2 diabetes mellitus in people with severe mental illness: inequalities by ethnicity and age. Cross-sectional analysis of 588 408 records from the UK. <i>Diabetic Medicine</i> , 2017 , 34, 916-924	3.5	27
100	Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a large-scale meta-analysis of 3,211,768 patients and 113,383,368 controls. <i>World Psychiatry</i> , 2017 , 16, 163-180	14.4	688
99	Clozapine-Associated Agranulocytosis Treatment With Granulocyte Colony-Stimulating Factor/Granulocyte-Macrophage Colony-Stimulating Factor: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 441-446	1.7	19
98	Sexual dysfunction and central obesity in patients with first episode psychosis. <i>European Psychiatry</i> , 2017 , 42, 1-7	6	5
97	Variation in dose and plasma level of lamotrigine in patients discharged from a mental health trust. <i>Therapeutic Advances in Psychopharmacology</i> , 2017 , 7, 17-24	4.9	8
96	Surgical Management of Obesity Among People with Schizophrenia and Bipolar Disorder: a Systematic Review of Outcomes and Recommendations for Future Research. <i>Obesity Surgery</i> , 2017 , 27, 1889-1895	3.7	20
95	Treatment-Resistant Schizophrenia: Treatment Response and Resistance in Psychosis (TRRIP) Working Group Consensus Guidelines on Diagnosis and Terminology. <i>American Journal of Psychiatry</i> , 2017 , 174, 216-229	11.9	408
94	Correlates of vitamin D in psychotic disorders: A comprehensive systematic review. <i>Psychiatry Research</i> , 2017 , 249, 78-85	9.9	27

93	Remission and recovery from first-episode psychosis in adults: systematic review and meta-analysis of long-term outcome studies. <i>British Journal of Psychiatry</i> , 2017 , 211, 350-358	5.4	150
92	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017 , 16, 308-315	14.4	381
91	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPACT): cost-effectiveness of integrated psychosocial health promotion. <i>BMC Psychiatry</i> , 2017 , 17, 407	4.2	6
90	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPACT). <i>BMC Psychiatry</i> , 2017 , 17, 413	4.2	28
89	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. <i>Schizophrenia Bulletin</i> , 2017 , 43, 536-545	1.3	29
88	The Use of Granulocyte Colony-Stimulating Factor in Clozapine Rechallenge: A Systematic Review. <i>Journal of Clinical Psychopharmacology</i> , 2017 , 37, 600-604	1.7	23
87	Hyperprolactinaemia in first episode psychosis - A longitudinal assessment. <i>Schizophrenia Research</i> , 2017 , 189, 117-125	3.6	21
86	Patterns of illness and care over the 5 years following onset of psychosis in different ethnic groups; the GAP-5 study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1101-1111	4.5	19
85	Development of multivariable models to predict change in Body Mass Index within a clinical trial population of psychotic individuals. <i>Scientific Reports</i> , 2017 , 7, 14738	4.9	9
84	An Examination of Polygenic Score Risk Prediction in Individuals With First-Episode Psychosis. <i>Biological Psychiatry</i> , 2017 , 81, 470-477	7.9	126
83	Vitamin-D Deficiency As a Potential Environmental Risk Factor in Multiple Sclerosis, Schizophrenia, and Autism. <i>Frontiers in Psychiatry</i> , 2017 , 8, 47	5	40
82	Autoantibodies against voltage-gated potassium channel and glutamic acid decarboxylase in psychosis: A systematic review, meta-analysis, and case series. <i>Psychiatry and Clinical Neurosciences</i> , 2017 , 71, 678-689	6.2	13
81	Attending a long-term support group for carers of adults with psychosis: a carer's perspective. <i>Journal of Psychiatric Intensive Care</i> , 2017 , 13, 93-99	0.3	2
80	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. <i>BMC Medicine</i> , 2016 , 14, 189	11.4	84
79	Two distinct patterns of treatment resistance: clinical predictors of treatment resistance in first-episode schizophrenia spectrum psychoses. <i>Psychological Medicine</i> , 2016 , 46, 3231-3240	6.9	141
78	Lower Bone Mineral Density at the Hip and Lumbar Spine in People with Psychosis Versus Controls: a Comprehensive Review and Skeletal Site-Specific Meta-analysis. <i>Current Osteoporosis Reports</i> , 2016 , 14, 249-259	5.4	20
77	STEPWISE - STRUCTURED lifestyle Education for People With Schizophrenia: a study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 475	2.8	10
76	Walk This Way - a pilot of a health coaching intervention to reduce sedentary behaviour and increase low intensity exercise in people with serious mental illness: study protocol for a randomised controlled trial. <i>Trials</i> , 2016 , 17, 594	2.8	10

75	Gene-expression analysis of clozapine treatment in whole blood of patients with psychosis. <i>Psychiatric Genetics</i> , 2016 , 26, 211-7	2.9	6
74	How much physical activity do people with schizophrenia engage in? A systematic review, comparative meta-analysis and meta-regression. <i>Schizophrenia Research</i> , 2016 , 176, 431-440	3.6	214
73	Ethnicity and cardiovascular health inequalities in people with severe mental illnesses: protocol for the E-CHASM study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 627-38	4.5	12
72	How sedentary are people with psychosis? A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2016 , 171, 103-9	3.6	168
71	Augmentation of clozapine with electroconvulsive therapy in treatment resistant schizophrenia: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2016 , 171, 215-24	3.6	97
70	The prevalence and predictors of obstructive sleep apnea in major depressive disorder, bipolar disorder and schizophrenia: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2016 , 197, 259-67	6.6	86
69	Substance use, medication adherence and outcome one year following a first episode of psychosis. <i>Schizophrenia Research</i> , 2016 , 170, 311-7	3.6	45
68	Prevalence and Predictors of Clozapine-Associated Constipation: A Systematic Review and Meta-Analysis. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	52
67	Treatment-resistant schizophrenia: current insights on the pharmacogenomics of antipsychotics. <i>Pharmacogenomics and Personalized Medicine</i> , 2016 , 9, 117-129	2.1	48
66	Gene polymorphisms potentially related to the pharmacokinetics of clozapine: a systematic review. <i>International Clinical Psychopharmacology</i> , 2016 , 31, 179-84	2.2	16
65	Strategies to deal with comorbid physical illness in psychosis. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 197-204	5.1	9
64	Impact of childhood adversities on specific symptom dimensions in first-episode psychosis. <i>Psychological Medicine</i> , 2016 , 46, 317-26	6.9	45
63	Peer support interventions seeking to improve physical health and lifestyle behaviours among people with serious mental illness: A systematic review. <i>International Journal of Mental Health Nursing</i> , 2016 , 25, 484-495	3.8	28
62	Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. <i>World Psychiatry</i> , 2016 , 15, 166-74	14.4	365
61	Inflammation and metabolic changes in first episode psychosis: preliminary results from a longitudinal study. <i>Brain, Behavior, and Immunity</i> , 2015 , 49, 25-9	16.6	25
60	Proportion of patients in south London with first-episode psychosis attributable to use of high potency cannabis: a case-control study. <i>Lancet Psychiatry</i> , 2015 , 2, 233-8	23.3	338
59	Cardiovascular risk factors and metabolic syndrome in people with established psychotic illnesses: baseline data from the IMPaCT randomized controlled trial. <i>Psychological Medicine</i> , 2015 , 45, 2619-29	6.9	85
58	Glasgow Antipsychotic Side-effects Scale for Clozapine - Development and validation of a clozapine-specific side-effects scale. <i>Schizophrenia Research</i> , 2015 , 168, 505-13	3.6	30

57	Pain is independently associated with reduced health related quality of life in people with psychosis. <i>Psychiatry Research</i> , 2015 , 230, 585-91	9.9	13
56	Efficacy, tolerability, and safety of aripiprazole once-monthly versus other long-acting injectable antipsychotic therapies in the maintenance treatment of schizophrenia: a mixed treatment comparison of double-blind randomized clinical trials. <i>Journal of Market Access & Health Policy</i> , 2015 , 3,	3.7	9
55	Does environmental confounding mask pleiotropic effects of a multiple sclerosis susceptibility variant on vitamin D in psychosis?. <i>NPJ Schizophrenia</i> , 2015 , 1, 15036	5.5	
54	Decreased pain sensitivity among people with schizophrenia: a meta-analysis of experimental pain induction studies. <i>Pain</i> , 2015 , 156, 2121-2131	8	74
53	Promoting physical health for people with schizophrenia by reducing disparities in medical and dental care. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 109-21	6.5	63
52	Acute hospital service utilization by inpatients in psychiatric hospitals. <i>General Hospital Psychiatry</i> , 2015 , 37, 577-80	5.6	13
51	Sedentary behaviour is associated with elevated C-reactive protein levels in people with psychosis. <i>Schizophrenia Research</i> , 2015 , 168, 461-4	3.6	42
50	Reasons for cannabis use in first-episode psychosis: does strength of endorsement change over 12 months?. <i>European Psychiatry</i> , 2015 , 30, 152-9	6	14
49	Prevalence of serum N-methyl-D-aspartate receptor autoantibodies in refractory psychosis. <i>British Journal of Psychiatry</i> , 2015 , 206, 164-5	5.4	21
48	Schizophrenia and the risk of fractures: a systematic review and comparative meta-analysis. <i>General Hospital Psychiatry</i> , 2015 , 37, 126-33	5.6	55
47	Optimizing outcomes in clozapine rechallenge following neutropenia: a cohort analysis. <i>Journal of Clinical Psychiatry</i> , 2015 , 76, e1410-6	4.6	33
46	The interface of physical and mental health. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 673-83	4.3	44
45	Daily use, especially of high-potency cannabis, drives the earlier onset of psychosis in cannabis users. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1509-17	1.3	276
44	Unheard voices: outcomes of tertiary care for treatment-refractory psychosis. <i>Psychiatric Bulletin (2014)</i> , 2014 , 38, 71-4		10
43	Ivabradine, a novel treatment for clozapine-induced sinus tachycardia: a case series. <i>Therapeutic Advances in Psychopharmacology</i> , 2014 , 4, 117-22	4.9	14
42	The practical management of refractory schizophrenia--the Maudsley Treatment REview and Assessment Team service approach. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 427-38	6.5	25
41	Provision of health promotion programmes to people with serious mental illness: a mapping exercise of four South London boroughs. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014 , 21, 121-7	4.4	15
40	Essentials of Physical Health in Psychiatry. Edited by Irene Cormac & David Gray. RCPsych Publications. 2012. £35.00 (pb). 496pp. ISBN: 9781908020406. <i>British Journal of Psychiatry</i> , 2014 , 204, 82-83	5.4	

39	Vitamin D deficiency in first episode psychosis: a case-control study. <i>Schizophrenia Research</i> , 2013 , 150, 533-7	3.6	65
38	Opening Pandora's box in the UK: a hypothetical pharmacogenetic test for clozapine. <i>Pharmacogenomics</i> , 2013 , 14, 1907-14	2.6	8
37	Association between influenza vaccination and cardiovascular outcomes in high-risk patients: a meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1711-20	27.4	290
36	Non-pharmacological interventions reduce antipsychotic-associated weight gain in outpatients. <i>Evidence-Based Mental Health</i> , 2013 , 16, 18	11.1	2
35	Impact of the demand for proxy consent on recruitment to a randomised controlled trial of vaccination testing in care homes. <i>Journal of Medical Ethics</i> , 2013 , 39, 36-40	2.5	13
34	Improving physical health and reducing substance use in psychosis--randomised control trial (IMPACT RCT): study protocol for a cluster randomised controlled trial. <i>BMC Psychiatry</i> , 2013 , 13, 263	4.2	25
33	Harnessing clinical psychiatric data with an electronic assessment tool (OPCRIT+): the utility of symptom dimensions. <i>PLoS ONE</i> , 2013 , 8, e58790	3.7	9
32	Correlation between human leukocyte antigen class II alleles and HAI titers detected post-influenza vaccination. <i>PLoS ONE</i> , 2013 , 8, e71376	3.7	27
31	Sexual dysfunction in people with prodromal or first-episode psychosis. <i>British Journal of Psychiatry</i> , 2012 , 201, 131-6	5.4	34
30	Schizophrenia: A major risk factor for cardiovascular disease. <i>British Journal of Cardiac Nursing</i> , 2011 , 6, 228-232	0.2	3
29	Schizophrenia as segmental progeria. <i>Journal of the Royal Society of Medicine</i> , 2011 , 104, 475-84	2.3	11
28	Melperone in treatment-refractory schizophrenia: a case series. <i>Therapeutic Advances in Psychopharmacology</i> , 2011 , 1, 19-23	4.9	4
27	How change comes: translating biological research into care. <i>The Psychiatrist</i> , 2011 , 35, 321-324		1
26	Falling between the cracks. Invited commentary on 'Service innovation: the first year of lifestyle clinics for psychiatric outpatients' <i>Psychiatric Bulletin</i> , 2009 , 33, 448-450		
25	Review: limited evidence that adding a second antipsychotic improves clozapine treatment in schizophrenia. <i>Evidence-Based Mental Health</i> , 2009 , 12, 112	11.1	
24	The utility of the Mini-Mental State Examination in guiding assessment of capacity to consent to research. <i>International Psychogeriatrics</i> , 2009 , 21, 338-44	3.4	13
23	A randomized controlled trial of the cost-utility of second-generation antipsychotics in people with psychosis and eligible for clozapine. <i>Value in Health</i> , 2008 , 11, 549-62	3.3	25
22	'Do you feel that your life is empty?' The clinical utility of a one-off question for detecting depression in elderly care home residents. <i>Age and Ageing</i> , 2008 , 37, 475-8	3	5

21	Flu: effect of vaccine in elderly care home residents: a randomized trial. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 1912-20	5.6	12
20	Cost-effectiveness of first- v. second-generation antipsychotic drugs: results from a randomised controlled trial in schizophrenia responding poorly to previous therapy. <i>British Journal of Psychiatry</i> , 2007 , 191, 14-22	5.4	82
19	Birth order and the severity of illness in schizophrenia. <i>Psychiatry Research</i> , 2007 , 150, 205-10	9.9	7
18	Hippocampal FGF-2 and FGFR1 mRNA expression in major depression, schizophrenia and bipolar disorder. <i>Brain Research Bulletin</i> , 2006 , 70, 221-7	3.9	127
17	The relationship between prolactin levels and glucose homeostasis in antipsychotic-treated schizophrenic patients. <i>Journal of Clinical Psychopharmacology</i> , 2006 , 26, 629-31	1.7	8
16	Serum glutamic acid decarboxylase 65 antibody levels in people with schizophrenia and their families. <i>Schizophrenia Research</i> , 2005 , 73, 379-81	3.6	3
15	A prospective study of impairment in glucose control caused by clozapine without changes in insulin resistance. <i>American Journal of Psychiatry</i> , 2004 , 161, 361-3	11.9	59
14	The effect of clozapine on factors controlling glucose homeostasis. <i>Journal of Clinical Psychiatry</i> , 2004 , 65, 1352-5	4.6	12
13	Controlled trial of discharge planning by video-link in a UK urban mental health service: responses of staff and service users. <i>Journal of Telemedicine and Telecare</i> , 2002 , 8 Suppl 3, 44-46	6.8	5
12	Immunity and schizophrenia: autoimmunity, cytokines, and immune responses. <i>International Review of Neurobiology</i> , 2002 , 52, 275-302	4.4	38
11	Soluble interleukin 2 receptor levels in families of people with schizophrenia. <i>Schizophrenia Research</i> , 2002 , 56, 235-9	3.6	23
10	Soluble interleukin 2 receptor levels in acute and stable schizophrenia. <i>Schizophrenia Research</i> , 2001 , 52, 143-4	3.6	5
9	Integrating interactive television-based psychiatric consultation into an urban community mental health service. <i>Journal of Telemedicine and Telecare</i> , 1999 , 5 Suppl 1, S100-2	6.8	29
8	Increased soluble interleukin 2 receptor levels in schizophrenia. <i>Schizophrenia Research</i> , 1998 , 29, 263-7	3.6	34
7	Serum zinc levels in patients with schizophrenia and their mothers. <i>Schizophrenia Research</i> , 1997 , 26, 83-4	3.6	7
6	Familial dementia with Pick cells: a case report of probable familial Pick disease. <i>Irish Journal of Psychological Medicine</i> , 1994 , 11, 34-38	3	4
5	Treating women with schizophrenia 307-319		
4	Large-scale analysis of DNA methylation identifies cellular alterations in blood from psychosis patients and molecular biomarkers of treatment-resistant schizophrenia		1

3	Remote working in mental health services: a rapid umbrella review of pre-COVID-19 literature	5
2	Fatigue outcomes following coronavirus or influenza virus infection: A systematic review and meta-analysis	2
1	Resource utilization in mental illness: Evaluation of an instrument for measuring direct costs of treatment for patients with severe mental illness (SMI). <i>Nordic Journal of Psychiatry</i> ,1-7	2.3