

Sanjay Asthana

List of Publications by Citations

Source: <https://exaly.com/author-pdf/11559003/sanjay-asthana-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

260
papers

10,387
citations

53
h-index

97
g-index

346
ext. papers

13,277
ext. citations

5.2
avg, IF

5.64
L-index

#	Paper	IF	Citations
260	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates A β tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
259	Gut microbiome alterations in Alzheimer's disease. <i>Scientific Reports</i> , 2017 , 7, 13537	4.9	712
258	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017 , 49, 1373-1384	36.3	508
257	Preserved cognition in patients with early Alzheimer disease and amnesic mild cognitive impairment during treatment with rosiglitazone: a preliminary study. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 950-8	6.5	397
256	Effect of vitamin E and memantine on functional decline in Alzheimer disease: the TEAM-AD VA cooperative randomized trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 33-44	27.4	347
255	Effects of Hormone Therapy on Cognition and Mood in Recently Postmenopausal Women: Findings from the Randomized, Controlled KEEPS-Cognitive and Affective Study. <i>PLoS Medicine</i> , 2015 , 12, e1001833; discussion e1001833	11.6	260
254	Enhancement of memory in Alzheimer disease with insulin and somatostatin, but not glucose. <i>Archives of General Psychiatry</i> , 1999 , 56, 1135-40		247
253	Association of Insulin Resistance With Cerebral Glucose Uptake in Late Middle-Aged Adults at Risk for Alzheimer Disease. <i>JAMA Neurology</i> , 2015 , 72, 1013-20	17.2	223
252	Cognitive and neuroendocrine response to transdermal estrogen in postmenopausal women with Alzheimer's disease: results of a placebo-controlled, double-blind, pilot study. <i>Psychoneuroendocrinology</i> , 1999 , 24, 657-77	5	210
251	Insulin dose-response effects on memory and plasma amyloid precursor protein in Alzheimer's disease: interactions with apolipoprotein E genotype. <i>Psychoneuroendocrinology</i> , 2003 , 28, 809-22	5	204
250	The gut microbiota-derived metabolite trimethylamine N-oxide is elevated in Alzheimer's disease. <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 124	9	156
249	Insulin effects on glucose metabolism, memory, and plasma amyloid precursor protein in Alzheimer's disease differ according to apolipoprotein-E genotype. <i>Annals of the New York Academy of Sciences</i> , 2000 , 903, 222-8	6.5	153
248	Insulin resistance predicts brain amyloid deposition in late middle-aged adults. <i>Alzheimer's and Dementia</i> , 2015 , 11, 504-510.e1	1.2	147
247	Insulin resistance, brain atrophy, and cognitive performance in late middle-aged adults. <i>Diabetes Care</i> , 2013 , 36, 443-9	14.6	146
246	Physical activity attenuates age-related biomarker alterations in preclinical AD. <i>Neurology</i> , 2014 , 83, 1753-60	6.5	135
245	Insulin metabolism in Alzheimer's disease differs according to apolipoprotein E genotype and gender. <i>Neuroendocrinology</i> , 1999 , 70, 146-52	5.6	134
244	Amyloid burden is associated with self-reported sleep in nondemented late middle-aged adults. <i>Neurobiology of Aging</i> , 2015 , 36, 2568-76	5.6	129

243	The influence of Alzheimer disease family history and apolipoprotein E epsilon4 on mesial temporal lobe activation. <i>Journal of Neuroscience</i> , 2006 , 26, 6069-76	6.6	129
242	Amyloid burden and neural function in people at risk for Alzheimer's Disease. <i>Neurobiology of Aging</i> , 2014 , 35, 576-84	5.6	117
241	Reduced hippocampal activation during episodic encoding in middle-aged individuals at genetic risk of Alzheimer's disease: a cross-sectional study. <i>BMC Medicine</i> , 2006 , 4, 1	11.4	116
240	Poor sleep is associated with CSF biomarkers of amyloid pathology in cognitively normal adults. <i>Neurology</i> , 2017 , 89, 445-453	6.5	108
239	Transethnic genome-wide scan identifies novel Alzheimer's disease loci. <i>Alzheimeris and Dementia</i> , 2017 , 13, 727-738	1.2	106
238	Sex biology contributions to vulnerability to Alzheimer's disease: A think tank convened by the Women's Alzheimer's Research Initiative. <i>Alzheimeris and Dementia</i> , 2016 , 12, 1186-1196	1.2	106
237	Magnetic resonance imaging characterization of brain structure and function in mild cognitive impairment: a review. <i>Journal of the American Geriatrics Society</i> , 2008 , 56, 920-34	5.6	102
236	The Wisconsin Registry for Alzheimer's Prevention: A review of findings and current directions. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 130-142	5.2	97
235	Associations between white matter microstructure and amyloid burden in preclinical Alzheimer's disease: A multimodal imaging investigation. <i>NeuroImage: Clinical</i> , 2014 , 4, 604-14	5.3	94
234	Anosognosia in mild cognitive impairment: Relationship to activation of cortical midline structures involved in self-appraisal. <i>Journal of the International Neuropsychological Society</i> , 2007 , 13, 450-61	3.1	90
233	Association of Amyloid Pathology With Myelin Alteration in Preclinical Alzheimer Disease. <i>JAMA Neurology</i> , 2017 , 74, 41-49	17.2	89
232	Low cerebral blood flow is associated with lower memory function in metabolic syndrome. <i>Obesity</i> , 2013 , 21, 1313-20	8	88
231	The effect of TOMM40 poly-T length on gray matter volume and cognition in middle-aged persons with APOE B/B genotype. <i>Alzheimeris and Dementia</i> , 2011 , 7, 456-65	1.2	86
230	White matter is altered with parental family history of Alzheimer's disease. <i>Alzheimeris and Dementia</i> , 2010 , 6, 394-403	1.2	85
229	Effects of simvastatin on cerebrospinal fluid biomarkers and cognition in middle-aged adults at risk for Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2008 , 13, 187-97	4.3	77
228	Neurobiological Underpinnings of the Estrogen - Mood Relationship. <i>Current Psychiatry Reviews</i> , 2012 , 8, 247-256	0.9	77
227	Cerebrospinal Fluid Markers of Alzheimer's Disease Pathology and Microglial Activation are Associated with Altered White Matter Microstructure in Asymptomatic Adults at Risk for Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2016 , 50, 873-86	4.3	75
226	CSF T-Tau/A β 2 predicts white matter microstructure in healthy adults at risk for Alzheimer's disease. <i>PLoS ONE</i> , 2012 , 7, e37720	3.7	73

225	Microstructural white matter alterations in preclinical Alzheimer's disease detected using free water elimination diffusion tensor imaging. <i>PLoS ONE</i> , 2017 , 12, e0173982	3.7	71
224	Cerebral blood flow is diminished in asymptomatic middle-aged adults with maternal history of Alzheimer's disease. <i>Cerebral Cortex</i> , 2014 , 24, 978-88	5.1	70
223	Subjective memory complaints, cortical thinning, and cognitive dysfunction in middle-aged adults at risk for AD. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015 , 1, 33-40	5.2	68
222	A preliminary study of the safety, feasibility and cognitive efficacy of soy isoflavone supplements in older men and women. <i>Age and Ageing</i> , 2009 , 38, 86-93	3	67
221	Effect of parental family history of Alzheimer's disease on serial position profiles. <i>Alzheimeris and Dementia</i> , 2008 , 4, 285-90	1.2	66
220	The influence of parental history of Alzheimer's disease and apolipoprotein E epsilon4 on the BOLD signal during recognition memory. <i>Brain</i> , 2009 , 132, 383-91	11.2	66
219	Estrogen and Alzheimer's disease: the story so far. <i>Drugs and Aging</i> , 2002 , 19, 405-27	4.7	66
218	Short-term hormone therapy with transdermal estradiol improves cognition for postmenopausal women with Alzheimer's disease: results of a randomized controlled trial. <i>Journal of Alzheimeris Disease</i> , 2011 , 26, 495-505	4.3	64
217	Insulin effects on CSF norepinephrine and cognition in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2006 , 27, 38-41	5.6	64
216	Memory improvement without toxicity during chronic, low dose intravenous arecoline in Alzheimer's disease. <i>Psychopharmacology</i> , 1993 , 112, 421-7	4.7	64
215	Pathway-Specific Polygenic Risk Scores as Predictors of Amyloid- β Deposition and Cognitive Function in a Sample at Increased Risk for Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2017 , 55, 473-484	4.3	60
214	Cardiorespiratory fitness is associated with brain structure, cognition, and mood in a middle-aged cohort at risk for Alzheimer's disease. <i>Brain Imaging and Behavior</i> , 2015 , 9, 639-49	4.1	57
213	Rationale and design of the Kronos Early Estrogen Prevention Study (KEEPS) and the KEEPS Cognitive and Affective sub study (KEEPS Cog). <i>Brain Research</i> , 2013 , 1514, 12-7	3.7	56
212	Amyloid and tau imaging biomarkers explain cognitive decline from late middle-age. <i>Brain</i> , 2020 , 143, 320-335	11.2	56
211	Occupational Complexity and Cognitive Reserve in a Middle-Aged Cohort at Risk for Alzheimer's Disease. <i>Archives of Clinical Neuropsychology</i> , 2015 , 30, 634-42	2.7	55
210	Cognitive Effects of Soy Isoflavones in Patients with Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2015 , 47, 1009-19	4.3	55
209	The Kronos Early Estrogen Prevention Study (KEEPS): what have we learned?. <i>Menopause</i> , 2019 , 26, 1071-1084	5.5	55
208	Effect of Cognitive Reserve on Age-Related Changes in Cerebrospinal Fluid Biomarkers of Alzheimer Disease. <i>JAMA Neurology</i> , 2015 , 72, 699-706	17.2	54

207	Clinical pharmacokinetics of physostigmine in patients with Alzheimer's disease. <i>Clinical Pharmacology and Therapeutics</i> , 1995 , 58, 299-309	6.1	52
206	Potential role of muscarinic agonists in Alzheimer's disease. <i>Drugs and Aging</i> , 1997 , 11, 450-9	4.7	50
205	Cerebrospinal Fluid and Plasma Levels of Inflammation Differentially Relate to CNS Markers of Alzheimer's Disease Pathology and Neuronal Damage. <i>Journal of Alzheimeris Disease</i> , 2018 , 62, 385-397	4.3	49
204	Neurogranin, a synaptic protein, is associated with memory independent of Alzheimer biomarkers. <i>Neurology</i> , 2017 , 89, 1782-1788	6.5	49
203	fMRI activation during episodic encoding and metacognitive appraisal across the lifespan: risk factors for Alzheimer's disease. <i>Neuropsychologia</i> , 2008 , 46, 1667-78	3.2	49
202	Insulin Resistance is Associated with Higher Cerebrospinal Fluid Tau Levels in Asymptomatic APOEε4 Carriers. <i>Journal of Alzheimeris Disease</i> , 2015 , 46, 525-33	4.3	48
201	Clinical pharmacology and differential cognitive efficacy of estrogen preparations. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1052, 93-115	6.5	46
200	Clinical pharmacokinetics of arecoline in subjects with Alzheimer's disease. <i>Clinical Pharmacology and Therapeutics</i> , 1996 , 60, 276-82	6.1	46
199	Effects of hormone therapy on cognition and mood. <i>Fertility and Sterility</i> , 2014 , 101, 898-904	4.8	45
198	Cerebrospinal fluid sphingolipids, Amyloid, and tau in adults at risk for Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35, 2486-2494	5.6	45
197	The effects of ramipril in individuals at risk for Alzheimer's disease: results of a pilot clinical trial. <i>Journal of Alzheimeris Disease</i> , 2012 , 32, 147-56	4.3	43
196	Beta-amyloid and cognitive decline in late middle age: Findings from the Wisconsin Registry for Alzheimer's Prevention study. <i>Alzheimeris and Dementia</i> , 2016 , 12, 805-14	1.2	42
195	ATN profiles among cognitively normal individuals and longitudinal cognitive outcomes. <i>Neurology</i> , 2019 , 92, e1567-e1579	6.5	40
194	Medial prefrontal functional connectivity--relation to memory self-appraisal accuracy in older adults with and without memory disorders. <i>Neuropsychologia</i> , 2012 , 50, 603-11	3.2	40
193	Effects of long-term testosterone administration on cognition in older men with low or low-to-normal testosterone concentrations: a prespecified secondary analysis of data from the randomised, double-blind, placebo-controlled TEAAM trial. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 657-665	18.1	40
192	Age-dependent differences in brain tissue microstructure assessed with neurite orientation dispersion and density imaging. <i>Neurobiology of Aging</i> , 2016 , 43, 79-88	5.6	39
191	Age-accelerated cognitive decline in asymptomatic adults with CSF Amyloid. <i>Neurology</i> , 2018 , 90, e130661-1315	6.5	37
190	Cardiorespiratory Fitness Attenuates the Influence of Amyloid on Cognition. <i>Journal of the International Neuropsychological Society</i> , 2015 , 21, 841-50	3.1	37

189	Insulin Resistance is Associated with Increased Levels of Cerebrospinal Fluid Biomarkers of Alzheimer's Disease and Reduced Memory Function in At-Risk Healthy Middle-Aged Adults. <i>Journal of Alzheimer's Disease</i> , 2016 , 52, 1373-83	4.3	37
188	Val66Met predicts cognitive decline in the Wisconsin Registry for Alzheimer's Prevention. <i>Neurology</i> , 2017 , 88, 2098-2106	6.5	35
187	Moderate intensity physical activity associates with CSF biomarkers in a cohort at risk for Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018 , 10, 188-195	5.2	35
186	Brain structure and cognition 3 years after the end of an early menopausal hormone therapy trial. <i>Neurology</i> , 2018 , 90, e1404-e1412	6.5	35
185	Cerebrospinal fluid ratios with A β 2 predict preclinical brain amyloid accumulation. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 2, 27-38	5.2	35
184	Low HDL Cholesterol is Associated with Lower Gray Matter Volume in Cognitively Healthy Adults. <i>Frontiers in Aging Neuroscience</i> , 2010 , 2,	5.3	35
183	Participation in cognitively-stimulating activities is associated with brain structure and cognitive function in preclinical Alzheimer's disease. <i>Brain Imaging and Behavior</i> , 2015 , 9, 729-36	4.1	33
182	Effects of hormone therapy on brain structure: A randomized controlled trial. <i>Neurology</i> , 2016 , 87, 887-965	6.5	33
181	Vitamin E and memantine in Alzheimer's disease: clinical trial methods and baseline data. <i>Alzheimer's and Dementia</i> , 2014 , 10, 36-44	1.2	32
180	Novel Alzheimer Disease Risk Loci and Pathways in African American Individuals Using the African Genome Resources Panel: A Meta-analysis. <i>JAMA Neurology</i> , 2021 , 78, 102-113	17.2	32
179	Relationships between cardiorespiratory fitness, hippocampal volume, and episodic memory in a population at risk for Alzheimer's disease. <i>Brain and Behavior</i> , 2017 , 7, e00625	3.4	31
178	Structural MRI discriminates individuals with Mild Cognitive Impairment from age-matched controls: a combined neuropsychological and voxel based morphometry study. <i>Alzheimer's and Dementia</i> , 2006 , 2, 296-302	1.2	31
177	Mild Cognitive Impairment in Late Middle Age in the Wisconsin Registry for Alzheimer's Prevention Study: Prevalence and Characteristics Using Robust and Standard Neuropsychological Normative Data. <i>Archives of Clinical Neuropsychology</i> , 2016 , 31, 675-688	2.7	31
176	Cardiorespiratory fitness alters the influence of a polygenic risk score on biomarkers of AD. <i>Neurology</i> , 2017 , 88, 1650-1658	6.5	30
175	Insulin resistance is associated with lower arterial blood flow and reduced cortical perfusion in cognitively asymptomatic middle-aged adults. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017 , 37, 2249-2261	7.3	30
174	Associative learning over trials activates the hippocampus in healthy elderly but not mild cognitive impairment. <i>Aging, Neuropsychology, and Cognition</i> , 2008 , 15, 129-45	2.1	30
173	heterozygosity attenuates A β -related amyloid burden in preclinical AD. <i>Neurology</i> , 2019 , 92, e1878-e1889	6.5	29
172	Effect of Alzheimer disease risk on brain function during self-appraisal in healthy middle-aged adults. <i>Archives of General Psychiatry</i> , 2007 , 64, 1163-71		29

171	Association of Neighborhood-Level Disadvantage With Cerebral and Hippocampal Volume. <i>JAMA Neurology</i> , 2020 , 77, 451-460	17.2	29
170	Associations between Performance on an Abbreviated CogState Battery, Other Measures of Cognitive Function, and Biomarkers in People at Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016 , 54, 1395-1408	4.3	29
169	Neuropsychiatric Symptoms and Caregiver Burden in Individuals With Alzheimer's Disease: The TEAM-AD VA Cooperative Study. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2018 , 31, 177-185	3.8	29
168	Measuring longitudinal cognition: Individual tests versus composites. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 74-84	5.2	27
167	Biomarker clusters are differentially associated with longitudinal cognitive decline in late midlife. <i>Brain</i> , 2016 , 139, 2261-74	11.2	27
166	Masculine vitality: pros and cons of testosterone in treating the andropause. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004 , 59, 461-5	6.4	27
165	Amyloid burden, cortical thickness, and cognitive function in the Wisconsin Registry for Alzheimer's Prevention. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015 , 1, 160-169	5.2	26
164	An examination of a novel multipanel of CSF biomarkers in the Alzheimer's disease clinical and pathological continuum. <i>Alzheimer's and Dementia</i> , 2021 , 17, 431-445	1.2	26
163	Neurodegeneration, synaptic dysfunction, and gliosis are phenotypic of Alzheimer dementia. <i>Neurology</i> , 2018 , 91, e436-e443	6.5	25
162	Preserved Cognition in Patients With Early Alzheimer Disease and Amnesic Mild Cognitive Impairment During Treatment With Rosiglitazone. <i>American Journal of Geriatric Psychiatry</i> , 2005 , 13, 950-958	6.5	25
161	Moderate Physical Activity is Associated with Cerebral Glucose Metabolism in Adults at Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2017 , 58, 1089-1097	4.3	24
160	17beta-estradiol reduces plasma Abeta40 for HRT-naïve postmenopausal women with Alzheimer disease: a preliminary study. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 239-44	6.5	24
159	Amyloid duration is associated with preclinical cognitive decline and tau PET. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12007	5.2	23
158	Label-free quantitative comparison of cerebrospinal fluid glycoproteins and endogenous peptides in subjects with Alzheimer's disease, mild cognitive impairment, and healthy individuals. <i>Proteomics - Clinical Applications</i> , 2016 , 10, 1225-1241	3.1	23
157	Cerebrospinal fluid biomarkers of neurofibrillary tangles and synaptic dysfunction are associated with longitudinal decline in white matter connectivity: A multi-resolution graph analysis. <i>NeuroImage: Clinical</i> , 2019 , 21, 101586	5.3	23
156	Macrovascular and microvascular cerebral blood flow in adults at risk for Alzheimer's disease. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2017 , 7, 48-55	5.2	22
155	Cortical Microstructural Alterations in Mild Cognitive Impairment and Alzheimer's Disease Dementia. <i>Cerebral Cortex</i> , 2020 , 30, 2948-2960	5.1	22
154	Association between enrollment factors and incident cognitive impairment in Blacks and Whites: Data from the Alzheimer's Disease Center. <i>Alzheimer's and Dementia</i> , 2019 , 15, 1533-1545	1.2	22

153	Awareness of memory abilities in community-dwelling older adults with suspected dementia and mild cognitive impairment. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010 , 30, 83-92	2.6	22
152	Frontiers proposal. National Institute on Aging "bench to bedside: estrogen as a case study". <i>Age</i> , 2009 , 31, 199-210		22
151	Association of longitudinal white matter degeneration and cerebrospinal fluid biomarkers of neurodegeneration, inflammation and Alzheimer's disease in late-middle-aged adults. <i>Brain Imaging and Behavior</i> , 2019 , 13, 41-52	4.1	22
150	Comparison of different MRI-based morphometric estimates for defining neurodegeneration across the Alzheimer's disease continuum. <i>NeuroImage: Clinical</i> , 2019 , 23, 101895	5.3	21
149	Intracranial Arterial 4D-Flow is Associated with Metrics of Brain Health and Alzheimer's Disease. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2015 , 1, 420-428	5.2	21
148	Amyloid burden, neuronal function, and cognitive decline in middle-aged adults at risk for Alzheimer's disease. <i>Journal of the International Neuropsychological Society</i> , 2014 , 20, 422-33	3.1	21
147	Effects of atorvastatin on cerebral blood flow in middle-aged adults at risk for Alzheimer's disease: a pilot study. <i>Current Alzheimer Research</i> , 2012 , 9, 990-7	3	21
146	A Pilot Study of Perceived Mouth Dryness, Perceived Swallowing Effort, and Saliva Substitute Effects in Healthy Adults Across the Age Range. <i>Dysphagia</i> , 2018 , 33, 200-205	3.7	20
145	The KEEPS-Cognitive and Affective Study: baseline associations between vascular risk factors and cognition. <i>Journal of Alzheimeris Disease</i> , 2014 , 40, 331-41	4.3	20
144	Meeting physical activity recommendations may be protective against temporal lobe atrophy in older adults at risk for Alzheimer's disease. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 4, 14-7	5.2	19
143	Hypertension and obesity moderate the relationship between Amyloid and cognitive decline in midlife. <i>Alzheimeris and Dementia</i> , 2019 , 15, 418-428	1.2	19
142	Cognitive Variability Predicts Incident Alzheimer's Disease and Mild Cognitive Impairment Comparable to a Cerebrospinal Fluid Biomarker. <i>Journal of Alzheimeris Disease</i> , 2018 , 61, 79-89	4.3	18
141	Effects of insulin and octreotide on memory and growth hormone in Alzheimer's disease. <i>Journal of Alzheimeris Disease</i> , 2009 , 18, 595-602	4.3	18
140	Neuroendocrine responses to intravenous infusion of arecoline in patients with Alzheimer's disease. <i>Psychoneuroendocrinology</i> , 1995 , 20, 623-36	5	18
139	Effects of acute infusion of the muscarinic cholinergic agonist arecoline on verbal memory and visuo-spatial function in dementia of the Alzheimer type. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 1991 , 15, 643-8	5.5	18
138	Neuropsychiatric symptoms in dementia. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2019 , 167, 437-454	3	18
137	Differential effects of neurodegeneration biomarkers on subclinical cognitive decline. <i>Alzheimeris and Dementia: Translational Research and Clinical Interventions</i> , 2019 , 5, 129-138	6	16
136	Higher CSF sTREM2 attenuates ApoE4-related risk for cognitive decline and neurodegeneration. <i>Molecular Neurodegeneration</i> , 2020 , 15, 57	19	16

135	Cognitive variability-A marker for incident MCI and AD: An analysis for the Alzheimer's Disease Neuroimaging Initiative. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016 , 4, 47-55	5.2	16
134	Fitness, independent of physical activity is associated with cerebral blood flow in adults at risk for Alzheimer's disease. <i>Brain Imaging and Behavior</i> , 2020 , 14, 1154-1163	4.1	15
133	DNA Hypomethylation in Blood Links B3GALT4 and ZADH2 to Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2018 , 66, 927-934	4.3	15
132	Cognitive response to estradiol in postmenopausal women is modified by high cortisol. <i>Neurobiology of Aging</i> , 2012 , 33, 829.e9-20	5.6	14
131	Estrogen and cognition: the story so far. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2003 , 58, 322-3	6.4	14
130	Estrogen and cognition: a true relationship?. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 316-8	5.6	13
129	Potential role of estrogen in the pathobiology and prevention of Alzheimer's disease. <i>American Journal of Translational Research (discontinued)</i> , 2009 , 1, 131-47	3	12
128	In-depth Site-specific Analysis of N-glycoproteome in Human Cerebrospinal Fluid and Glycosylation Landscape Changes in Alzheimer's Disease. <i>Molecular and Cellular Proteomics</i> , 2021 , 20, 100081	7.6	12
127	Using predictors of hormone therapy use to model the healthy user bias: how does healthy user status influence cognitive effects of hormone therapy?. <i>Menopause</i> , 2012 , 19, 524-33	2.5	11
126	Family history and TOMM40 '523 interactive associations with memory in middle-aged and Alzheimer's disease cohorts. <i>Alzheimeris and Dementia</i> , 2017 , 13, 1217-1225	1.2	10
125	NSAIDs may protect against age-related brain atrophy. <i>Frontiers in Aging Neuroscience</i> , 2010 , 2,	5.3	10
124	Cognitive benefits of hormone therapy: cardiovascular factors and healthy-user bias. <i>Maturitas</i> , 2009 , 64, 182-7	5	10
123	Longitudinal Assessment of Self- and Informant-Subjective Cognitive Complaints in a Sample of Healthy Late-Middle Aged Adults Enriched with a Family History of Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2017 , 23, 617-626	3.1	9
122	Characterization of vascular disease risk in postmenopausal women and its association with cognitive performance. <i>PLoS ONE</i> , 2013 , 8, e68741	3.7	9
121	Intracranial Arterial 4D Flow in Individuals with Mild Cognitive Impairment is Associated with Cognitive Performance and Amyloid Positivity. <i>Journal of Alzheimeris Disease</i> , 2017 , 60, 243-252	4.3	8
120	Effects of Simvastatin on Augmentation Index Are Transient: Outcomes From a Randomized Controlled Trial. <i>Journal of the American Heart Association</i> , 2019 , 8, e009792	6	8
119	Cerebrospinal fluid metabolomics identifies 19 brain-related phenotype associations. <i>Communications Biology</i> , 2021 , 4, 63	6.7	8
118	Age-Related Tau Burden and Cognitive Deficits Are Attenuated in KLOTTHO KL-VS Heterozygotes. <i>Journal of Alzheimeris Disease</i> , 2021 , 79, 1297-1305	4.3	8

117	Association of Cardiovascular Risk Factors with Cerebral Perfusion in Whites and African Americans. <i>Journal of Alzheimer's Disease</i> , 2020 , 75, 649-660	4.3	7
116	Association of Cardiovascular and Alzheimer's Disease Risk Factors with Intracranial Arterial Blood Flow in Whites and African Americans. <i>Journal of Alzheimer's Disease</i> , 2019 , 72, 919-929	4.3	7
115	Measuring informed consent capacity in an Alzheimer's disease clinical trial. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2016 , 2, 258-266	6	7
114	Cardiorespiratory fitness attenuates age-associated aggregation of white matter hyperintensities in an at-risk cohort. <i>Alzheimer's Research and Therapy</i> , 2018 , 10, 97	9	6
113	Elevated Insulin and Insulin Resistance are Associated with Altered Myelin in Cognitively Unimpaired Middle-Aged Adults. <i>Obesity</i> , 2019 , 27, 1464-1471	8	5
112	Dementia Trends in the United States: Read Up and Weigh In. <i>JAMA Internal Medicine</i> , 2017 , 177, 58-60	11.5	4
111	Impact of apolipoprotein E genotypes on vitamin E and memantine treatment outcomes in Alzheimer's disease. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2018 , 4, 344-349	6	4
110	Association of Neighborhood Context, Cognitive Decline, and Cortical Change in an Unimpaired Cohort. <i>Neurology</i> , 2021 , 96, e2500-e2512	6.5	4
109	Latent Factor Structure and Measurement Invariance of the NIH Toolbox Cognition Battery in an Alzheimer's Disease Research Sample. <i>Journal of the International Neuropsychological Society</i> , 2021 , 27, 412-425	3.1	4
108	[O20506]: GUT MICROBIOME ALTERATIONS IN ALZHEIMER'S DISEASE AND THE RELATIONSHIP WITH CSF BIOMARKERS 2017 , 13, P563		3
107	Cardiorespiratory Fitness Modifies Influence of Sleep Problems on Cerebrospinal Fluid Biomarkers in an At-Risk Cohort. <i>Journal of Alzheimer's Disease</i> , 2019 , 69, 111-121	4.3	3
106	Atorvastatin therapy is associated with greater and faster cerebral hemodynamic response. <i>Brain Imaging and Behavior</i> , 2008 , 2, 94	4.1	3
105	Factors Associated with Lumbar Puncture Participation in Alzheimer's Disease Research. <i>Journal of Alzheimer's Disease</i> , 2020 , 77, 1559-1567	4.3	3
104	Tau-Atrophy Variability Reveals Phenotypic Heterogeneity in Alzheimer's Disease. <i>Annals of Neurology</i> , 2021 , 90, 751-762	9.4	3
103	Amyloid duration is associated with preclinical cognitive decline and tau PET		3
102	Cigarette Smoking Status, Cigarette Exposure, and Duration of Abstinence Predicting Incident Dementia and Death: A Multistate Model Approach. <i>Journal of Alzheimer's Disease</i> , 2021 , 80, 1013-1023	4.3	3
101	Interaction of amyloid and tau on cortical microstructure in cognitively unimpaired adults. <i>Alzheimer's and Dementia</i> , 2021 ,	1.2	3
100	IC-P-178: Occupational Complexity, Cognitive Reserve, and White Matter Hyperintensities: Findings from The Wisconsin Registry for Alzheimer's Prevention 2016 , 12, P130-P130		3

99	Positive affect predicts cerebral glucose metabolism in late middle-aged adults. <i>Social Cognitive and Affective Neuroscience</i> , 2017 , 12, 993-1000	4	2
98	Posteromedial hyperactivation during episodic recognition among people with memory decline: findings from the WRAP study. <i>Brain Imaging and Behavior</i> , 2015 , 9, 690-702	4.1	2
97	Effects of simvastatin on white matter integrity in healthy middle-aged adults. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 1656-1667	5.3	2
96	P1-286: TRANSFORMATION OF CSF BIOMARKER VALUES BETWEEN MEASUREMENT BATCHES 2018 , 14, P393-P395		2
95	P3-271: LUMBAR PUNCTURE SIDE EFFECT RATES IN A RESEARCH SETTING 2018 , 14, P1180-P1181		2
94	Does Rural Living in Early Life Increase the Risk for Reduced Cognitive Functioning in Later Life?. <i>Journal of Alzheimer's Disease</i> , 2021 , 82, 1171-1182	4.3	2
93	MK-6240 imaging features, cognitive associations in preclinical Alzheimer's disease and a case with imaging-to-postmortem correlates. <i>Alzheimer's and Dementia</i> , 2020 , 16, e043217	1.2	1
92	P4-004: Cardiorespiratory capacity modifies the association between a polygenic risk score and CSF biomarkers in preclinical Alzheimer's disease 2015 , 11, P766-P766		1
91	IC-P-063: Alzheimer's disease biomarker-based clusters predict amyloid accumulation and cognitive decline in a preclinical cohort: Findings from the wisconsin registry for Alzheimer's prevention (WRAP) 2015 , 11, P47-P49		1
90	IC-P-128: Alterations in myelin content are related to cognitive performance in nondemented older adults: Findings from the wisconsin registry for Alzheimer's prevention study 2015 , 11, P87-P87		1
89	[O31002]: LONGITUDINAL CSF BIOMARKER CHANGES IN MIDDLE-AGED ADULTS AT RISK FOR AD: THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION (WRAP) AND WISCONSIN ADRC COHORTS 2017 , 13, P923-P924		1
88	[O50105]: COHORT AND RACE DIFFERENCES IN FACTORS ASSOCIATED WITH ATTRITION IN LONGITUDINAL STUDIES OF ALZHEIMER'S DISEASE 2017 , 13, P1454		1
87	P1-199: ApoE-e4 is associated with altered myelin content in preclinical ad 2015 , 11, P425-P425		1
86	17Estradiol Reduces Plasma A β 0 for HRT-Na \bar{u} e Postmenopausal Women With Alzheimer Disease: A Preliminary Study. <i>American Journal of Geriatric Psychiatry</i> , 2003 , 11, 239-244	6.5	1
85	Estrogen, Cognition, and Dementia. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1055, 228-228	6.5	1
84	Cardiorespiratory Fitness Associates with Cerebral Vessel Pulsatility in a Cohort Enriched with Risk for Alzheimer's Disease. <i>Brain Plasticity</i> , 2020 , 5, 175-184	3.5	1
83	Assessing Dementia Prevalence in the Wisconsin Longitudinal Study: Cohort Profile, Protocol, and Preliminary Findings. <i>Journal of Alzheimer's Disease</i> , 2021 , 81, 751-768	4.3	1
82	Liver-specific polygenic risk score is more strongly associated than genome-wide score with Alzheimer's disease diagnosis in a case-control analysis		1

81	Impact of sex and β on age-related cerebral perfusion trajectories in cognitively asymptomatic middle-aged and older adults: A longitudinal study. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 3016-3027	7.3	1
80	Neurodegeneration, Alzheimer's disease biomarkers, and longitudinal verbal learning and memory performance in late middle age. <i>Neurobiology of Aging</i> , 2021 , 102, 151-160	5.6	1
79	Measurement batch differences and between-batch conversion of Alzheimer's disease cerebrospinal fluid biomarker values. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12194	5.2	1
78	The relationship of glucose-stimulated insulin secretion to cerebral glucose metabolism and cognition in healthy middle-aged and older adults. <i>Neurobiology of Aging</i> , 2021 , 105, 174-185	5.6	1
77	Insulin resistance is related to cognitive decline but not change in CSF biomarkers of Alzheimer's disease in non-demented adults. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12220	5.2	1
76	CSF metabolites associate with CSF tau and improve prediction of Alzheimer's disease status. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2021 , 13, e12167	5.2	1
75	Diet and APOE as moderators of the relationship between trimethylamine N-oxide and biomarkers of Alzheimer's disease and glial activation.. <i>Alzheimeris and Dementia</i> , 2021 , 17 Suppl 3, e051827	1.2	1
74	Manifestations of Alzheimer's disease genetic risk in the blood are evident in a multiomic analysis in healthy adults aged 18 to 90.. <i>Scientific Reports</i> , 2022 , 12, 6117	4.9	1
73	O1-01-03: Alzheimer's disease biomarker-based clusters predict amyloid accumulation and cognitive decline in a preclinical cohort: Findings from the wisconsin registry for Alzheimer's prevention (WRAP) 2015 , 11, P123-P125		0
72	[P2008]: CSF AND PLASMA LEVELS OF INFLAMMATION DIFFERENTIALLY RELATE TO CNS MARKERS OF ALZHEIMER'S DISEASE PATHOLOGY AND NEURONAL DAMAGE 2017 , 13, P689-P689		0
71	Chronotropic Response and Cognitive Function in a Cohort at Risk for Alzheimer's Disease. <i>Journal of Alzheimeris Disease</i> , 2017 , 56, 351-359	4.3	0
70	Age-related differences in white matter microstructure measured by advanced diffusion MRI in healthy older adults at risk for Alzheimer's disease. <i>Aging Brain</i> , 2022 , 100030		0
69	Crosswalk study on blood collection-tube types for Alzheimer's disease biomarkers.. <i>Alzheimeris and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2022 , 14, e12266	5.2	0
68	P4-623: LESSONS FROM A RESEARCH COLLABORATION WITH THE ONEIDA NATION OF WISCONSIN 2019 , 15, P1565-P1566		0
67	Dissection of the polygenic architecture of neuronal A β production using a large sample of individual iPSC lines derived from Alzheimer's disease patients. <i>Nature Aging</i> , 2022 , 2, 125-139		0
66	Dissociation of tau pathology and neuronal hypometabolism within the ATN framework of Alzheimer's disease.. <i>Nature Communications</i> , 2022 , 13, 1495	17.4	0
65	The Interaction between Ventricle to Brain Ratio and Serum Klotho on Cognition in Older Adults at Risk for Alzheimer's Disease.. <i>Alzheimeris and Dementia</i> , 2021 , 17 Suppl 12, e058632	1.2	0
64	Simvastatin maintains white matter integrity in healthy middle-aged adults with increased risk for Alzheimer's disease: A secondary analysis of a randomized controlled trial. <i>Alzheimeris and Dementia</i> , 2020 , 16, e043408	1.2	

63	The interaction of amyloid and tau on decreased cortical neurite density in preclinical Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2020 , 16, e043979	1.2
62	Principal components from untargeted CSF metabolomics associated with tau. <i>Alzheimer's and Dementia</i> , 2020 , 16, e046065	1.2
61	Blood-brain barrier permeability measured by 7-hydroxy-3-oxo-4-cholestenic acid in CSF associates with Alzheimer's pathology biomarkers in cerebrospinal fluid. <i>Alzheimer's and Dementia</i> , 2020 , 16, e046582	1.2
60	P1-229: THE RELATIONSHIP BETWEEN CEREBRAL PERFUSION, AGE, AND APOE4 IN MIDDLE-AGED ADULTS AT RISK FOR ALZHEIMER'S DISEASE 2014 , 10, P388-P388	
59	IC-P-102: THE RELATIONSHIP BETWEEN CEREBRAL PERFUSION, AGE, AND APOE4 IN MIDDLE-AGED ADULTS AT RISK FOR ALZHEIMER'S DISEASE 2014 , 10, P57-P58	
58	IC-P-007: PATTERNS OF [C-11]PIB AMYLOID BURDEN THAT ARE ASSOCIATED WITH CEREBROSPINAL FLUID AD BIOMARKERS IN PEOPLE AT RISK FOR ALZHEIMER'S DISEASE: FINDINGS FROM THE WRAP STUDY 2014 , 10, P10-P10	
57	P3-103: Assessing the significance of insulin resistance on cerebrospinal fluid Alzheimer's disease biomarkers and memory function in people at risk for Alzheimer's disease: Findings from the wisconsin adrc impact cohort 2015 , 11, P659-P660	
56	IC-P-096: Insulin resistance is associated with altered microstructure in the medial temporal lobe and fornix of cognitively healthy APOE4 carriers 2015 , 11, P66-P67	
55	P1-204: Insulin resistance is associated with altered microstructure in the medial temporal lobe and fornix of cognitively healthy ApoE 4 carriers 2015 , 11, P427-P428	
54	P4-264: Amyloid pathology is associated with extensive myelin alteration in preclinical Alzheimer's disease: New insights into disease process with novel brain imaging 2015 , 11, P885-P885	
53	[IC-P-066]: AD FAMILY HISTORY MODULATES EFFECTS OF TOMM40 B23[POLY-T ON MTL ATROPHY AND HYPOMETABOLISM IN PRECLINICAL AND AD COHORTS 2017 , 13, P54-P55	
52	[P3B31]: 4D-FLOW IN THE CEREBRAL ARTERIES PROVIDES UNIQUE INFORMATION ABOUT CEREBROVASCULAR HEALTH BEYOND ISCHEMIC LESION BURDEN AND SIGNIFICANTLY PREDICTS COGNITIVE OUTCOMES 2017 , 13, P1078-P1079	
51	[P3B23]: REGIONAL DEFICIT IN SLEEPING BRAIN ACTIVITY ASSOCIATED WITH TAU AND AMYLOID PATHOLOGY IN COGNITIVELY HEALTHY MIDDLE-AGED ADULTS 2017 , 13, P1128-P1129	
50	[P4B63]: STATISTICAL ALGORITHMS FOR HARMONIZING BIOMARKER DISTRIBUTIONS ACROSS DIFFERENT COHORTS, SITES AND ASSAYS: APPLICATIONS TO CSF MEASUREMENTS 2017 , 13, P1322-P1323	
49	[P4B01]: COMPARING COGNITIVE BATTERIES: UNIFORM DATA SET 2 (UDS-2) AND UNIFORM DATA SET 3 (UDS-3) IN NON-HISPANIC WHITE PARTICIPANTS AND THOSE FROM UNDERREPRESENTED GROUPS ENROLLED IN THE WISCONSIN ALZHEIMER'S DISEASE RESEARCH CENTER'S CLINICAL CORE 2017 , 13, P1405-P1405	
48	[IC-P-049]: REGIONAL DEFICIT IN SLEEPING BRAIN ACTIVITY ASSOCIATED WITH TAU AND AMYLOID PATHOLOGY IN COGNITIVELY HEALTHY MIDDLE-AGED ADULTS 2017 , 13, P41-P42	
47	[IC-P-156]: 4D-FLOW IN THE CEREBRAL ARTERIES PROVIDES UNIQUE INFORMATION ABOUT CEREBROVASCULAR HEALTH BEYOND ISCHEMIC LESION BURDEN AND SIGNIFICANTLY PREDICTS COGNITIVE OUTCOMES 2017 , 13, P117-P119	
46	[P1B03]: MODIFIABLE RISK FACTORS MODERATE THE RELATIONSHIP BETWEEN BETA-AMYLOID AND LONGITUDINAL COGNITIVE TRAJECTORIES IN THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION STUDY 2017 , 13, P485-P485	

- 45 [P1526]: THE WRAP-AROUND APPROACH: A NOVEL RETENTION STRATEGY IN THE AA-FAIM STUDY **2017**, 13, P495-P495
- 44 [P1811]: LIFETIME PHYSICAL ACTIVITY IS ASSOCIATED WITH CSF AMYLOID IN COGNITIVELY ASYMPTOMATIC APOE ε4+ ADULTS **2017**, 13, P530-P531
- 43 [P2023]: ASSOCIATION OF CHOLESTEROL AND CHOLESTEROL METABOLISM GENES WITH COGNITIVE FUNCTION IN A POPULATION ENRICHED FOR A PARENTAL HISTORY OF ALZHEIMER'S DISEASE **2017**, 13, P654-P654
- 42 [O1001]: EVIDENCE FOR EARLY DETECTION OF CSF BETA-AMYLOID AND TAU AND EFFECT ON LONGITUDINAL COGNITIVE PERFORMANCE IN INDIVIDUALS AT RISK FOR ALZHEIMER'S DISEASE **2017**, 13, P213-P214
- 41 [O3103]: MODERATE INTENSITY PHYSICAL ACTIVITY IS ASSOCIATED WITH CSF BIOMARKERS IN PRECLINICAL ALZHEIMER'S DISEASE **2017**, 13, P927-P928
- 40 [IC-P-171]: MODERATE INTENSITY PHYSICAL ACTIVITY ASSOCIATES WITH CSF BIOMARKERS IN PRECLINICAL ALZHEIMER'S DISEASE **2017**, 13, P128-P129
- 39 [P4086]: A COMPARISON OF METHODS TO MEASURE INTRA-INDIVIDUAL COGNITIVE VARIABILITY IN NON-HISPANIC WHITES AND AFRICAN AMERICANS IN THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION (WRAP) **2017**, 13, P1394-P1396
- 38 P2-210: Subjective memory complaints in middle-aged adults with a family history of Alzheimer's disease **2015**, 11, P573-P574
- 37 IC-P-015: High amyloid load is associated with episodic memory decline and incident mild cognitive impairment in middle-aged adults in the wisconsin registry for Alzheimer's prevention (WRAP) **2015**, 11, P21-P21
- 36 IC-03-01: Cardiorespiratory capacity correlates with cerebral blood flow, white matter hyperintensities, and cognition in preclinical Alzheimer's disease **2015**, 11, P8-P8
- 35 P4-066: The relationship between intracranial vascular health and metrics of Alzheimer's disease **2015**, 11, P793-P794
- 34 IC-P-044: Cardiorespiratory capacity modifies the association between a polygenic risk score and CSF biomarkers in preclinical Alzheimer's disease **2015**, 11, P37-P38
- 33 P3-156: Elevated cardiovascular risk is associated with altered myelin content **2015**, 11, P688-P688
- 32 P1-023: Cardiorespiratory capacity correlates with cerebral blood flow, white matter hyperintensities, and cognition in preclinical Alzheimer's disease **2015**, 11, P345-P345
- 31 O1-07-03: High amyloid load is associated with episodic memory decline and incident mild cognitive impairment in middle-aged adults in the wisconsin registry for Alzheimer's prevention (WRAP) **2015**, 11, P142-P143
- 30 Alternative estrogenic treatment regimens and the Kronos Early Estrogen Prevention Study □ Cognitive and Affective substudy (KEEPS-CA)65-79
- 29 The use of transdermal 17βestradiol in the treatment of Alzheimer's disease80-86
- 28 Chronicity of amyloid: Methods for estimating amyloid onset and clinical research applications. *Alzheimeris and Dementia*, **2020**, 16, e039782

27 O1-12-05: Amyloid Deposition in the Posterior Cingulate is Associated with Altered Microstructure in Cognitively Asymptomatic Individuals: Findings From the Wrap Study **2016**, 12, P207-P207

26 O5-01-02: Stress is Associated with Greater Insulin Resistance, Higher CSF Phosphorylated TAU, and Decreased Glucose Metabolism in the Medial Temporal Lobe in apoe ϵ Carriers **2016**, 12, P375-P376

25 IC-P-050: MCI Status, Amyloid and TAU Biomarkers, and Composite Cognitive Impairment Scores are Associated with Cogstate Performance in The Wisconsin Registry For Alzheimer's Prevention **2016**, 12, P41-P42

24 IC-P-069: Effects of Kibra Polymorphism on White Matter Integrity: Findings from The Wisconsin Registry for Alzheimer's Prevention **2016**, 12, P54-P55

23 IC-P-071: Longevity Gene Klotho Alters Apoe4-Related Cortical Thinning: Findings from The Wisconsin Registry for Alzheimer's Prevention **2016**, 12, P56-P56

22 P1-274: Patterns of In-Vivo Preclinical TAU and Amyloid Burden Using [F-18]THK5351 and [C-11]PIB **2016**, 12, P521-P522

21 P1-322: Four-Dimensional Arterial Blood Flow Metrics in The Internal Carotid Artery Predict Cognitive Performance and are Associated with CSF Biomarkers in Patients with MCI **2016**, 12, P548-P549

20 P1-344: Poor Sleep Quality is Associated with CSF Markers of Amyloid Deposition in Cognitively Healthy Adults at Risk for Alzheimer's Disease **2016**, 12, P561-P561

19 P1-410: Lifetime Recreational Physical Activity is Associated with CSF Amyloid in Cognitively Asymptomatic Adults **2016**, 12, P591-P592

18 IC-P-123: Four Dimensional Arterial Blood Flow Metrics in The Internal Carotid Artery Predict Cognitive Performance and Are Associated With CSF Biomarkers in Patients With MCI **2016**, 12, P91-P92

17 P3-084: Effects of Kibra Polymorphism on White Matter Integrity: Findings from the Wisconsin Registry for Alzheimer's Prevention **2016**, 12, P850-P850

16 IC-P-195: Patterns of in-Vivo Preclinical TAU and Amyloid Burden Using [F-18]THK5351 and [C-11]PIB **2016**, 12, P141-P141

15 O3-03-02: MCI STATUS, AMYLOID AND TAU BIOMARKERS, AND COMPOSITE COGNITIVE IMPAIRMENT SCORES ARE ASSOCIATED WITH COGSTATE PERFORMANCE IN THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION **2016**, 12, P285-P286

14 O3-05-01: Occupational Complexity, Cognitive Reserve, and White Matter Hyperintensities: Findings from the Wisconsin Registry for Alzheimer's Prevention **2016**, 12, P294-P294

13 O3-09-01: Distinct Cognitive Trajectories in Late Middle-Age and their Associations with Brain Structure and Alzheimer's Disease Biomarkers: Findings from the Wisconsin Registry for Alzheimer's Prevention **2016**, 12, P306-P307

12 O5-01-05: Longevity Gene KLOTHO Alters APOE4-Related Cortical Thinning: Findings from the Wisconsin Registry for Alzheimer's Prevention **2016**, 12, P377-P378

11 P4-335: Postmortem Cerebrovascular Disease and White Matter Pallor are Associated with Lower Antemortem Cerebral Perfusion, Increased White Matter Hyperintensities, and Poor Learning **2016**, 12, P1162-P1163

10 IC-P-103: RELATIONSHIPS BETWEEN P-TAU AND CHANGES IN MYELIN CONTENT AND COGNITIVE PERFORMANCE **2019**, 15, P89-P90

- 9 P4-637: EXAMINING THE ROLE OF CIGARETTE SMOKING AND CESSATION ON COMBINED RISK OF INCIDENT DEMENTIA, NURSING HOME PLACEMENT, AND DEATH IN COGNITIVELY HEALTHY AND MILD COGNITIVELY IMPAIRED ADULTS **2019**, 15, P1571-P1572
- 8 IC-P-109: LOWER ARTERIAL BLOOD FLOW AND HIGHER PULSATILITY INDEX ARE ASSOCIATED WITH NEURONAL INJURY **2019**, 15, P93-P95
- 7 IC-P-149: DECREASED CORTICAL NEURITE DENSITY AND ORIENTATION DISPERSION IN ALZHEIMER'S DISEASE DEMENTIA **2019**, 15, P120-P121
- 6 IC-P-081: CSF MARKERS OF NEURODEGENERATION ARE ASSOCIATED WITH QUANTITATIVE T1 **2019**, 15, P72-P73
- 5 The evolution of geriatric neurology. *Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn*, **2019**, 167, 575-584 3
- 4 P4-583: MICROSTRUCTURAL ALTERATIONS WITH OLDER AGE EVALUATED USING THE NODDI MODEL IN A LARGE GROUP OF COGNITIVELY UNIMPAIRED INDIVIDUALS **2019**, 15, P1544-P1545
- 3 IC-P-141: NEIGHBORHOOD DISADVANTAGE PREDICTS HIPPOCAMPAL VOLUME AMONG PARTICIPANTS IN THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION **2018**, 14, P118-P118
- 2 O4-07-06: NEIGHBORHOOD DISADVANTAGE PREDICTS HIPPOCAMPAL VOLUME AMONG PARTICIPANTS IN THE WISCONSIN REGISTRY FOR ALZHEIMER'S PREVENTION **2018**, 14, P1420-P1421
- 1 The Aging Imperative-Innovations in Research, Education, and Care in Geriatric Medicine. *Wisconsin Medical Journal*, **2018**, 117, 92-93 0.5