Jose Hbert

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11559814/josee-hebert-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

2,336
h-index

83
ext. papers

2,960
ext. citations

26
h-index

8.2
avg, IF

L-index

#	Paper	IF	Citations
76	CDK7/12/13 inhibition targets an oscillating leukemia stem cell network and synergizes with venetoclax in acute myeloid leukemia <i>EMBO Molecular Medicine</i> , 2022 , e14990	12	2
75	Monoallelic Deletion Reduces the Requirement for NOTCH1 Hyperactivation in T-Cell Acute Lymphoblastic Leukemia <i>Frontiers in Immunology</i> , 2022 , 13, 867443	8.4	1
74	Efficacy, Toxicity and Cost of Venetoclax-Based Combinations for the Treatment of Acute Myeloid Leukemia: Real-World Evidence from a Canadian Academic Center. <i>Blood</i> , 2021 , 138, 1253-1253	2.2	
73	Legal and Ethical Considerations for the Design and Use of Web Portals for Researchers, Clinicians, and Patients: Scoping Literature Review. <i>Journal of Medical Internet Research</i> , 2021 , 23, e26450	7.6	О
7 ²	Human pluripotent stem cells identify molecular targets of trisomy 12 in chronic lymphocytic leukemia patients. <i>Cell Reports</i> , 2021 , 34, 108845	10.6	
71	Atypical acute myeloid leukemia-specific transcripts generate shared and immunogenic MHC class-I-associated epitopes. <i>Immunity</i> , 2021 , 54, 737-752.e10	32.3	17
70	Apoptotic Blocks in Primary Non-Hodgkin B Cell Lymphomas Identified by BH3 Profiling. <i>Cancers</i> , 2021 , 13,	6.6	1
69	High frequency of germline RUNX1 mutations in patients with RUNX1-mutated AML. <i>Blood</i> , 2020 , 135, 1882-1886	2.2	19
68	Epigenetic changes in human model KMT2A leukemias highlight early events during leukemogenesis. <i>Haematologica</i> , 2020 , Online ahead of print,	6.6	2
67	Cryptic recurrent ACIN1-NUTM1 fusions in non-KMT2A-rearranged infant acute lymphoblastic leukemia. <i>Genes Chromosomes and Cancer</i> , 2020 , 59, 125-130	5	11
66	Genetic characterization of ABT-199 sensitivity in human AML. <i>Leukemia</i> , 2020 , 34, 63-74	10.7	26
65	The uracil-DNA glycosylase UNG protects the fitness of normal and cancer B cells expressing AID. <i>NAR Cancer</i> , 2020 , 2, zcaa019	5.2	5
64	as a Cooperating Mutation in AML Arising in the Context of Shwachman-Diamond Syndrome. <i>Frontiers in Oncology</i> , 2019 , 9, 772	5.3	3
63	The neuropeptide receptor calcitonin receptor-like (CALCRL) is a potential therapeutic target in acute myeloid leukemia. <i>Leukemia</i> , 2019 , 33, 2830-2841	10.7	19
62	Hepatic leukemia factor is a novel leukemic stem cell regulator in DNMT3A, NPM1, and FLT3-ITD triple-mutated AML. <i>Blood</i> , 2019 , 134, 263-276	2.2	23
61	Cost-Effectiveness Analysis of a HMGA2 Prognostic Test for Acute Myeloid Leukemia in a Canadian Setting. <i>Applied Health Economics and Health Policy</i> , 2019 , 17, 827-839	3.4	1
60	Mubritinib Targets the Electron Transport Chain Complex I and Reveals the Landscape of OXPHOS Dependency in Acute Myeloid Leukemia. <i>Cancer Cell</i> , 2019 , 36, 84-99.e8	24.3	75

59	Targeted variant detection using unaligned RNA-Seq reads. Life Science Alliance, 2019, 2,	5.8	5
58	Human models of NUP98-KDM5A megakaryocytic leukemia in mice contribute to uncovering new biomarkers and therapeutic vulnerabilities. <i>Blood Advances</i> , 2019 , 3, 3307-3321	7.8	15
57	Complex karyotype AML displays G2/M signature and hypersensitivity to PLK1 inhibition. <i>Blood Advances</i> , 2019 , 3, 552-563	7.8	14
56	Transcriptomic landscape of acute promyelocytic leukemia reveals aberrant surface expression of the platelet aggregation agonist Podoplanin. <i>Leukemia</i> , 2018 , 32, 1349-1357	10.7	17
55	GFI1 facilitates efficient DNA repair by regulating PRMT1 dependent methylation of MRE11 and 53BP1. <i>Nature Communications</i> , 2018 , 9, 1418	17.4	25
54	MEF2C Phosphorylation Is Required for Chemotherapy Resistance in Acute Myeloid Leukemia. <i>Cancer Discovery</i> , 2018 , 8, 478-497	24.4	37
53	NUP98-BPTF gene fusion identified in primary refractory acute megakaryoblastic leukemia of infancy. <i>Genes Chromosomes and Cancer</i> , 2018 , 57, 311-319	5	13
52	The genomic landscape of two Burkitt lymphoma cases and derived cell lines: comparison between primary and relapse samples. <i>Leukemia and Lymphoma</i> , 2018 , 59, 2159-2174	1.9	4
51	High expression of HMGA2 independently predicts poor clinical outcomes in acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2018 , 8, 68	7	23
50	Genetic Characterization of ABT-199 Sensitivity in Human AML. <i>Blood</i> , 2018 , 132, 283-283	2.2	1
49	Reduced Intensity Conditioned Sibling Transplantation Versus No Transplant in Intermediate or High Risk Acute Myeloid Leukemia: A Prospective Multi-Center Study in Patients 50-70 Years in First Complete Remission and with at Least One Potential Sibling Donor (ClinTrialGov 00342316). <i>Blood</i> ,	2.2	2
48	2018 , 132, 205-205 Chemogenomic Approach Unveils the Increased Susceptibility of RUNX1-Mutated AML to Glucocorticoids. <i>Blood</i> , 2018 , 132, 4675-4675	2.2	
47	Apoptotic Blocks in Primary Non-Hodgkin B-Cell Lymphomas Identified By BH3 Profiling. <i>Blood</i> , 2018 , 132, 4126-4126	2.2	
46	The Adhesion G Protein-Coupled Receptor GPR97/ Is Expressed in Human Granulocytes and Triggers Antimicrobial Effector Functions. <i>Frontiers in Immunology</i> , 2018 , 9, 2830	8.4	15
45	MiSTIC, an integrated platform for the analysis of heterogeneity in large tumour transcriptome datasets. <i>Nucleic Acids Research</i> , 2017 , 45, e122	20.1	12
44	Chemogenomic Landscape of -mutated AML Reveals Importance of Allele Dosage in Genetics and Glucocorticoid Sensitivity. <i>Clinical Cancer Research</i> , 2017 , 23, 6969-6981	12.9	26
43	mutations promote context-dependent transformation in acute myeloid leukemia with alterations. <i>Blood</i> , 2017 , 130, 2204-2214	2.2	38
42	Identification of novel biomarkers for MLL-translocated acute myeloid leukemia. <i>Experimental Hematology</i> , 2017 , 56, 58-63	3.1	3

41	AML1-ETO requires enhanced C/D box snoRNA/RNP formation to induce self-renewal and leukaemia. <i>Nature Cell Biology</i> , 2017 , 19, 844-855	23.4	79	
40	Adhesion GPCRs in Regulating Immune Responses and Inflammation. <i>Advances in Immunology</i> , 2017 , 136, 163-201	5.6	32	
39	GPR56 identifies primary human acute myeloid leukemia cells with high repopulating potential in vivo. <i>Blood</i> , 2016 , 127, 2018-27	2.2	95	
38	RNA-sequencing analysis of core binding factor AML identifies recurrent ZBTB7A mutations and defines RUNX1-CBFA2T3 fusion signature. <i>Blood</i> , 2016 , 127, 2498-501	2.2	46	
37	Chemo-genomic interrogation of CEBPA mutated AML reveals recurrent CSF3R mutations and subgroup sensitivity to JAK inhibitors. <i>Blood</i> , 2016 , 127, 3054-61	2.2	55	
36	Expression of immunoproteasome genes is regulated by cell-intrinsic and -extrinsic factors in human cancers. <i>Scientific Reports</i> , 2016 , 6, 34019	4.9	45	
35	UTX inhibition as selective epigenetic therapy against TAL1-driven T-cell acute lymphoblastic leukemia. <i>Genes and Development</i> , 2016 , 30, 508-21	12.6	77	
34	High-throughput screening in niche-based assay identifies compounds to target preleukemic stem cells. <i>Journal of Clinical Investigation</i> , 2016 , 126, 4569-4584	15.9	30	
33	Targeting Pre-Leukemic Stem Cells in T-Acute Lymphoblastic Leukemia. <i>Blood</i> , 2016 , 128, 527-527	2.2		
32	The transcriptomic landscape and directed chemical interrogation of MLL-rearranged acute myeloid leukemias. <i>Nature Genetics</i> , 2015 , 47, 1030-7	36.3	95	
31	EVI1-rearranged acute myeloid leukemias are characterized by distinct molecular alterations. <i>Blood</i> , 2015 , 125, 140-3	2.2	43	
30	Transcriptome Analysis Reveals That G Protein-Coupled Receptors Are Potential Diagnostic Markers or Therapeutic Targets in Acute Myeloid Leukemia. <i>Blood</i> , 2015 , 126, 3855-3855	2.2	2	
29	The Novel Leukemia Stem Cell Marker GPR56 Discriminates Leukemic Subclones with Divergent Stem Cell Properties in Human Acute Myeloid Leukemia. <i>Blood</i> , 2015 , 126, 1859-1859	2.2		
28	Identification of small molecules that support human leukemia stem cell activity ex vivo. <i>Nature Methods</i> , 2014 , 11, 436-42	21.6	86	
27	Tumor suppressor and deubiquitinase BAP1 promotes DNA double-strand break repair. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 285-90	11.5	228	
26	UBAP2L is a novel BMI1-interacting protein essential for hematopoietic stem cell activity. <i>Blood</i> , 2014 , 124, 2362-9	2.2	24	
25	Essential role of BRG, the ATPase subunit of BAF chromatin remodeling complexes, in leukemia maintenance. <i>Blood</i> , 2014 , 123, 1720-8	2.2	72	
24	SCL, LMO1 and Notch1 reprogram thymocytes into self-renewing cells. <i>PLoS Genetics</i> , 2014 , 10, e1004	768	46	

(2008-2013)

23	Presence of alternative lengthening of telomeres associated circular extrachromosome telomere repeats in primary leukemia cells of chronic myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2013 , 6, 26	22.4	8
22	Nuclear remodeling of telomeres in chronic myeloid leukemia. <i>Genes Chromosomes and Cancer</i> , 2013 , 52, 495-502	5	6
21	Identification of a novel fusion gene involving RUNX1 and the antisense strand of SV2B in a BCR-ABL1-positive acute leukemia. <i>Genes Chromosomes and Cancer</i> , 2013 , 52, 1114-22	5	7
20	RNA-Seq reveals spliceosome and proteasome genes as most consistent transcripts in human cancer cells. <i>PLoS ONE</i> , 2013 , 8, e72884	3.7	36
19	Ezh2 Is An Essential Regulator Of T-Cell Development and Oncogenic Transformation. <i>Blood</i> , 2013 , 122, 3729-3729	2.2	
18	A role for GPx3 in activity of normal and leukemia stem cells. <i>Journal of Experimental Medicine</i> , 2012 , 209, 895-901	16.6	70
17	The MRE11 GAR motif regulates DNA double-strand break processing and ATR activation. <i>Cell Research</i> , 2012 , 22, 305-20	24.7	55
16	A key role for EZH2 and associated genes in mouse and human adult T-cell acute leukemia. <i>Genes and Development</i> , 2012 , 26, 651-6	12.6	204
15	Chromosome arm-specific long telomeres: a new clonal event in primary chronic myelogenous leukemia cells. <i>Neoplasia</i> , 2011 , 13, 550-60	6.4	10
14	RNA-seq analysis of 2 closely related leukemia clones that differ in their self-renewal capacity. <i>Blood</i> , 2011 , 117, e27-38	2.2	46
13	Microhomologies and topoisomerase II consensus sequences identified near the breakpoint junctions of the recurrent t(7;21)(p22;q22) translocation in acute myeloid leukemia. <i>Genes Chromosomes and Cancer</i> , 2011 , 50, 228-38	5	13
12	An anticlastogenic function for the Polycomb Group gene Bmi1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 5284-9	11.5	56
11	Modeling T-cell acute lymphoblastic leukemia induced by the SCL and LMO1 oncogenes. <i>Genes and Development</i> , 2010 , 24, 1093-105	12.6	88
10	Genome-wide interrogation of Mammalian stem cell fate determinants by nested chromosome deletions. <i>PLoS Genetics</i> , 2010 , 6, e1001241	6	4
9	CLCA2, a novel RUNX1 partner gene in a therapy-related leukemia with t(1;21)(p22;q22). <i>Cancer Genetics and Cytogenetics</i> , 2010 , 202, 94-100		7
8	A mouse PRMT1 null allele defines an essential role for arginine methylation in genome maintenance and cell proliferation. <i>Molecular and Cellular Biology</i> , 2009 , 29, 2982-96	4.8	137
7	Individual telomere lengths in chronic myeloid leukemia. <i>Neoplasia</i> , 2009 , 11, 1146-54	6.4	19
6	Quantitative expression profiling guided by common retroviral insertion sites reveals novel and cell type specific cancer genes in leukemia. <i>Blood</i> , 2008 , 111, 790-9	2.2	29

5	Deregulated Expression of Ubiquitin-Specific Peptidase Genes in Myeloid Leukemia. <i>Blood</i> , 2008 , 112, 4481-4481	2.2	1
4	BMI1 Interacts with FANCD2 at DNA Lesions and Prevents Chromosome Breaks. <i>Blood</i> , 2008 , 112, 3099	- <u>3</u> 099	
3	A retroviral strategy that efficiently creates chromosomal deletions in mammalian cells. <i>Nature Methods</i> , 2007 , 4, 263-8	21.6	12
2	Overexpression of PRDM16 in the presence and absence of the RUNX1/PRDM16 fusion gene in myeloid leukemias. <i>Genes Chromosomes and Cancer</i> , 2006 , 45, 1072-6	5	14
1	Target variant detection in leukemia using unaligned RNA-Seq reads		2