

Adil Ahmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11565750/publications.pdf>

Version: 2024-02-01

14
papers

909
citations

840776

11
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

1441
citing authors

#	ARTICLE	IF	CITATIONS
1	Derivation and Validation of Automated Electronic Search Strategies to Extract Charlson Comorbidities From Electronic Medical Records. Mayo Clinic Proceedings, 2012, 87, 817-824.	3.0	181
2	Off-hour presentation and outcomes in patients with acute myocardial infarction: systematic review and meta-analysis. BMJ, The, 2014, 348, f7393-f7393.	6.0	171
3	The effect of two different electronic health record user interfaces on intensive care provider task load, errors of cognition, and performance*. Critical Care Medicine, 2011, 39, 1626-1634.	0.9	161
4	The implementation of clinician designed, human-centered electronic medical record viewer in the intensive care unit: A pilot step-wedge cluster randomized trial. International Journal of Medical Informatics, 2015, 84, 299-307.	3.3	82
5	Limiting ventilator-induced lung injury through individual electronic medical record surveillance*. Critical Care Medicine, 2011, 39, 34-39.	0.9	77
6	Data Utilization for Medical Decision Making at the Time of Patient Admission to ICU*. Critical Care Medicine, 2013, 41, 1502-1510.	0.9	66
7	Development and validation of electronic surveillance tool for acute kidney injury: A retrospective analysis. Journal of Critical Care, 2015, 30, 988-993.	2.2	63
8	Sodium Correction Practice and Clinical Outcomes in Profound Hyponatremia. Mayo Clinic Proceedings, 2015, 90, 1348-1355.	3.0	31
9	Off-hour admission and outcomes for patients with acute myocardial infarction undergoing percutaneous coronary interventions. American Heart Journal, 2015, 169, 62-68.	2.7	20
10	â€œBundleâ€•Practices and Ventilator-Associated Events: Not Enough. Infection Control and Hospital Epidemiology, 2016, 37, 1453-1457.	1.8	17
11	Findings from the Implementation of a Validated Readmission Predictive Tool in the Discharge Workflow of a Medical Intensive Care Unit. Annals of the American Thoracic Society, 2014, 11, 737-743.	3.2	14
12	Customized Reference Ranges for Laboratory Values Decrease False Positive Alerts in Intensive Care Unit Patients. PLoS ONE, 2014, 9, e107930.	2.5	12
13	Automatic quality improvement reports in the intensive care unit: One step closer toward meaningful use. World Journal of Critical Care Medicine, 2016, 5, 165.	1.8	9
14	Automating Quality Metrics in the Era of Electronic Medical Records: Digital Signatures for Ventilator Bundle Compliance. BioMed Research International, 2015, 2015, 1-6.	1.9	5