

Adil Ahmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/11565750/publications.pdf>

Version: 2024-02-01

14
papers

909
citations

840776

11
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

1441
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | “Bundle” Practices and Ventilator-Associated Events: Not Enough. <i>Infection Control and Hospital Epidemiology</i> , 2016, 37, 1453-1457. | 1.8 | 17 |
| 2 | Automatic quality improvement reports in the intensive care unit: One step closer toward meaningful use. <i>World Journal of Critical Care Medicine</i> , 2016, 5, 165. | 1.8 | 9 |
| 3 | Automating Quality Metrics in the Era of Electronic Medical Records: Digital Signatures for Ventilator Bundle Compliance. <i>BioMed Research International</i> , 2015, 2015, 1-6. | 1.9 | 5 |
| 4 | The implementation of clinician designed, human-centered electronic medical record viewer in the intensive care unit: A pilot step-wedge cluster randomized trial. <i>International Journal of Medical Informatics</i> , 2015, 84, 299-307. | 3.3 | 82 |
| 5 | Sodium Correction Practice and Clinical Outcomes in Profound Hyponatremia. <i>Mayo Clinic Proceedings</i> , 2015, 90, 1348-1355. | 3.0 | 31 |
| 6 | Development and validation of electronic surveillance tool for acute kidney injury: A retrospective analysis. <i>Journal of Critical Care</i> , 2015, 30, 988-993. | 2.2 | 63 |
| 7 | Off-hour admission and outcomes for patients with acute myocardial infarction undergoing percutaneous coronary interventions. <i>American Heart Journal</i> , 2015, 169, 62-68. | 2.7 | 20 |
| 8 | Off-hour presentation and outcomes in patients with acute myocardial infarction: systematic review and meta-analysis. <i>BMJ</i> , The, 2014, 348, f7393-f7393. | 6.0 | 171 |
| 9 | Findings from the Implementation of a Validated Readmission Predictive Tool in the Discharge Workflow of a Medical Intensive Care Unit. <i>Annals of the American Thoracic Society</i> , 2014, 11, 737-743. | 3.2 | 14 |
| 10 | Customized Reference Ranges for Laboratory Values Decrease False Positive Alerts in Intensive Care Unit Patients. <i>PLoS ONE</i> , 2014, 9, e107930. | 2.5 | 12 |
| 11 | Data Utilization for Medical Decision Making at the Time of Patient Admission to ICU*. <i>Critical Care Medicine</i> , 2013, 41, 1502-1510. | 0.9 | 66 |
| 12 | Derivation and Validation of Automated Electronic Search Strategies to Extract Charlson Comorbidities From Electronic Medical Records. <i>Mayo Clinic Proceedings</i> , 2012, 87, 817-824. | 3.0 | 181 |
| 13 | Limiting ventilator-induced lung injury through individual electronic medical record surveillance*. <i>Critical Care Medicine</i> , 2011, 39, 34-39. | 0.9 | 77 |
| 14 | The effect of two different electronic health record user interfaces on intensive care provider task load, errors of cognition, and performance*. <i>Critical Care Medicine</i> , 2011, 39, 1626-1634. | 0.9 | 161 |