Min Xia

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/11566095/min-xia-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106 58 3,451 32 h-index g-index citations papers 106 3,882 5.12 3.7 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
106	Epigenetic regulation of TXNIP-mediated oxidative stress and NLRP3 inflammasome activation contributes to SAHH inhibition-aggravated diabetic nephropathy. <i>Redox Biology</i> , 2021 , 45, 102033	11.3	9
105	Increased HMGB1 expression correlates with higher expression of c-IAP2 and pERK in colorectal cancer. <i>Medicine (United States)</i> , 2019 , 98, e14069	1.8	9
104	Podocyte NLRP3 Inflammasome Activation and Formation by Adipokine Visfatin. <i>Cellular Physiology and Biochemistry</i> , 2019 , 53, 355-365	3.9	6
103	Endothelial NLRP3 inflammasome activation and arterial neointima formation associated with acid sphingomyelinase during hypercholesterolemia. <i>Redox Biology</i> , 2017 , 13, 336-344	11.3	53
102	Sphingolipids in obesity and related complications. <i>Frontiers in Bioscience - Landmark</i> , 2017 , 22, 96-116	2.8	20
101	Implication of CD38 gene in autophagic degradation of collagen I in mouse coronary arterial myocytes. <i>Frontiers in Bioscience - Landmark</i> , 2017 , 22, 558-569	2.8	10
100	Characterization and Activation of NLRP3 Inflammasomes in the Renal Medulla in Mice. <i>Kidney and Blood Pressure Research</i> , 2016 , 41, 208-21	3.1	9
99	Activation of NLRP3 inflammasomes in mouse hepatic stellate cells during Schistosoma J. infection. <i>Oncotarget</i> , 2016 , 7, 39316-39331	3.3	27
98	Instigation of NLRP3 inflammasome activation and glomerular injury in mice on the high fat diet: role of acid sphingomyelinase gene. <i>Oncotarget</i> , 2016 , 7, 19031-44	3.3	30
97	Hookworm Anemia in a Peritoneal Dialysis Patient in China. <i>Korean Journal of Parasitology</i> , 2016 , 54, 315-7	1.7	2
96	Instant membrane resealing in nlrp3 inflammmasome activation of endothelial cells. <i>Frontiers in Bioscience - Landmark</i> , 2016 , 21, 635-50	2.8	6
95	Anandamide and its metabolites: what are their roles in the kidney?. <i>Frontiers in Bioscience - Scholar</i> , 2016 , 8, 264-77	2.4	23
94	Protective Action of Anandamide and Its COX-2 Metabolite against l-Homocysteine-Induced NLRP3 Inflammasome Activation and Injury in Podocytes. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016 , 358, 61-70	4.7	14
93	Potential Effects of Interleukins on the Pathogenesis of Systemic Onset Juvenile Idiopathic Arthritis. <i>Pediatrics and Neonatology</i> , 2016 , 57, 396-401	1.8	5
92	The efficacy and safety of subcutaneous immunotherapy in mite-sensitized subjects with asthma: a meta-analysis. <i>Respiratory Care</i> , 2015 , 60, 269-78	2.1	20
91	Expression of human tissue factor pathway inhibitor on vascular smooth muscle cells inhibits secretion of macrophage migration inhibitory factor and attenuates atherosclerosis in ApoE-/mice. <i>Circulation</i> , 2015 , 131, 1350-60	16.7	30
90	Enhanced epithelial-to-mesenchymal transition associated with lysosome dysfunction in podocytes: role of p62/Sequestosome 1 as a signaling hub. <i>Cellular Physiology and Biochemistry</i> , 2015 , 35, 1773-86	3.9	38

(2014-2015)

89	Redox regulation of NLRP3 inflammasomes: ROS as trigger or effector?. <i>Antioxidants and Redox Signaling</i> , 2015 , 22, 1111-29	8.4	439
88	Activation of Endothelial NLRP3 Inflammasomes associated with Acid Sphingomyelinase-dependent Formation of Membrane Raft Redox Signaling Platforms. <i>FASEB Journal</i> , 2015 , 29, 797.8	0.9	1
87	Prevention of High Fat-induced Podocyte Injury and Glomerular Sclerosis in Mice Lacking Nod-like Receptor Protein 3: Role of Inflammasome Extinction. <i>FASEB Journal</i> , 2015 , 29, 960.18	0.9	
86	Podocyte Specific Deletion of Acid Ceramidase Predisposes Mice to Obesity-Induced Glomerular Injury. <i>FASEB Journal</i> , 2015 , 29, 663.13	0.9	
85	Protective Action of Prostamide E2 from Homocysteine-induced NLRP3Inflammasome Activation and Podocyte Injury. <i>FASEB Journal</i> , 2015 , 29, 808.12	0.9	O
84	Enhanced NLRP3 Inflammmasome Activation by Impairment of Instant Membrane Resealing in Endothelial Cells. <i>FASEB Journal</i> , 2015 , 29, 797.4	0.9	
83	Enhanced Epithelial-to-Mesenchymal Transition Associated with Lysosome Dysfunction in Podocytes: Role of p62/Sequestosome 1 as a Signaling Hub. <i>FASEB Journal</i> , 2015 , 29, 938.9	0.9	
82	Ca2+-dependent and Ceramide-mediated Membrane Repair with Annexin V Recruitment and Aggregation in Mouse Endothelial Cells. <i>FASEB Journal</i> , 2015 , 29, 944.10	0.9	
81	Control of autophagy maturation by acid sphingomyelinase in mouse coronary arterial smooth muscle cells: protective role in atherosclerosis. <i>Journal of Molecular Medicine</i> , 2014 , 92, 473-85	5.5	48
80	Contribution of endogenously produced reactive oxygen species to the activation of podocyte NLRP3 inflammasomes in hyperhomocysteinemia. <i>Free Radical Biology and Medicine</i> , 2014 , 67, 211-20	7.8	59
79	Nod-like receptor protein 3 (NLRP3) inflammasome activation and podocyte injury via thioredoxin-interacting protein (TXNIP) during hyperhomocysteinemia. <i>Journal of Biological Chemistry</i> , 2014 , 289, 27159-27168	5.4	92
78	Defective autophagosome trafficking contributes to impaired autophagic flux in coronary arterial myocytes lacking CD38 gene. <i>Cardiovascular Research</i> , 2014 , 102, 68-78	9.9	41
77	Endothelial NLRP3 inflammasome activation and enhanced neointima formation in mice by adipokine visfatin. <i>American Journal of Pathology</i> , 2014 , 184, 1617-28	5.8	76
76	Activation of inflammasomes in podocyte injury of mice on the high fat diet: Effects of ASC gene deletion and silencing. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014 , 1843, 836-45	4.9	59
75	Activation of Nlrp3 inflammasomes enhances macrophage lipid-deposition and migration: implication of a novel role of inflammasome in atherogenesis. <i>PLoS ONE</i> , 2014 , 9, e87552	3.7	73
74	Transplantation of mesenchymal stem cells into the renal medulla attenuated salt-sensitive hypertension in Dahl S rat. <i>Journal of Molecular Medicine</i> , 2014 , 92, 1139-45	5.5	16
73	Inhibition of hyperhomocysteinemia-induced inflammasome activation and glomerular sclerosis by NLRP3 gene deletion. <i>Cellular Physiology and Biochemistry</i> , 2014 , 34, 829-41	3.9	31
72	Contribution of guanine nucleotide exchange factor Vav2 to homocysteine-induced NLRP3 inflammasome activation in mouse podocytes (1063.6). FASEB Journal, 2014, 28, 1063.6	0.9	

71	Protective role of growth hormone against hyperhomocysteinemia-induced glomerular injury. <i>Naunyn-Schmiedebergps Archives of Pharmacology</i> , 2013 , 386, 551-61	3.4	8
70	Autophagy maturation associated with CD38-mediated regulation of lysosome function in mouse glomerular podocytes. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 1598-607	5.6	26
69	TRAIL death receptor 4 signaling via lysosome fusion and membrane raft clustering in coronary arterial endothelial cells: evidence from ASM knockout mice. <i>Journal of Molecular Medicine</i> , 2013 , 91, 25-36	5.5	34
68	Regulation of autophagic flux by dynein-mediated autophagosomes trafficking in mouse coronary arterial myocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 3228-3236	4.9	23
67	Regulation of renin release via cyclic ADP-ribose-mediated signaling: evidence from mice lacking CD38 gene. <i>Cellular Physiology and Biochemistry</i> , 2013 , 31, 44-55	3.9	8
66	Attenuation by statins of membrane raft-redox signaling in coronary arterial endothelium. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2013 , 345, 170-9	4.7	29
65	NADPH oxidase-mediated triggering of inflammasome activation in mouse podocytes and glomeruli during hyperhomocysteinemia. <i>Antioxidants and Redox Signaling</i> , 2013 , 18, 1537-48	8.4	102
64	Thioredoxin-Interacting Protein Mediates Hcys-induced NLRP3 Inflammasome Activation in Mouse Podocytes. <i>FASEB Journal</i> , 2013 , 27, 704.7	0.9	1
63	Contribution of Reactive Oxygen Species to NLRP3 Inflammasome Activation in Glomeruli of Mice with Hyperhomocysteinemia. <i>FASEB Journal</i> , 2013 , 27, 890.3	0.9	
62	Epithelial-to-Mesenchymal Transition Induced by Accumulation of Autophagosomes in Podocytes. <i>FASEB Journal</i> , 2013 , 27, 889.7	0.9	
61	Regulation of Renal Sodium Excretion by Medullary NLRP3 Inflammasome Activation beyond Turning on Inflammation. <i>FASEB Journal</i> , 2013 , 27, 1115.5	0.9	
60	The Anandamide Cyclooxygenase-2 Metabolite, Prostamide E2, as a Novel Diuretic and Natriuretic Lipid in the Mouse Renal Medulla. <i>FASEB Journal</i> , 2013 , 27, 703.7	0.9	
59	High Fat Diet Failed to Induce NALP3 Inflammasome Activation and Glomerular Injury in Apoptosis-Associated Speck-like Protein (ASC) Knockout Mice. <i>FASEB Journal</i> , 2013 , 27, 889.5	0.9	
58	Reversal of ATP-Induced NLRP3 Inflammasome Activation and Lipids Deposition in Macrophages from Mice Lacking Apoptosis-associated Speck-like Protein (ASC) Gene. <i>FASEB Journal</i> , 2013 , 27, 686.11	0.9	
57	Inhibition of Hyperhomocysteinemia-Induced Inflammasome Activation and Glomerular Sclerosis by NLRP3 Gene Deletion. <i>FASEB Journal</i> , 2013 , 27, 704.6	0.9	
56	Overexpression of HIF-11transgene in the renal medulla attenuated salt sensitive hypertension in Dahl S rats. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 936-41	6.9	21
55	Implication of CD38 gene in podocyte epithelial-to-mesenchymal transition and glomerular sclerosis. <i>Journal of Cellular and Molecular Medicine</i> , 2012 , 16, 1674-85	5.6	31
54	Acid sphingomyelinase gene knockout ameliorates hyperhomocysteinemic glomerular injury in mice lacking cystathionine-Esynthase. <i>PLoS ONE</i> , 2012 , 7, e45020	3.7	20

(2011-2012)

53	NAD(P)H oxidase-dependent intracellular and extracellular O2Eproduction in coronary arterial myocytes from CD38 knockout mice. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 357-65	7.8	34
52	Requirement of translocated lysosomal V1 H(+)-ATPase for activation of membrane acid sphingomyelinase and raft clustering in coronary endothelial cells. <i>Molecular Biology of the Cell</i> , 2012 , 23, 1546-57	3.5	32
51	Lysosome fusion to the cell membrane is mediated by the dysferlin C2A domain in coronary arterial endothelial cells. <i>Journal of Cell Science</i> , 2012 , 125, 1225-34	5.3	36
50	Production and actions of the anandamide metabolite prostamide E2 in the renal medulla. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2012 , 342, 770-9	4.7	31
49	Activation of Nod-like receptor protein 3 inflammasomes turns on podocyte injury and glomerular sclerosis in hyperhomocysteinemia. <i>Hypertension</i> , 2012 , 60, 154-62	8.5	138
48	Characteristics and Hypertensive Actions of Renal Medullary NALP3 Inflammasomes in Mice. <i>FASEB Journal</i> , 2012 , 26, 879.4	0.9	
47	NALP3 Inflammasome Activation in the Coronary Arterial Wall of Obese Mice. <i>FASEB Journal</i> , 2012 , 26, 877.7	0.9	
46	Inhibition of NADPH Oxidase Attenuates Hyperhomocysteinemia-induced NALP3 Inflammasome Activation in Mouse Glomeruli. <i>FASEB Journal</i> , 2012 , 26, 691.10	0.9	
45	Acid Sphingomyelinase Gene Knockout Ameliorates Hyperhomocysteinemic Glomerular Injury in Mice Lacking Cystathionine Bynthase. <i>FASEB Journal</i> , 2012 , 26, 691.6	0.9	
44	Autophagy Maturation Controlled by CD38-Lysosome Signaling in Glomerular Podocytes of Mice. <i>FASEB Journal</i> , 2012 , 26, 690.14	0.9	
43	Role of Different Reactive Oxygen Species in Homocysteine-induced NALP3 Inflammasome Activation in Mouse Podocytes. <i>FASEB Journal</i> , 2012 , 26, 691.9	0.9	
42	Instigation of NALP3 Inflammasome Activation and Glomerular Injury in Mice on the High Fat Diet: Role of Acid Sphingomyelinase Gene. <i>FASEB Journal</i> , 2012 , 26, 690.7	0.9	
41	Acid sphingomyelinase gene deficiency ameliorates the hyperhomocysteinemia-induced glomerular injury in mice. <i>American Journal of Pathology</i> , 2011 , 179, 2210-9	5.8	39
40	Epithelial-to-mesenchymal transition in podocytes mediated by activation of NADPH oxidase in hyperhomocysteinemia. <i>Pflugers Archiv European Journal of Physiology</i> , 2011 , 462, 455-67	4.6	22
39	Silencing of hypoxia-inducible factor-1 gene attenuated angiotensin II-induced renal injury in Sprague-Dawley rats. <i>Hypertension</i> , 2011 , 58, 657-64	8.5	61
38	Reversal by growth hormone of homocysteine-induced epithelial-to-mesenchymal transition through membrane raft-redox signaling in podocytes. <i>Cellular Physiology and Biochemistry</i> , 2011 , 27, 691-702	3.9	23
37	Membrane raft-lysosome redox signalling platforms in coronary endothelial dysfunction induced by adipokine visfatin. <i>Cardiovascular Research</i> , 2011 , 89, 401-9	9.9	51
36	SNARE-mediated rapid lysosome fusion in membrane raft clustering and dysfunction of bovine coronary arterial endothelium. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011 , 301, H2028-37	5.2	8

35	A novel lipid natriuretic factor in the renal medulla: sphingosine-1-phosphate. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, F35-41	4.3	27
34	Implication of CD38 Gene in Podocytes Epithelial to Mesenchymal Transition and Glomerular Sclerosis. <i>FASEB Journal</i> , 2011 , 25, 665.12	0.9	
33	Activation of Inflammasomes as a Triggering Mechanism of Glomerular Injury in Mice on the High Fat Diet. <i>FASEB Journal</i> , 2011 , 25, 1028.6	0.9	
32	Abrogation by Growth Hormone of Homocysteine-Induced Epithelial-to-Mesenchymal Transition through Lipid Raft Redox Signaling in Podocytes. <i>FASEB Journal</i> , 2011 , 25, 665.22	0.9	
31	Role of sphingolipid mediator ceramide in obesity and renal injury in mice fed a high-fat diet. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010 , 334, 839-46	4.7	71
30	Hypoxia-inducible factor prolyl-hydroxylase 2 senses high-salt intake to increase hypoxia inducible factor 1alpha levels in the renal medulla. <i>Hypertension</i> , 2010 , 55, 1129-36	8.5	41
29	NMDA receptor-mediated activation of NADPH oxidase and glomerulosclerosis in hyperhomocysteinemic rats. <i>Antioxidants and Redox Signaling</i> , 2010 , 13, 975-86	8.4	40
28	Triggering role of acid sphingomyelinase in endothelial lysosome-membrane fusion and dysfunction in coronary arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010 , 298, H992-H1002	5.2	27
27	Visfatin-induced lipid raft redox signaling platforms and dysfunction in glomerular endothelial cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010 , 1801, 1294-304	5	45
26	Lysosome-dependent Ca(2+) release response to Fas activation in coronary arterial myocytes through NAADP: evidence from CD38 gene knockouts. <i>American Journal of Physiology - Cell Physiology</i> , 2010 , 298, C1209-16	5.4	35
25	Redox signaling via lipid raft clustering in homocysteine-induced injury of podocytes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2010 , 1803, 482-91	4.9	49
24	Protection of podocytes from hyperhomocysteinemia-induced injury by deletion of the gp91phox gene. <i>Free Radical Biology and Medicine</i> , 2010 , 48, 1109-17	7.8	40
23	Overexpression of HIF-11 transgene in the renal medulla attenuated salt-sensitive hypertension in Dahl S rats. <i>FASEB Journal</i> , 2010 , 24, 982.13	0.9	
22	Salt sensitive hypertension associated with stem cell defect in the renal medulla of Dahl S rats. <i>FASEB Journal</i> , 2010 , 24, 982.12	0.9	
21	Visfatin-Induced Lipid Raft Redox Signaling Platforms and Hyperpermeability in Glomerular Endothelial Cells. <i>FASEB Journal</i> , 2010 , 24, 996.3	0.9	
20	Homocysteine induces epithelial-to-mesenchymal transition of podocytes through the activation of NADPH oxidase. <i>FASEB Journal</i> , 2010 , 24, 1059.5	0.9	
19	Protection of Glomeruli from Hyperhomocysteinemia-Induced Injury in Acid Sphingomyelinase Gene Knockout Mice. <i>FASEB Journal</i> , 2010 , 24, 1059.13	0.9	
18	Turning on inflammatory response to homocysteine through activation of infammasomes in podocytes. <i>FASEB Journal</i> , 2010 , 24, 590.14	0.9	

LIST OF PUBLICATIONS

17	Amelioration of glomerulosclerosis by NMDA receptor blockade in hyperhomocysteinemic rats. <i>FASEB Journal</i> , 2010 , 24, 1059.6	0.9	
16	Activation of Infammasomes by Visfatin in Mouse Endothelial Cells. <i>FASEB Journal</i> , 2010 , 24, 996.4	0.9	
15	Production and actions of hydrogen sulfide, a novel gaseous bioactive substance, in the kidneys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 329, 1056-62	4.7	709
14	Contribution of guanine nucleotide exchange factor Vav2 to hyperhomocysteinemic glomerulosclerosis in rats. <i>Hypertension</i> , 2009 , 53, 90-6	8.5	60
13	Formation of lipid raft redox signalling platforms in glomerular endothelial cells: an early event of homocysteine-induced glomerular injury. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 3303-14	5.6	28
12	Overexpression of a HIF prolyl-4-hydroxylase Transgene in the Renal Medulla Increases the Salt Sensitivity of Arterial Blood Pressure. <i>FASEB Journal</i> , 2009 , 23, 1017.28	0.9	
11	Local production of O2- by NAD(P)H oxidase in the sarcoplasmic reticulum of coronary arterial myocytes: cADPR-mediated Ca2+ regulation. <i>Cellular Signalling</i> , 2008 , 20, 637-44	4.9	32
10	Salt-sensitive hypertension induced by decoy of transcription factor hypoxia-inducible factor-1alpha in the renal medulla. <i>Circulation Research</i> , 2008 , 102, 1101-8	15.7	62
9	Telemetric signal-driven servocontrol of renal perfusion pressure in acute and chronic rat experiments. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008 , 295, R1494-501	3.2	6
8	Dynamic In vivo Imaging of NADPH Oxidase Gene Expression to Monitor its Involvement in Morphine's Actions. <i>FASEB Journal</i> , 2008 , 22, 1125.13	0.9	
7	Lipid Rafts-Mediated Clustering and Activation of CD38 during M1-Receptor Stimulation in Bovine Coronary Arterial Myocytes. <i>FASEB Journal</i> , 2008 , 22, 965.14	0.9	
6	Contribution of Vav2 to Glomerular Injury via NADPH Oxidase Activation in Hyperhomocysteinemia. <i>FASEB Journal</i> , 2008 , 22, 1160.5	0.9	
5	Telemetric Signal-Driven Servo-Control of Renal Perfusion Pressure in Rats. <i>FASEB Journal</i> , 2008 , 22, 761.27	0.9	
4	Podocyte injury and glomerulosclerosis in hyperhomocysteinemic rats. <i>American Journal of Nephrology</i> , 2007 , 27, 262-8	4.6	51
3	Acid sphingomyelinase and its redox amplification in formation of lipid raft redox signaling platforms in endothelial cells. <i>Antioxidants and Redox Signaling</i> , 2007 , 9, 817-28	8.4	94
2	Role of cyclic ADP-ribose-Ca2+ signaling in mediating renin production and release in As4.1 cells. <i>Cellular Physiology and Biochemistry</i> , 2007 , 19, 293-302	3.9	10
1	In Vivo Ultrasound Microbubble-Mediated Gene Transfection and Expression Monitoring in the Renal Medulla of Rats. <i>FASEB Journal</i> , 2007 , 21, A438	0.9	